Chandan Electric Corporation
Since 1985

We are one of the leading Project supplier & stockist of all types of Electrical goods

89, Princess Street, Room no. 36, A, 2nd floor, Peerbhoy Building, 81/95, Pathak Wadi,
Lohar Chawl, Opp. Sun Brand Umbrella Showroom. Mumbai- 400 002.
Tel-022-22087580 / 39567492. Mob.+91-9820486600 / 9029895008. fax-022-22019101
Email id:- chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



TARGET

Trusted Name in Indication Industry



Electronic Hooter
96mm x 96mm (Variable Tone)

Housing : Acrylonitrile Butadiene Styrene (Black/Red)
Audible Range : 100 db Approx. (at 1 Meter)
Mounting : Flush/Base/Wall
Tone : Black Cabinet- **Intermittent** / Red Cabinet- **Siren**
Input Voltage : 12V/24/30V/48V / 110V DC,110V /230V AC

Tone : Intermittent

Description	Model No.	Price
Flush Mounting	96-EHS	870
Base Mounting	96-EHS-B	920
Wall Mounting	96-EHS-W	920
Potential Free Contact	96-EHP	870
With 5mm LED	96-EHL	925
With Volume Control	96-EHV	1035
With Volume & LED	96-EHVL	1080
With Acceptance	96-EHA	1585
With Volume & Acceptance	96-EHVA	1745



Tone: Siren

Description	Model No.	Price
Flush Mounting	96-EHS-S3	960
Base Mounting	96-EHS-S3-B	1010
Wall Mounting	96-EHS-S3-W	1010

Tone: Musical

Description	Model No.	Price
Flush Mounting	96-EHM	960
Base Mounting	96-EHM-B	1010
Wall Mounting	96-EHM-W	1010



Universal Input Voltage

Tone	Voltage	Model No.	Price
Intermittent	24V to 250V AC/DC	96-EHU	1350
Siren	24V to 250V AC/DC	96-EHU-S3	1440

HSN Code-8531
(for all products)



Electronic Hooter
72mm x 72mm (Selectable Tone)

Housing : Acrylonitrile Butadiene Styrene
Audible Range : 90 db Approx. (at 1 Meter)
Mounting : Flush/Base/Wall
Tone : Black Cabinet- **Intermittent** / Red Cabinet- **Siren**
Input Voltage : 12V/24/30V/48V / 110V DC,110V /230V AC

Tone :Intermittent

Description	Model No.	Price
Flush Mounting	72-EHS	840
Base Mounting	72-EHS-B	840
Wall Mounting	72-EHS-W	840

Tone :Siren

Description	Model No.	Price
Flush Mounting	72-EHS-S3	900
Base Mounting	72-EHS-S3-B	900
Wall Mounting	72-EHS-S3-W	900



144mm x 144mm (Variable Tone)

Housing : Acrylonitrile Butadiene Styrene(Gray)
Audible Range : 107 db Approx.(at 1 meter)
Mounting : Base/Flush
Tone : Intermittent/Siren
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Sound : Intermittent

Description	Model No.	Price
Electronic Hooter with 10mmLED	144-EHL	3000
Potential Free Contact	144-EHP	3000

Sound : Siren

Electronic Hooter with 10mm LED	144-EHL-S3	3050



Electronic Circuit with Detachable Speaker

Housing : Acrylonitrile Butadiene Styrene
Cabinet Size : 113mmx 113mm
Tone : Black Cabinet- **Intermittent** / Red Cabinet-**Siren**
Speaker : P.A or Target
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Description	Model No.	Price
113mm x 113mm	DEH	2700
96mm Speaker	Economy	1075

HSN Code-8531
(for all products)



Electronic Hooter/Siren (Hivol)

Housing : M. S. with Powder Coating
Cabinet Size : 213 mm X 137mm
Tone : Intermittent / siren
Audible Range : 113db approx.(at 1 meter)
Input Voltage : 12V/24V/48V DC/110V/220V AC

Description	Tone	Model No.	Price
213mm x 137mm	Intermittent	HVH	4800*
213mm x 137mm	Siren	HVS	4900*

**Please Confirm The price*



Electronic Buzzer
72mmx72mm

Housing : Acrylonitrile Butadiene Styrene (Gray)
Audible Range : 90 db Approx. (at 1 Meter)
Mounting : Flush/Base/Wall
Tone : Selectable
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Description	Model No.	Price
Flush Mounting	72-EBS	840
Base Mounting	72-EBB	840
Wall Mounting	72-EBW	840



48mm x 48mm

Housing : Acrylonitrile Butadiene Styrene (Black)
Audible Range : 85 db Approx. (at 1 Meter)
Mounting : Flush/Base/Wall
Tone : Intermittent
Input Voltage : 12V/24V /30V/48V/110V DC,110V/230V AC

Description	Model No.	Price
Flush Mounting	48-EBS	650
Base Mounting	48-EBB	650
Wall Mounting	48-EBW	650

HSN Code-8531
(for all products)

Tower Light (LED)

Steady + Flasher + Buzzer

Housing : Acrylonitrile Butadiene Styrene
Lens : Styrene Acrylonitrile
Lens Colour : Red,Amber,Green,Blue,White
Audible Range: 70 db approx.(at 1 feet)
Input Voltage : 12V/24V DC/110/230V AC

Steady

Stack	Model No.	Price
1	1-LTSS	1785
2	2-LTSS	2105
3	3-LTSS	2405
4	4-LTSS	3035
5	5-LTSS	3600

Steady+Buzzer

Stack	Model No.	Price
1	1-LTSSB	2140
2	2-LTSSB	2455
3	3-LTSSB	2770
4	4-LTSSB	3385
5	5-LTSSB	3950

Steady+Flasher

Stack	Model No.	Price
1	1-LTS	1875
2	2-LTS	2230
3	3-LTS	2530
4	4-LTS	3100
5	5-LTS	3660

Steady+Flasher+Buzzer

Stack	Model No.	Price
1	1-LTSB	2230
2	2-LTSB	2580
3	3-LTSB	2880
4	4-LTSB	3480
5	5-LTSB	4020

** For Blue & White lens colour charges will be Rs.200 Extra*

Mounting Rod(SS)

Description	Price
150mm	600
300mm	750
450mm	865

HSN Code-72



Revolving Light with or without Buzzer (LED)

Housing : Acrylonitrile Butadiene Styrene
Lens : Polycarbonate
Lens Colour : Red,Amber,Green,White,Blue (Blue LED with Clear Lens)
Audible Range : 70 db approx.(at 1 feet)
Input Voltage : 12V/ 24V DC/110V/230V AC

Revolving	Model No.	Lens Colour	Price
LED	LR	Red,Amber,Green	2650
LED	LR	White,Blue	3140
LED	LRB	Red,Amber,Green	2900
LED	LRB	White,Blue	3375

**Please Confirm availability of Lens Colour*



Flasher with or without Buzzer (LED)

Housing : Acrylonitrile Butadiene Styrene
Lens : Styrene Acrylonitrile
Lens Colour : Red, Amber, Green,Blue,White
Audible Range : 70 db approx.(at 1 feet)
Input Voltage : 12V/ 24V/48V DC/110V/230V AC

Revolving	Model No.	Lens Colour	Price
LED	CFLL	Red,Amber,Green	1315
LED	CFLL	White,Blue	1555
LED	CFLLB	Red,Amber,Green	1585
LED	CFLLB	White,Blue	1825

HSN Code-8531
(for all products)



22.5mm Ø Indicating Lamp with or without Buzzer

Housing : Acrylonitrile Butadiene Styrene
Lens : Styrene Acrylonitrile
Lens Colour : Red, Amber, Green, Blue,White
Audible Range : db 70 approx.(at 1feet)
Input Voltage : 12V/24V DC/110/220V AC or DC

Description	Model No.	Price
Buzzer	RB	300
Steady Lamp	SR	150
Flasher Lamp	FR	430
Steady Lamp + Buzzer	SRB	480
Flasher Lamp + Buzzer	FRB	480



Busbar Indication

Housing : M. S. with Powder Coating
Lens Base Housing : Acrylonitrile Butadiene Styrene
Lens : Styrene Acrylonitrile
Lens Colour : Red,Amber,Blue
Input Voltage : 230V AC

Description	Model No.	Price
Busbar Indication	BI	4200



Electronic Hooter with Tower Light

Housing : Acrylonitrile Butadine Styrene
Base Patti : M.S. Powder Coating
Audible Range : 100 db Approx. (at 1 Meter)
Mounting : Base/Wall
Tone : Black Cabinet- **Intermittent** / Red Cabinet- **Siren**
Lens : Styrene Acrylonitrile
Lens Colour : Red, Amber, Green, Blue,White
Input Voltage : 12V /24V DC/110V/230V AC

Hooter Size: 96mm x 96mm

Model No.	Price
96-EHS-1-LTS	2750
96-EHS-2-LTS	3100
96-EHS-3-LTS	3400

Please Specify Hooter Sound with Flasher or Steady



Electronic Hooter with Revolving Light

Hooter/ Revolving

Housing : Acrylonitrile Butadiene Styrene
Audible Range : 100 db Approx.(at 1 meter)
Mounting : Base/Wall
Tone : Black Housing-Inrermittent /Red Housing -Siren
Lens : Polycarbonate
Glass Colour : Red,Amber,Green,White,Blue (Blue LED with Clear Lens)
Revolving : LED Version
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Hooter Size:96mm x 96mm

Revolving	Tone	Cabinet Colour	Model No.	Price
LED	Intermittent	Black	96-EHS-LR	3540
LED	Intermittent	Black	96-EHA-LR	4240
LED	Siren	Red	96-EHS-S3-LR	3600

**Please Confirm availability of Lens Colour*

HSN Code-8531
(for all products)



Electronic Hooter with Revolving Light

Hooter/ Revolving

Housing : Acrylonitrile Butadiene Styrene(Gray)
Audible Range : 107 db Approx.(at 1 meter)
Mounting : Base
Tone : Intermittent/Siren
Lens : Polycarbonate
Colour : Red,Amber,Green,White,Blue (Blue LED with Clear Lens)
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Hooter Size:144mm x 144mm

Revolving	Tone	Model No.	Price
LED	Intermittent	144-EHS-LR	5640
LED	Siren	144-EHS-S3-LR	5750

Please Confirm availability of Lens Colour

Electronic Hooter with Flasher

Hooter/Flasher

Housing : Acrylonitrile Butadiene Styrene
Audible Range : 100 db Approx.(at 1 meter)
Mounting : Base/Wall
Tone : Black Housing-Intermittent /Red Housing -Siren
Lens : Styrene Acrylonitrile
Colour : Red,Amber,Green,White,Blue
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Hooter Size:96mm x 96mm

Flasher	Housing Colour	Model No.	Price
LED	Black	96-EHS-CFLL	2220
LED	Black	96-EHA-CFLL	2940
LED	Red	96-EHS-S3-CFLL	2300

Hooter/ Flasher

Housing : Acrylonitrile Butadiene Styrene (Gray)
Audible Range : 107 db Approx.(at 1 meter)
Mounting : Base
Tone : Intermittent/Siren
Lens : Styrene Acrylonitrile
Colour : Red,Amber,Green,White,Blue
Input Voltage : 12V/24V/30V/48V/110V DC,110V/230V AC

Hooter Size:144mm x 144mm

Flasher	Tone	Model No.	Price
LED	Intermittent	144-EHS-CFLL	4200
LED	Siren	144-EHS-S3- CFLL	4320

Standard Voltage	12	24	48	110	230
For AC	A 1	A 2	A 3	A 4	A 5
For DC	D 1	D 2	D 3	D 4	D 5

Add Suffix to above model

HSN Code-8531
(for all products)