

SYMBOL OF QUALITY

Pioneers in Solderless Terminals,
Crimping Tools & Cable Glands

**LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS**

 **Chandan Electric Corporation**
Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008 **Website** / www.chandanelectric.in

Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

National Price List April, 2024

PRICE LIST

CONTENTS

ABOUT DOWELL'S	1
DOWELL'S PRODUCT CATEGORY	2
CONNECTORS FOR 2C, 3C, 3.5C, 4C SECTOR SHAPED CONDUCTORS	3 - 7
Copper Sector Lugs - Long Barrel	5
Copper Sector Lugs - Long Barrel	6
Copper & Aluminium connectors	6
Aluminium Sector Lugs- Long Barrel	7
Aluminium Sector Lugs- Short Barrel	7
COPPER SERIES	8 - 11
Copper Tube Terminals Medium Duty	8
Copper Tube Terminals Heavy Duty Long Barrel	8
Copper Tube Terminals Heavy Duty BS 4579	8
Copper Tube Terminals Extended Palm (Blank)	8
Copper Reducer Terminals	
Copper Tublar Terminals Long Barrel	9
Copper Tube Terminals Heavy Duty In- line Connectors	9
Copper Tube Terminals Heavy Duty In- line Connectors	9
Copper DIN Type Terminals	10
Copper Tube Terminals ICF Series	10
Copper Tube Light Duty In- line Connectors	10
ALUMINIUM SERIES	11 - 12
Aluminium Tube Terminals	11
Aluminium Tube Terminals Long Barrel	11
Aluminium Terminals for Al. XLPE Condctors	11
Aluminium Tube Terminals Two Holes	11
Aluminium Reducer Terminals	12
Aluminium In- line Connectors	12
Aluminium In- line Connectors for Al. XLPE Condctors	12
BI-METTALIC SERIES	13
Bi-Mettalic Connectors (Friction Welded)	13
Bi-Mettalic Terminals (Friction Welded)	13
Aluminium Alloy Tublar Bi-Mettalic Terminals	13

PRICE LIST

CONTENTS

COPPER RING, PIN & FORK TERMINALS

14 - 16

Pin Terminals non- insulated	14
Pin Terminals Double Grip (Pre -insulated)	14
Pin Terminals Double Grip (Pre -insulated)	14
End Sealing Ferrules non- insulated	14
Non- insulated Ring Terminals	14
Ring Terminals insulated	15
Ring Terminals Double Grip (Pre -insulated)	15
Fork Terminals non- insulated	15
Fork Terminals Insulated	15
Fork Terminals Pre- insulated	15
Snap on Terminals	15
End Sealing Ferrules Insulated	16
Copper Twin Type Lugs	16

COPPER GLANDS

17- 20

Double Compression Armoured weather and Frame Proof Brass Cable Glands	17
DC Type Medium Duty Armoured Brass Cable Glands	18
Double Compression Un- Armoured Brass Cable Glands	18
Single Compression & SIBG Brass Cable Glands	19
Brass PG Gland	19
Nylon PG Gland	19
Flange Type Cable Glands	19
Earth Tag & LSF/ LSZH Shroud	20

TOOLS & ACCESSORIES

21 - 22

Hand Operated Crimping Tools	21
Hydraulic Crimping Tools	21
Corrosion Inhibiting Compound	21
Jack for SYD/ SYT/ SYE	22
Crimping JIGS	22

COMPANY PROFILE

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.


At present, Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol, Daman, Nashik & Roorkee in India, and this subsidiary company i.e M/S. Dowells Cable Accessories Pvt Ltd have set up their manufacturing plant at Halol in Gujarat state having a measuring area of 1,00,000 Sq. ft with in - house manufacturing facilities where more than 2500 line items with production capacity of 5000 metric tons per annum with an aim to serve world best technology in cable and termination

OUR MISSION

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.

OUR VISION

Enhance and strengthen our leadership position in wires and cables, Continue to invest in technology to improve operational efficiencies, customer satisfaction, and sales and strengthen brand recognition.



CABLE GLANDS



DOWELL's electrical armoured and unarmoured cable glands are designed for usage in including oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining to name a few. Electrical cable glands can be used with a range of cable types, including armoured and unarmoured and are available in nickel plated brass, stainless steel, polyamide.

CONNECTORS & SHEET TERMINALS



DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium, copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals.

TOOLS & ACCESSORIES



The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.

CONNECTORS FOR 2C,3C,3.5C, 4C SECTOR SHAPED CONDUCTORS



Designed primarily for solid or stranded sector shape conductors for all angular arrangement of 2C,3C,3.5C or 4C cables. Precision fit on the sector conductor, allows for perfect and reliable connection. This eliminated the process of rounding of the conductors for fitment during crimping in case of round connectors. This design also gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

FEATURES

- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots when compared with circular connector for the same applications
- Improved conductivity
- Increase in the contact surface area

COPPER SECTOR LUGS - LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	63.95	25
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	63.95	25
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	63.95	25
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	100.99	25
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	100.99	25
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	144.43	25
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	144.43	25
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	144.43	25
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	232.63	15
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	232.63	15
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	232.63	15
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	287.75	10
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	287.75	10
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	287.75	10
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	395.80	10
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	395.80	10
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	395.80	10
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	501.64	15
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	501.64	15
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	501.64	15
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	629.53	10
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	629.53	10
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	629.53	10
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	962.48	10
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	962.48	10
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1203.93	10
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1203.93	10
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1702.26	8
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	2002.14	5
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	3005.42	5

COPPER SECTOR LUGS – SHORT BARREL


SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	44.76	25
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	44.76	25
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	44.76	25
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	65.05	25
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	65.05	25
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	100.99	25
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	100.99	25
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	100.99	25
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	160.97	15
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	160.97	15
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	160.97	15
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	197.35	10
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	197.35	10
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	197.35	10
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	294.37	10
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	294.37	10
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	294.37	10
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	370.44	15
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	370.44	15
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	370.44	15
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	476.28	10
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	476.28	10
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	476.28	10
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	750.80	10
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	750.80	10
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	960.28	10
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	960.28	10
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1424.43	8
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1652.65	5
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2478.42	5

COPPER SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	30.21	50
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	47.08	50
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	77.29	50
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	132.30	50
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	194.04	25
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	265.70	20
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	357.21	25
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	472.97	25
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	733.16	20
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	1018.71	10
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1563.35	8
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	1791.56	5
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2454.17	5

ALUMINIUM SECTOR CONNECTORS



SIZE (sq - mm)	DOWELL'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	5.40	100
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	8.05	100
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	13.12	100
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	23.15	100
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	33.63	50
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	46.75	35
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	63.61	50
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	82.47	40
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	131.20	20
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	178.61	15
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	275.63	10
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	269.01	5
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	356.11	5

ALUMINIUM SECTOR LUGS - LONG BARREL



SIZE (sq - mm)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	9.37	50
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	9.37	50
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	9.37	50
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	14.77	50
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	14.77	50
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	21.61	50
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	21.61	50
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	21.61	50
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	32.08	30
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	32.08	30
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	32.08	30
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	38.37	20
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	38.37	20
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	38.37	20
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	53.58	20
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	53.58	20
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	53.58	20
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	68.24	25
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	68.24	25
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	68.24	25
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	86.11	20
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	86.11	20
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	86.11	20
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	132.30	15
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	132.30	15
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	164.27	10
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	164.27	10
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	231.53	8
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	362.72	5
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	475.18	5

ALUMINIUM SECTOR LUGS - SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	6.84	50
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	6.84	50
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	6.84	50
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	9.37	50
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	9.37	50
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	14.77	50
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	14.77	50
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	14.77	50
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	23.15	30
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	23.15	30
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	23.15	30
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	28.89	20
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	28.89	20
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	28.89	20
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	42.01	20
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	42.01	20
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	42.01	20
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	52.48	25
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	52.48	25
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	52.48	25
185	10.5	2S-ALS-B1	3S-ALS-B1	3.5S-ALS-B1	4S-ALS-B1	66.70	20
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	66.70	20
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	66.70	20
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	104.96	15
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	104.96	15
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	133.40	10
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	133.40	10
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	200.66	8
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	299.88	5
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	400.21	5

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-5	CUS-05	6.95
4-6	CUS-06	9.92
6-6	CUS-07	10.80
10-6	CUS-08	13.89
16-6	CUS-09	18.08
25-6	CUS-10	30.21
35-6	CUS-11	32.63
35-8	CUS-12	32.63
50-6	CUS-13	43.55
50-8	CUS-14	43.55
50-10	CUS-15	43.55
70-8	CUS-16	76.07
70-10	CUS-17	76.07
70-12	CUS-18	76.07
95-10	CUS-19	108.05
95-12	CUS-20	103.64
120-10	CUS-21	138.92
120-12	CUS-22	138.92
120-16	CUS-23	138.92
150-10	CUS-24	203.96
150-12	CUS-25	201.76
150-16	CUS-26	197.35
185-12	CUS-27	304.29
185-16	CUS-28	297.68
225-16	CUS-231	360.52
240-16	CUS-29	407.93
240-20	CUS-30	407.93
300-16	CUS-31	606.38
300-20	CUS-32	599.76
400-20	CUS-33	825.77
500-20	CUS-34	1103.60
630-20	CUS-35	1546.81
800	CUS-062	2546.78
1000	CUS-076	5620.55

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL		
mm ² -E	CAT. NO.	PRICE (₹)
25-8	CUS-282	34.84
35-8	CUS-283	55.79
50-8	CUS-284	92.94
70-10	CUS-285	143.33
95-12	CUS-286	224.91
120-12	CUS-287	320.83
150-12	CUS-288	394.70
185-12	CUS-289	572.20
240-16	CUS-290	802.62
300-16	CUS-291	1058.40
400-20	CUS-292	1614.06
500-21	CUS-293	2865.40
630-21	CUS-294	3817.96



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)		
mm ² -E	CAT. NO.	PRICE (₹)
50	CUS-466	119.07
70	CUS-467	197.35
95	CUS-468	282.24
120	CUS-469	339.57
150	CUS-470	445.41
185	CUS-471	660.40
240	CUS-472	974.61
300	CUS-473	1410.10
400	CUS-474	2440.94
500	CUS-475	2928.24
630	CUS-476	4510.33

COPPER TUBE TERMINAL HEAVY DUTY BS-4579		
mm ² -E	CAT. NO.	PRICE (₹)
1.5-5	CUS-538	8.71
1.5-6	CUS-539	9.04
2.5-4	CUS-388	9.04
2.5-5	CUS-540	9.48
2.5-6	CUS-541	9.48
4-5	CUS-389	11.58
4-6	CUS-543	11.58
6-5	CUS-390	13.89
6-6	CUS-544	13.89
6-8	CUS-545	13.89
10-6	CUS-353	14.55
10-8	CUS-547	15.66
16-8	CUS-549	20.95
16-6	CUS-354	19.73
20-8	CUS-550	22.16
25-6	CUS-355	31.97
25-8	CUS-551	31.97
25-10	CUS-552	31.97
35-8	CUS-356	41.78
35-6	CUS-542	41.78
35-10	CUS-554	43.55
50-8	CUS-357	68.58
50-10	CUS-556	68.58
70-10	CUS-358	113.56
70-8	CUS-557	113.56
70-13	CUS-559	113.56
95-10	CUS-359	158.76
95-13	CUS-561	158.76
120-17	CUS-546	216.09
120-13	CUS-241	216.09
150-13	CUS-242	282.24
150-17	CUS-564	261.29
185-17	CUS-243	370.44
240-17	CUS-244	547.94
240-21	CUS-567	547.94
300-17	CUS-245	797.11
300-21	CUS-569	797.11
400-17	CUS-246	1254.65
400-21	CUS-571	1281.11
500-21	CUS-247	1711.08
550-21	CUS-573	2095.85
630-21	CUS-248	2566.62
800	CUS-599	4460.72
1000	CUS-590	6345.99



COPPER REDUCER TERMINAL		
mm ²	CAT. NO.	PRICE (₹)
2.5	WPC-01	22.16
2.5	WPC-07	20.95
4	WPC-15	22.16
4	WPC-16	20.95
6	WPC-17	22.60
6	WPC-18	20.95
10	WPC-19	26.79
10	WPC-20	23.92
10	WPC-21	31.97
10	WPC-22	29.11
16	WPC-23	54.02
16	WPC-24	54.02
16	WPC-02	38.92
25	WPC-25	62.73
25	WPC-03	83.02
35	WPC-04	81.92
50	WPC-26	91.73
50	WPC-05	216.09
70	WPC-27	142.22
70	WPC-6	216.09
70	WPC-28	212.78
95	WPC-29	205.07
95	WPC-08	287.75
95	WPC-31	190.73
95	WPC-32	302.09
120	WPC-33	249.17
120	WPC-34	248.06
120	WPC-35	287.75
120	WPC-36	386.98
150	WPC-10	452.03
150	WPC-37	351.70
185	WPC-30	574.40
185	WPC-38	461.95
225	WPC-39	755.21
225	WPC-46	1038.56
225	WPC-42	959.18
240	WPC-44	988.94
240	WPC-43	723.24
300	WPC-45	916.18
300	WPC-47	977.92
400	WPC-101	2069.39

COPPER TUBULAR TERMINALS LONG BARREL		
mm ²	CAT. NO.	PRICE (₹)
2.5-5	CEB-05	10.36
4-6	CEB-06	14.55
6-6	CEB-07	15.66
10-6	CEB-08	19.73
16-6	CEB-09	25.58
25-6	CEB-10	32.63
35-6	CEB-11	38.92
35-8	CEB-12	45.86
50-6	CEB-13	59.20
50-8	CEB-14	59.20
50-10	CEB-15	59.20
70-8	CEB-16	97.57
70-10	CEB-17	97.57
70-12	CEB-18	97.57
95-10	CEB-19	126.79
95-12	CEB-20	126.79
120-10	CEB-21	173.09
120-12	CEB-22	173.09
120-16	CEB-23	173.09
150-10	CEB-24	249.17
150-12	CEB-25	245.86
150-16	CEB-26	241.45
185-12	CEB-27	363.83
185-16	CEB-28	363.83
225-16	CEB-231	472.97
240-16	CEB-29	501.64
240-20	CEB-30	501.64
300-16	CEB-31	693.47
300-20	CEB-32	693.47
400-20	CEB-33	1005.48
500-20	CEB-34	1354.97
630-20	CEB-35	1887.48
800	CEB-62	3021.95
1000	CEB-76	6832.19

COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS		
mm ²	CAT. NO.	PRICE (₹)
1.5	EH-453	3.86
1.5	CB-41	5.95
2.5	EH-454	4.63
4	CB-3	6.62
4.6	EH-455	7.72
6	CB-4	8.71
10	EH-460	12.24
16	CB-6	13.89
20	CB-47	15.66
25	CB-24	32.63
35	CB-25	44.76
50	CB-26	67.91
70	CB-27	130.10
70	CB-51	114.66
95	CB-28	183.02
95	CB-52	148.84
120	CB-29	244.76
120	CB-53	175.30
150	CB-30	300.98
150	CB-54	249.17
185	CB-55	341.78
185	CB-31	393.59
240	CB-32	604.17
240	CB-56	523.69
300	CB-33	857.75
300	CB-57	744.19
400	CB-34	1520.35
400	CB-58	1096.99
500	CB-35	1952.53
500	CB-59	1604.14
550	CB-60	1777.23
630	CB-36	2781.61
630	CB-61	2374.79
800	CB-42	3995.46
1000	CB-43	5946.89



COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS		
mm ²	CAT. NO.	PRICE (₹)
1.5	EH-463	4.74
2.5	EH-464	5.84
4-6	EH-465	8.82



COPPER DIN TYPE TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
6-5	DIN-6-5	22.16	95-16	DIN-95-16	579.92
6-6	DIN-6-6	22.16	120-10	DIN-120-10	727.65
6-8	DIN-6-8	22.16	120-12	DIN-120-12	727.65
10-5	DIN-10-5	22.60	120-14	DIN-120-14	727.65
10-6	DIN-10-6	22.60	120-16	DIN-120-16	727.65
10-8	DIN-10-8	22.60	120-20	DIN-120-20	727.65
16-6	DIN-16-6	81.92	150-10	DIN-150-10	1038.56
16-8	DIN-16-8	81.92	150-12	DIN-150-12	1038.56
16-10	DIN-16-10	81.92	150-14	DIN-150-14	1038.56
16-12	DIN-16-12	81.92	150-16	DIN-150-16	1038.56
25-6	DIN-25-6	103.64	150-20	DIN-150-20	1038.56
25-8	DIN-25-8	103.64	185-10	DIN-185-10	1188.50
25-10	DIN-25-10	103.64	185-12	DIN-185-12	1188.50
25-12	DIN-25-12	103.64	185-14	DIN-185-14	1188.50
35-6	DIN-35-6	201.76	185-16	DIN-185-16	1188.50
35-8	DIN-35-8	201.76	185-20	DIN-185-20	1188.50
35-10	DIN-35-10	201.76	240-12	DIN-240-12	1704.47
35-12	DIN-35-12	201.76	240-14	DIN-240-14	1704.47
35-14	DIN-35-14	201.76	240-16	DIN-240-16	1704.47
50-8	DIN-50-8	299.88	240-20	DIN-240-20	1704.47
50-10	DIN-50-10	299.88	300-14	DIN-300-14	2060.57
50-12	DIN-50-12	299.88	300-16	DIN-300-16	2060.57
50-14	DIN-50-14	299.88	300-20	DIN-300-20	2060.57
50-16	DIN-50-16	299.88	400-14	DIN-400-14	4049.48
70-8	DIN-70-8	395.80	400-16	DIN-400-16	4049.48
70-10	DIN-70-10	395.80	400-20	DIN-400-20	4049.48
70-12	DIN-70-12	395.80	500-16	DIN-500-16	4799.18
70-14	DIN-70-14	395.80	500-20	DIN-500-20	4799.18
70-16	DIN-70-16	395.80	625-16	DIN-625-16	4751.78
95-8	DIN-95-8	579.92	625-20	DIN-625-20	4751.78
95-10	DIN-95-10	579.92	800-16	DIN-800-16	8574.14
95-12	DIN-95-12	579.92	800-20	DIN-800-20	8574.14
95-14	DIN-95-14	579.92	1000-21	DIN-1000-21	10811.12

COPPER TUBE TERMINAL ICF SERIES

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
17-5	CUS-106	40.68	90-8	CUS-161	299.88
17-6	CUS-145	40.68	90-10	CUS-162	299.88
17-8	CUS-146	40.68	90-13	CUS-163	
17-10	CUS-109	41.78	110-6	CUS-115	366.03
23-5	CUS-107	67.36	110-8	CUS-164	366.03
23-6	CUS-147	67.36	110-10	CUS-165	366.03
23-8	CUS-148	67.36	110-13	CUS-166	366.03
23-10	CUS-108	70.89	146-8	CUS-138	535.82
29-5	CUS-10	99.89	146-10	CUS-167	535.82
29-6	CUS-149	91.73	146-13	CUS-168	535.82
29-8	CUS-150	91.73	146-17	CUS-169	535.82
29-10	CUS-151	94.04	183-10	CUS-128	700.09
29-13	CUS-111	91.73	183-13	CUS-170	736.47
45-5	CUS-116	130.10	183-17	CUS-171	736.47
45-6	CUS-152	130.10	225-10	CUS-139	846.72
45-8	CUS-153	130.10	225-13	CUS-172	846.72
45-10	CUS-154	130.10	225-17	CUS-173	846.72
45-10	CUS-113	130.10	225-21	CUS-174	846.72
57-6	CUS-112	212.78	299-13	CUS-140	1197.32
57-8	CUS-155	212.78	299-17	CUS-175	1211.65
57-10	CUS-156	212.78	299-21	CUS-176	1197.32
57-13	CUS-157	212.78	366-13	CUS-141	1685.72
75-6	CUS-114	271.22	366-17	CUS-177	1685.72
75-8	CUS-158	271.22	366-21	CUS-178	1685.72
75-10	CUS-159	271.22	437-13	CUS-142	2311.94
75-13	CUS-160	271.22	437-17	CUS-179	2313.05
90-6	CUS-137	299.88	437-21	CUS-180	2313.05



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	mm ²	CAT. NO.	PRICE (₹)
2.5	CB-23	6.50	225	CB-20	407.93
25	CB-7	32.63	240	CB-15	426.67
35	CB-8	43.55	300	CB-16	644.96
50	CB-9	65.05	400	CB-17	976.82
70	CB-10	94.04	500	CB-18	1266.77
95	CB-11	133.40	630	CB-19	1745.26
120	CB-12	184.12	800	CB-21	2730.89
150	CB-13	234.83	1000	CB-22	4066.02
185	CB-14	294.37			

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINAL		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-151	2.98
2.5-3.5	ALS-309	2.98
4-4	ALS-155	3.09
4-5	ALS-317	3.09
6-5	ALS-158	3.53
6-6	ALS-313	3.53
10-4	ALS-159	4.30
10-6	ALS-214	4.30
10-8	ALS-215	4.30
16-6	ALS-252	5.95
16-8	ALS-216	5.95
16-10	ALS-217	5.95
25-6	ALS-253	8.16
25-8	ALS-218	8.16
25-10	ALS-219	8.16
25-12	ALS-220	8.16
35-6	ALS-254	9.81
35-8	ALS-221	9.81
35-10	ALS-222	9.81
50-8	ALS-255	14.77
50-10	ALS-312	14.77
50-12	ALS-224	14.77
70-8	ALS-256	23.15
70-10	ALS-225	23.15
70-12	ALS-226	23.15
95-10	ALS-227	24.81
95-12	ALS-228	24.26
95-16	ALS-229	24.26
120-10	ALS-257	34.40
120-12	ALS-230	33.63
120-16	ALS-231	33.63
150-10	ALS-258	45.75
150-12	ALS-232	44.65
150-16	ALS-233	44.65
185-10	ALS-311	57.77
185-12	ALS-234	56.45
185-16	ALS-235	57.11
225-12	ALS-320	81.36
240-12	ALS-236	93.49
240-16	ALS-237	93.49
300-16	ALS-300	132.30
300-20	ALS-259	132.30
400-20	ALS-260	191.84
500-20	ALS-296	300.98
630-20	ALS-261	391.39
800	ALS-318	619.61
1000	ALS-319	902.95

ALUMINIUM TUBE TERMINALS LONG BARREL		
mm ² -E	CAT. NO.	PRICE (₹)
2.5-3	ALS-551	4.30
2.5-3.5	ALS-509	4.30
4-4	ALS-555	4.30
4-5	ALS-517	4.30
6-5	ALS-558	4.63
6-6	ALS-513	4.63
10-6	ALS-514	5.62
10-8	ALS-515	5.62
16-6	ALS-552	7.06
16-8	ALS-516	7.06
16-10	ALS-617	7.06
25-8	ALS-518	8.16
25-10	ALS-519	8.16
25-12	ALS-520	8.16
35-8	ALS-521	11.58
35-10	ALS-522	11.58
50-8	ALS-655	17.86
50-10	ALS-512	17.86
50-12	ALS-524	17.86
70-8	ALS-556	28.89
70-10	ALS-525	28.89
70-12	ALS-526	28.89
95-10	ALS-527	29.99
95-12	ALS-528	29.99
95-16	ALS-529	29.99
120-10	ALS-557	44.65
120-12	ALS-530	44.65
120-16	ALS-531	44.65
150-10	ALS-658	54.79
150-12	ALS-532	53.58
150-16	ALS-533	53.58
185-10	ALS-511	69.90
185-12	ALS-534	71.44
185-16	ALS-535	70.67
225-12	ALS-620	100.11
240-12	ALS-536	113.56
240-16	ALS-537	113.56
300-16	ALS-500	166.48
300-20	ALS-559	166.48
400-20	ALS-560	239.24
500-20	ALS-596	383.67
630-20	ALS-561	497.23
800	ALS-618	744.19
1000	ALS-619	1115.73

ALUMINIUM TERMINALS FOR AL. XLPE CONDUCTORS		
mm ² -E	CAT. NO.	PRICE (₹)
25-8	ALS-XL17	11.58
35-8	ALS-XL18	15.77
50-10	ALS-XL19	25.25
70-10	ALS-XL20	33.63
95-12	ALS-XL21	52.48
120-12	ALS-XL22	66.70
150-12	ALS-XL23	96.58
185-12	ALS-XL24	127.89
225-12	ALS-XL25	158.76
240-12	ALS-XL26	176.40
300-20	ALS-XL27	230.42
400-20	ALS-XL28	367.13
500-20	ALS-XL29	510.46
630-20	ALS-XL30	729.86
800-20	ALS-XL31	985.64
1000-20	ALS-XL32	2099.16



ALUMINIUM TUBE TERMINALS TWO HOLES		
mm ² -E	CAT. NO.	PRICE (₹)
150	ALS-701	106.83
240	ALS-702	191.84
300	ALS-703	294.37
630	ALS-706	777.26
300	ALS-704	294.37
300	ALS-705	323.03



ALUMINIUM REDUCER TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)
2.5	AWP-01	9.81
2.5	AWP-07	9.81
4	AWP-15	9.81
4	AWP-16	9.04
6	AWP-17	10.36
6	AWP-18	9.04
10	AWP-19	11.25
10	AWP-20	11.25
10	AWP-21	11.25
10	AWP-22	11.25
16	AWP-23	23.15
16	AWP-24	23.15
16	AWP-02	15.77
25	AWP-25	25.25
25	AWP-03	32.08
35	AWP-04	33.63
50	AWP-26	38.37
50	AWP-05	64.61
70	AWP-27	58.76
70	AWP-06	75.08
70	AWP-28	89.30
95	AWP-29	85.00
95	AWP-08	119.07
95	AWP-31	77.73
95	AWP-32	125.69
120	AWP-33	102.20
120	AWP-34	102.20
120	AWP-35	119.07
120	AWP-36	160.97
150	AWP-10	187.43
150	AWP-37	146.63
185	AWP-30	238.14
185	AWP-38	191.84
225	AWP-39	313.11
225	AWP-46	449.82
225	AWP-42	398.00
240	AWP-44	410.13
240	AWP-43	299.88
300	AWP-45	378.16
300	AWP-47	405.72

ALUMINIUM IN LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)
2.5	ALS-145	2.43
2.5	ALS-6	2.43
4	ALS-5	2.54
6	ALS-13	2.54
10	ALS-14	3.09
10	ALS-146	2.98
16	ALS-4	3.86
25	ALS-3	6.39
35	ALS-2	6.39
50	ALS-12	11.58
70	ALS-1	19.07
95	ALS-15	22.60
120	ALS-9	32.08
150	ALS-10	38.26
185	ALS-1	48.95
225	ALS-147	75.85
240	ALS-16	76.73
300	ALS-17	113.56
400	ALS-18	171.99
500	ALS-19	275.63
630	ALS-20	353.90
800	ALS-148	490.61
1000	ALS-149	819.16



ALUMINIUM IN LINE CONNECTORS FOR AL XLPE CONDUCTORS

mm ² -E	CAT. NO.	PRICE (₹)
25	ALS-XL01	9.81
35	ALS-XL02	15.32
50	ALS-XL03	24.26
70	ALS-XL04	33.63
95	ALS-XL05	46.75
120	ALS-XL06	59.42
150	ALS-XL07	79.38
185	ALS-XL08	119.07
225	ALS-XL09	144.43
240	ALS-XL10	167.58
300	ALS-XL11	217.19
400	ALS-XL12	332.96
500	ALS-XL13	435.49
630	ALS-XL14	599.76
800	ALS-XL15	821.36
1000	ALS-XL16	1131.17

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)

Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CACF-16-16	16-16	327.44
2	CACF-25-16	25-16	327.44
3	CACF-25-25	25-25	327.44
4	CACF-35-16	35-16	327.44
5	CACF-35-25	35-25	320.83
6	CACF-35-35	35-35	316.42
7	CACF-50-25	50-25	402.41
8	CACF-50-35	50-35	402.41
9	CACF-50-50	50-50	390.29
10	CACF-70-35	70-35	398.00
11	CACF-70-50	70-50	389.18
12	CACF-70-70	70-70	373.75
13	CACF-95-50	95-50	497.23
14	CACF-95-70	95-75	482.90
15	CACF-95-95	95-95	480.69
16	CACF-120-70	120-70	628.43
17	CACF-120-95	120-95	617.40
18	CACF-120-120	120-120	601.97
19	CACF-150-95	150-95	612.99
20	CACF-150-120	150-120	599.76
21	CACF-150-150	150-150	576.61
22	CACF-185-120	185-120	855.54
23	CACF-185-150	185-150	834.59
24	CACF-185-185	185-185	1041.86
25	CACF-240-150	240-150	928.31
26	CACF-240-185	240-185	1034.15
27	CACF-240-240	240-240	995.56

BI-METALLIC TERMINALS (FRICTION WELDED)

Sr. No	Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)
1	CAF-25-10	25	262.40
2	CAF-35-10	35	287.75
3	CAF-50-13	50	328.55
4	CAF-70-13	70	384.77
5	CAF-95-13	95	391.39
6	CAF-120-13	120	448.72
7	CAF-150-13	150	496.13
8	CAF-185-13	185	831.29
9	CAF-240-13	240	851.13
10	CAF-300-17	300	1082.66
11	CAF-400-17	400	1094.78
12	CAF-500	500	2848.86
13	CAF-630	630	3317.42



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
10-6	BL-01	5.40	120-12	BL-16	46.75
10-8	BL-02	5.95	150-12	BL-17	64.61
16-6	BL-03	7.61	150-16	BL-18	64.61
16-8	BL-04	7.61	185-12	BL-19	80.81
25-8	BL-05	9.81	185-16	BL-20	80.81
25-10	BL-06	9.81	225-12	BL-21	113.45
35-8	BL-07	11.58	240-12	BL-22	137.81
35-10	BL-08	11.58	240-16	BL-23	137.81
50-8	BL-09	20.51	300-16	BL-24	219.40
50-10	BL-10	20.51	300-20	BL-25	219.40
70-10	BL-11	31.53	400-20	BL-26	275.63
70-12	BL-12	31.53	500-20	BL-27	396.90
95-10	BL-13	32.08	630-20	BL-28	517.07
95-12	BL-14	32.08	800-20	BL-29	776.16
120-10	BL-15	46.75	1000-20	BL-30	1270.08

COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75	CP-59	3.09	4	CP-3	5.84
1	CP-44	3.09	6	CP-5	5.84
1.5	CP-9	3.09	10	CP-7	9.15
1.5	CP-35	3.42	16	CP-8	18.08
2.5	CP-1	3.09	50	CP-88	67.91
2.5	CP-2	3.09	70	CP-89	91.95
25	CP-86	33.74	95	CP-90	120.17
35	CP-87	44.76			

NON INSULATED RING TERMINALS					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75-4	RS-7317	2.87	10-5	RS-7026	7.83
1-3.5	RS-7318	2.87	10-6	RS-7120	8.49
1.5-3	RS-7001	3.09	10-8	RS-7121	10.80
1.5-3.5	RS-7002	3.09	10-10	RS-7027	14.55
1.5-3.5	RS-7048	3.09	10-10	RS-7123	15.66
1.5-4	RS-7003	3.09	10-12	RS-7028	14.88
1.5-4	RS-7049	3.09	16-5	RS-7124	13.45
1.5-4	RS-7004	3.20	16-6	RS-7029	14.55
1.5-4	RS-7154	3.31	16-6	RS-7031	19.73
1.5-5	RS-7005	3.20	16-8	RS-7030	18.08
1.5-5	RS-7006	3.86	16-10	RS-7032	22.16
1.5-6	RS-7007	3.86	16-10	RS-7128	22.60
1.5-6	RS-7106	3.97	16-12	RS-7033	20.95
2.5-3	RS-7107	3.53	25-6	RS-7156	31.97
2.5-3.5	RS-7008	3.86	25-8	RS-7034	33.30
2.5-3.5	RS-7108	3.86	25-8	RS-7036	37.04
2.5-4	RS-7009	3.31	25-10	RS-7035	31.97
2.5-5	RS-7010	3.31	25-10	RS-7132	47.08
2.5-5	RS-7109	3.31	25-12	RS-7037	47.08
2.5-5	RS-7110	4.63	35-6	RS-7133	38.92
2.5-6	RS-7011	3.31	35-8	RS-7038	41.78
2.5-6	RS-7012	4.63	35-10	RS-7135	52.92
2.5-8	RS-7013	5.40	35-12	RS-7040	49.28
2.5-8	RS-7014	6.50	50-8	RS-7136	59.20
2.5-10	RS-7015	7.61	50-10	RS-7137	63.95
2.5-10	RS-7151	7.61	50-12	RS-7042	69.35
4.6-4	RS-7155	5.95	50-16	RS-7139	86.44
4.6-5	RS-7050	5.95	70-10	RS-7140	87.43
4.6-5	RS-7016	7.06	70-12	RS-7141	89.63
4.6-6	RS-7017	6.06	70-16	RS-7142	104.08
4.6-6	RS-7019	8.05	95-10	RS-7144	126.79
4.6-6	RS-7115	8.82	95-12	RS-7044	121.28
4.6-8	RS-7018	7.06	95-16	RS-7145	137.81
4.6-8	RS-7020	9.37	120-12	RS-7146	157.66
4.6-8	RS-7116	11.58	120-16	RS-7147	195.14
4.6-10	RS-7022	11.58	120-20	RS-7148	224.91
4.6-10	RS-7023	10.36	150-12	RS-7149	335.16
4.6-12	RS-7024	10.36	150-16	RS-7045	329.65
10-5	RS-7025	8.71	150-20	RS-7046	368.24



PIN TERMINAL (INSULATED)					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75	CPI-60	3.42	4	CPI-20	6.95
1	CPI-45	3.42	4	CPI-21	9.15
1.5	CPI-17	3.42	6	CPI-22	10.03
1.5	CPI-40	3.86	6	CPI-23	10.58
2.5	CPI-18	3.53	10	CPI-24	12.24
2.5	CPI-19	3.53	16	CPI-25	22.60



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5	CPD-26	4.63	2.5	CPD-28	4.85
2.5	CPD-27	4.85	4	CPD-29	8.38

END SEALING FERRULES NON-INSULATED					
mm ² -L	CAT. NO.	PRICE (₹)	mm ² -L	CAT. NO.	PRICE (₹)
0.5-6	EH-508	0.99	6-10	EH-518	1.76
0.75-6	EH-509	0.99	6-12	EH-519	1.98
1-6	EH-510	0.99	6-15	EH-520	2.76
1-10	EH-511	0.99	10-12	EH-521	3.20
1.5-7	EH-512	0.99	10-15	EH-522	3.31
1.5-10	EH-513	1.10	10-18	EH-523	3.86
2.5-7	EH-514	1.10	16-12	EH-524	3.31
2.5-12	EH-515	1.21	16-15	EH-525	3.86
4-9	EH-516	1.21	16-18	EH-526	4.52
4-12	EH-517	1.43	-	-	-



RING TERMINALS INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
0.75-4	RSI-7501	3.31	2.5-5	RSI-7073	4.85
1-4	RSI-7502	3.31	2.5-5	RSI-7075	6.62
1.5-3	RSI-7054	4.63	2.5-6	RSI-7074	4.85
1.5-3.5	RSI-7055	4.63	2.5-6	RSI-7076	5.84
1.5-3.5	RSI-7058	4.74	2.5-8	RSI-7077	5.95
1.5-4	RSI-7056	4.63	2.5-8	RSI-7079	7.06
1.5-4	RSI-7059	4.74	2.5-10	RSI-7081	8.38
1.5-4	RSI-7061	3.53	4.6-4	RSI-7083	7.06
1.5-4	RSI-7063	4.63	4.6-5	RSI-7084	7.06
1.5-5	RSI-7062	3.53	4.6-5	RSI-7086	8.38
1.5-5	RSI-7065	5.62	4.6-6	RSI-7089	8.05
1.5-5	RSI-7066	5.40	4.6-6	RSI-7092	9.37
1.5-6	RSI-7067	5.62	4.6-6	RSI-7093	10.14
2.5-3	RSI-7068	4.74	4.6-8	RSI-7090	8.38
2.5-3.5	RSI-7069	4.74	4.6-8	RSI-7094	10.14
2.5-3.5	RSI-7070	5.40	4.6-8	RSI-7096	12.24
2.5-4	RSI-7071	4.63	4.6-10	RSI-7099	11.58
2.5-5	RSI-7072	4.63	4.6-12	RSI-7100	11.58

RING TERMINALS DOUBLE GRIP (PRE-INSULATED)					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5-3	PSD-7437	4.85	4.6-5	PSD-7469	10.03
1.5-3.5	PSD-7438	4.85	4.6-6	PSD-7472	9.15
1.5-4	PSD-7439	4.85	4.6-8	PSD-7473	9.92
1.5-3.5	PSD-7441	4.85	4.6-6	PSD-7475	10.91
1.5-4	PSD-7442	4.85	4.6-6	PSD-7476	12.24
1.5-4	PSD-7444	4.74	4.6-8	PSD-7477	12.24
1.5-5	PSD-7445	4.74	4.6-8	PSD-7479	13.45
1.5-4	PSD-7446	5.51	4.6-8	PSD-7482	14.55
1.5-5	PSD-7448	5.84	4.6-12	PSD-7483	13.45
1.5-6	PSD-7449	5.84			
1.5-6	PSD-7450	6.06			
2.5-3	PSD-7451	5.84			
2.5-3.5	PSD-7452	5.84			
2.5-3.5	PSD-7453	5.95			
2.5-4	PSD-7454	5.07			
2.5-5	PSD-7455	5.07			
2.5-5	PSD-7456	5.07			
2.5-6	PSD-7457	5.07			
2.5-5	PSD-7458	7.06			
2.5-6	PSD-7459	6.50			
2.5-8	PSD-7460	7.06			
2.5-8	PSD-7462	8.38			
2.5-10	PSD-7464	9.37			
4.6-4	PSD-7466	8.82			
4.6-5	PSD-7467	8.82			



FORK TERMINAL NON-INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1-3	RS-7249SPL	2.76	2.5-5	RS-7280	7.94
1.5-3.5	RS-7249	2.76	4.6-3	RS-7252	4.85
2.5-3.5	RS-7251	2.98	4.6-3.5	RS-7253	4.85



FORK TERMINAL INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1-3	RSI-7926SPL	3.31	2.5-5	RSI-7929	9.04
1.5-3.5	RSI-7926	3.31	4.6-3	RSI-7930	6.50
2.5-3.5	RSI-7928	3.86	4.6-3.5	RSI-7931	6.50

FORK TERMINALS PRE INSULATED					
mm ² -E	CAT. NO.	PRICE (₹)	mm ² -E	CAT. NO.	PRICE (₹)
1.5-3.5	PSD-7935	4.52	4.6-3	PSD-7939	8.05
2.5-3.5	PSD-7937	4.85	4.6-3.5	PSD-7940	8.05
2.5-5	PSD-7938	11.58			




SNAPON TERMINALS		
mm ² -E	CAT. NO.	PRICE (₹)
1.5	SNP-8351	4.08
1.5	SND-8352	5.73
2.5	SNP-8347	4.19
2.5	SND-8348	6.17
4	SND-8476	10.69
1.5	SND-8359	7.50
1.5	SND-8362	7.50
1.5	SNP-8336	4.08
1.5	SNP-8356	4.08
1.5	SNP-8358	4.74



END SEALING FERRULES INSULATED		
mm ² -L	CAT. NO.	PRICE (₹)
0.5-8	EHI-508	1.21
0.75-8	EHI-509	1.21
1-6	EHI-510	1.43
1-10	EHI-511	1.41
1.5-10	EHI-513	1.62
2.5-8	EHI-514	1.65
2.5-12	EHI-515	1.84
4-12	EHI-517	2.43
6-12	EHI-519	2.87
10-12	EHI-521	3.42
16-15	EHI-525	5.84

COPPER TWIN TYPE LUGS				
mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)
0.5-8	8	TW-0.5-8	WHITE	2.87
0.5-10	10	TW-0.5-10	WHITE	2.98
0.75-8	8	TW-0.75-8	GREY	2.87
0.75-10	10	TW-0.75-10	GREY	2.87
1-8	8	TW-1-8	RED	2.98
1-10	10	TW-1-10	RED	2.98
1.5-8	8	TW-1.5-8	BLACK	2.98
1.5-10	10	TW-1.5-10	BLACK	2.98
2.5-8	8	TW-2.5-8	BLUE	3.20
2.5-10	10	TW-2.5-10	BLUE	3.53
4-12	12	TW-4-12	GREY	4.08
6-12	12	TW-6-12	YELLOW	4.08



CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	266.81	56	DBF-01SS	343.98	50
12.0-16.5	3/4"	DBW-01S	306.50	50	DBF-01S	370.44	40
16.5-18.5	3/4"	DBW-01	342.88	36	DBF-01	409.03	24
16.5-18.5	1"	DBW-01A	392.49	30	DBF-01A	463.05	30
18.5-20.0	1"	DBW-02	438.80	20	DBF-02	536.92	20
18.5-20.0	3/4"	DBW-02A	453.13	20	DBF-02A	565.58	20
20.0-23.0	1"	DBW-03	465.26	20	DBF-03	607.48	20
23.0-26.0	1"	DBW-04	607.48	12	DBF-04	771.75	12
23.0-26.0	1.1/4"	DBW-04A	683.55	12	DBF-04A	862.16	12
26.0-30.0	1.1/4"	DBW-05	760.73	12	DBF-05	896.33	12
26.0-30.0	1.1/2"	DBW-05A	910.67	12	DBF-05A	1039.66	12
30.0-33.0	1.1/2"	DBW-06	1093.68	10	DBF-06	1282.21	8
30.0-33.0	1.1/4"	DBW-06A	1131.17	8	DBF-06A	1340.64	8
33.0-37.0	1.1/2"	DBW-07	1277.80	6	DBF-07	1442.07	6
37.0-41.0	2"	DBW-08	1639.42	6	DBF-08	1787.15	6
41.0-46.0	2"	DBW-09	1809.20	5	DBF-09	2066.09	5
46.0-52.0	2"	DBW-10	1985.60	4	DBF-010	2325.17	4
46.0-52.0	2.1/2"	DBW-10A	2424.40	3	DBF-010A	2641.59	3
52.0-54.0	2.1/2"	DBW-011A	2946.98	2	DBF-011A	3544.54	2
54.0-61.0	2.1/2"	DBW-011	2954.70	2	DBF-011	3246.86	2
61.0-66.0	3"	DBW-012	3608.48	2	DBF-012	3919.39	2
66.0-72.0	3"	DBW-013A	4520.25	1	DBF-013A	5502.58	1
72.0-78.0	3.1/4"	DBW-013	5102.37	1	DBF-013	6177.31	1
78.0-84.0	3.1/2"	DBW-014	6122.18	1	DBF-014	6558.77	1
84.0-94.0	4"	DBW-015	8199.29	1	DBF-015	8924.74	1
94.0-104.0	4.1/2"	DBW-016	10566.36	1	DBF-016	11478.13	1



DC TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8"	207.27	64
14.1-15.5	DC-1/2"	DGP10037	5/8"	248.06	50
15.6-17.0	DC-5/8"	DGP10038	3/4"	253.58	46
17.1-18.5	DC-3/4"	DGP10039	3/4"	293.27	28
18.6-19.5	DC-7/8"	DGP10040	3/4"	353.90	24
19.6-22.5	DC-1"	DGP10041	1"	393.59	20
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	502.74	15
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	662.60	12
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	791.60	12
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	931.61	8
36.6-44.5	DC-1.3/4"	DGP10046	2"	1281.11	5
44.6-49.5	DC-2"	DGP10047	2"	1468.53	5
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	1714.39	4
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	2357.15	2
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	2661.44	2
69.6-74.5	DC-3"	DGP10051	3"	3276.63	2
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	3794.81	1
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	4950.23	1
86.1-100.0	DC-4"	DGP10054	4"	6724.15	1

DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SR. NO.	SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
1	6.0-12.5	DBW-01SS(UN)	283.34	50
2	12.6-14.0	DBW-01S(UN)	309.80	50
3	14.1-17.0	DBW-01A(UN)	375.95	30
4	17.1-19.0	DBW-02(UN)	478.49	20
5	19.1-22.0	DBW-03SP(UN)	510.46	20
6	22.1-25.0	DBW-04A(UN)	724.34	12
7	25.1-29.0	DBW-05A(UN)	793.80	12
8	29.1-32.0	DBW-06SP(UN)	1110.22	10
9	32.1-35.0	DBW-07SP(UN)	1277.80	6
10	35.1-40.0	DBW-08(UN)	1604.14	6
11	40.1-43.0	DBW-09(UN)	1899.61	5
12	43.1-51.0	DBW-010A(UN)	2340.61	3
13	51.1-59.0	DBW-011SP(UN)	3093.62	2
14	59.1-65.0	DBW-012(UN)	3633.84	2
15	65.1-71.0	DBW-013(UN)	4608.45	1
16	71.1-79.0	DBW-014(UN)	5619.44	1
17	79.1-89.0	DBW-015(UN)	8430.82	1





SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS							
SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG.	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG.
INCH	MM						
3/8"	10	DGPI0001	78.61	64	1616	138.92	70
1/2"	12	DGPI0002	78.61	128	1619	143.33	50
5/8"	16	DGPI0003	78.61	135	2119	230.42	40
3/4"	19	DGPI0004	87.43	105	2125	209.48	40
7/8"	22	DGPI0005	107.93	84	2925	280.04	24
1"	25	DGPI0006	156.56	60	2932	323.03	20
1.1/8"	28	DGPI0007	194.04	30	2938	334.06	20
1.1/4"	32	DGPI0008	261.29	24	3638	481.79	10
1.3/8"	35	DGPI0009	325.24	24	4251	839.00	5
1.1/2"	38	DGPI0010	383.67	16	5451	955.87	4
1.3/4"	45	DGPI0011	465.26	12	5463	994.46	4
2"	50	DGPI0012	568.89	10	6063	1458.61	4
2.1/4"	57	DGPI0013	730.96	6	6675	1767.31	3
2.1/2"	63	DGPI0014	844.52	5	7882	2550.08	3
2.3/4"	70	DGPI0015	1240.31	5			
3"	75	DGPI0016	1458.61	4			
3.1/4"	82	DGPI0017	1550.12	3			
3.1/2"	88	DGPI0018	2044.04	3			
4"	100	DGPI0019	2425.50	3			
4.1/2"	112	DGPI0020	3862.06	2			



BRASS PG GLAND		
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
2-5	MPG-7	91.62
3-8	MPG-9	119.07
4-10	MPG-11	146.63
5-12	MPG-13.5	191.84
8-14	MPG-16	201.76
12-17	MPG-21	336.26
16-25	MPG-29	678.04
20-32	MPG-36	747.50
28-37	MPG-42	1476.25
32-40	MPG-48	1550.12



FLANGE TYPE CABLE GLANDS			
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	PRICE (₹)
12.0-16.0	DOWELLS-5	DGPI0021	144.43
16.1-18.0	DOWELLS-4	DGPI0022	184.12
18.1-21.0	DOWELLS-3	DGPI0023	198.45
21.1-25.0	DOWELLS-2	DGPI0024	245.86
25.1-29.0	DOWELLS-1	DGPI0025	285.55
29.1-33.0	DOWELLS-11	DGPI0026	356.11
33.1-35.0	DOWELLS-0	DGPI0027	441.00
35.1-38.0	DOWELLS-00	DGPI0028	502.74
38.1-41.0	DOWELLS-38	DGPI0029	499.43
41.1-45.0	DOWELLS-001	DGPI0030	635.04
45.1-52.0	DOWELLS-002	DGPI0031	725.45
52.1-59.0	DOWELLS-003	DGPI0032	786.08
59.1-67.0	DOWELLS-0033	DGPI0033	951.46
67.1-76.0	DOWELLS-004	DGPI0034	1268.98

NYLON PG GLAND		
SUIT ABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)
3.5-6	PG-7	23.15
4-8	PG-9	28.67
5-10	PG-11	38.59
6-12	PG-13.5	48.51
10-14	PG-16	57.33
13-18	PG-21	76.07
18-25	PG-29	119.07
22-32	PG-36	189.63
30-38	PG-42	238.14
34-44	PG-48	285.55



FOR GLAND SIZE	EARTH TAG		LSF/LSZH SHROUD	
	DOWELL'S CAT. NO.	PRICE (₹)	SHROUD SIZE/CODE	PRICE (₹)
DBW-01SS/DBF-01SS	DET-20	57.55	2023	35.28
DBW-01S/DBF-01S	DET-20	57.55	2026	44.10
DBW-01/DBF-01	DET-20	57.55	2030	45.20
DBW-01A/DBF-01A	DET-25	59.87	2030A	45.20
DBW-02/DBF-02	DET-25	59.87	2533	55.13
DBW-02A/DBF-02A	DET-20	57.55	2533A	55.13
DBW-03/DBF-03	DET-25	59.87	2535	55.13
DBW-04/DBF-04	DET-25	59.87	4000	111.35
DBW-04A/DBF-04A	DET-32	104.74	4000A	111.35
DBW-05/DBF-05	DET-32	104.74	3246	95.92
DBW-05A/DBF-05A	DET-40	115.76	3246A	95.92
DBW-06/DBF-06	DET-40	115.76	3251	93.71
DBW-06A/DBF-06A	DET-32	104.74	3251A	93.71
DBW-07/DBF-07	DET-40	115.76	4053	111.35
DBW-08/DBF-08	DET-50	155.45	5063	165.38
DBW-09/DBF-09	DET-50	155.45	5068	180.81
DBW-010/DBF-010	DET-50	155.45	6371	282.24
DBW-010A/DBF-010A	DET-63	197.35	6371A	282.24
DBW-011A/DBF-011A	DET-63	197.35	6388A	313.11
DBW-011/DBF-011	DET-63	197.35	6388	313.11
DBW-012/DBF-012	DET-75	274.52	7595	323.03
DBW-013A/DBF-013A	DET-75	274.52	7595A	323.03
DBW-013/DBF-013	DET-82	296.57	7595B	323.03
DBW-014/DBF-014	DET-90	330.75		
DBW-015/DBF-015	DET-100	463.05		
DBW-016/DBF-016	DET-110			




FIG 1 Terminating the armouring of an swa cable to metallic enclosures

TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity



HAND OPERATED CRIMPING TOOLS					
mm ² Range	CAT. NO.	PRICE (₹)	mm ² Range	CAT. NO.	PRICE (₹)
1.5-6	SYT-17	1126.65	6-50	SYT-9	3165.75
0.5-16	SYT-2	1432.20	16-50	SYT-50	4392.15
0.75	SYG-2622	1960.35	25-400	SYT-7	20647.20
1.5	SYG-2216	1960.35	10-35	SYT-53M	3073.35
2.5	SYH-1614	1960.35	0.25-6	SYT-6-6	4482.45
4-6	SYI-1210/SYO-1210	3332.70	120	SYT-120	2346.75
10-95	SYB-95	9215.85	240	SYT-240	3537.45
10-185	SYB-9502	12770.10	500	SYT-500	6064.80
1.5-10	SYA-427	1231.65	0.5-6	SYT-52M	2259.60
10-185	SYT-185	8958.60	1.5-4.6	SYT-1546	2259.60
25-400	SYT-400	16176.30	10-185	SYB-9502H	13401.15
16-300	SYM-300	19531.05	240	SYXL-240	7944.00



HYDRAULIC CRIMPING TOOLS					
mm ² Range	CAT. NO.	PRICE (₹)	mm ² Range	CAT. NO.	PRICE (₹)
10-300	SYD-20A	33791.10	10-1000	SYE-150B	60602.85
50-400	SYD-20B	41503.35	10-1000	SYE-150C	53489.10
10-300	SYD-20C	43095.15	16-300	SYT-106	12081.30
10-1000	SYE-150A	54909.75	50-630	SYT-102R	51836.40
10-120	SYT-107	12708.15	50-400	SYT-109	74926.95

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)
Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)	R-T1242	10283.70
Jack Hose Pipe Standard 2 meters	R-T1349	2937.90
Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP SYT - 117 Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68		198803.00

CORROSION INHIBITING COMPOUND

GTZ - 8785 Rs. 66.15 /-



mm ² Range	DOWELL'S CAT. NO.	PRICE (₹)
UPTO 300	JACK FOR SYD-20A (SPD-2034)	27409.20
UPTO 400	JACK FOR SYD-20B (SPD-2036)(PORTABLE JACK)	25710.30
UPTO 630	JACK FOR SYT-102R (HY-282)(portable jack)	28771.05
UPTO 1000	JACK FOR SYE-150A (SPE-1709)	32566.80
UPTO 1000	JACK FOR SYE-150B (SPE-1713)(PORTABLE JACK)	46278.75



SPECS.	DOWELL'S CAT. NO.	PRODUCT CODE	PRICE (₹)
CRIMPING JIGS FOR SYD-20B TOOL	JDA-50, JDA-70, JDA-95, JDA-120, JDA-150, JDA-240, JDA-300, JDA-400	W-TSA1080, W-TSA1081, W-TSA1082, W-TSA1083, W-TSA1084, W-TSA1085, W-TSA1086, W-TSA1087, W-TSA1088	Rs.1660.05/- (each)
CRIMPING JIGS FOR SYE-150A TOOL	JER-11, JER-12, JER-13, JER-14	W-TSA1125, W-TSA1126, W-TSA1127, W-TSA1128	Rs.2283.75/- (each)
	JER-15, JER-16, JER-17, JER-18	W-TSA1129, W-TSA1130, W-TSA1131, W-TSA1132	Rs.2490.60/- (each)
CRIMPING JIGS FOR SYE-150 B TOOL	JEA-10, JEA-16, JEA-25, JEA-35	W-TSA1063, W-TSA1064, W-TSA1065, W-TSA1066	Rs.1971.90/- (each)
	JEA-50, JEA-70, JEA-95, JEA-120, JEA-150	W-TSA1067, W-TSA1068, W-TSA1069, W-TSA1070, W-TSA1071	Rs.2801.40/- (each)
	JEA-185, JEA-140, JEA-300, JEA-400	W-TSA1072, W-TSA1073, W-TSA1074, W-TSA1075	Rs.3922.80/- (each)
	JEA-500, JEA-600, JEA-800, JEA-1000	W-TSA1076, W-TSA1077, W-TSA1078, W-TSA1079	Rs.5311.95/- (each)
JIG FOR SYB-95/9502 RING DIES	JBR-1, JBR-2, JBR-3, JBR-4, JBR-5, JBR-6, JBR-7, JBR-9, JBR-10, JBR-11	W-TSA1024, W-TSA1025, W-TSA1026, W-TSA1027, W-TSA1037, W-TSA1028, W-TSA1029, W-TSA1030, W-TSA1031, W-TSA1032	Rs.361.20/- (each)
JIG FOR SYB-95/9502 PUNCH TYPE RING DIES	JBR-12, JBR-13	W-TSA1033, W-TSA1043	Rs.442.05/- (each)
CRIMPING JIG FOR SYT-185 (PLIERTYPE)	R-1, R-2, R-3, R-4, R-5, R-6, R-7, R-9, R-10, R-11, R-12, R-13	W-TSA1034, W-TSA1035, W-TSA1145, W-TSA1036, W-TSA1146, W-TSA1147, W-TSA1038, W-TSA1039, W-TSA1040, W-TSA1041, W-TSA1042, W-TSA1148	Rs.434.70/- (each)
CRIMPING JIG FOR SYT-7 (Hex profile) (Mechanical gear power)	JRH-25, JRH-35, JRH-50, JRH-70, JRH-95, JRH-120, JRH-150, JRH-185, JRH-240, JRH-300, JRH-400	W-TSA1150, W-TSA1151, W-TSA1152, W-TSA1153, W-TSA1154, W-TSA1155, W-TSA1156, W-TSA1157, W-TSA1158, W-TSA1159, W-TSA1160	Rs.1140.30/- (each)
JIG FOR SYT-102R (Hex profile) (Foot operated hydraulic crimping tool)	HY-267 (50 mm ²), HY-268 (70 mm ²), HY-269 (95 mm ²), HY-270 (120 mm ²), HY-271 (150 mm ²), HY-272 (185 mm ²), HY-273 (240 mm ²), HY-274 (300 mm ²), HY-275 (400 mm ²), HY-279 (500 mm ²), HY-280 (630 mm ²)	W-TSA1114, W-TSA1115, W-TSA1116, W-TSA1117, W-TSA1118, W-TSA1119, W-TSA1120, W-TSA1121, W-TSA1122	Rs.2145.15/- (each)
JIG FOR SYT-400 Hex Profile (plier type)	J-25, J-35, J-50, J-70, J-95, J-120, J-150, J-185, J-240, J-300, J-400	W-TSA1044, W-TSA1045, W-TSA1046, W-TSA1047, W-TSA1048, W-TSA1049, W-TSA1050, W-TSA1051, W-TSA1052, W-TSA1053, W-TSA1054	Rs.852.60/- (each)
CRIMPING JIGS FOR SYD-20A TOOL	JDR-11, JDR-12, JDR-13, JDR-14, JDR-15	W-TSA1161, W-TSA1162, W-TSA1163, W-TSA1164, W-TSA1165	Rs.1453.20/- (each)
CRIMPING JIGS FOR SYD-20A TOOL	JDR-16	W-TSA1166	Rs.2489.55/- (each)



AN ISO 9001:2015 CERTIFIED CO.