

 **dowell's®** | **POLYCAB**

SYMBOL OF QUALITY

Connecting Power Networks with Trust

**LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS**



Chandan Electric Corporation
Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 **Website** www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

National Price
List 25th August | **2026**



INDEX

ABOUT DOWELL'S	2
-----------------------	----------

DOWELL'S PRODUCT CATEGORY	4
----------------------------------	----------

CONNECTORS AND LUGS FOR 2C, 3C, 3.5C & 4C SECTOR SHAPED CONDUCTORS	5
---	----------

Copper Sector Lugs – Long Barrel	6
Copper Sector Lugs – Short Barrel	7
Copper & Aluminium connectors	8
Aluminium Sector Lugs – Long Barrel	9
Aluminium Sector Lugs – Short Barrel	10

COPPER SERIES	11-14
----------------------	--------------

Copper Tube Terminals Medium Duty	
Copper Tube Terminals Heavy Duty Long Barrel	
Copper Tube Terminals Heavy Duty BS 4579/IEC 61238	
Copper Tube Terminals Extended Palm (Blank)	
Copper Reducer Terminals	
Copper Tublar Terminals Long Barrel	
Copper DIN Type Terminals	
Copper Tube Terminals ICF Series	
Copper Tube Terminals Heavy Duty In – line Connectors	
Copper Tube Terminals Heavy Duty In – Insulated Connectors	
Copper Tube Light Duty In – line Connectors	14

ALUMINIUM SERIES	15-16
-------------------------	--------------

Aluminium Tube Terminals	
Aluminium Tube Terminals Long Barrel	
Aluminium Terminals for Al. XLPE Insulated Conductors	
Aluminium Tube Terminals Two Holes	
Aluminium Reducer Terminals	
Aluminium In – line Connectors	
Aluminium In – line Connectors for Al. XLPE Insulated Conductors	16

BI-METTALIC SERIES	17
---------------------------	-----------

Bi-Mettalic Connectors (Friction Welded)	
Bi-Mettalic Terminals (Friction Welded)	
Aluminium Alloy Tublar Bi-Mettalic Terminals	17

COPPER RING, PIN & FORK TERMINALS	18-20
--	--------------

Pin Terminals non – insulated	
Pin Terminals Insulated	
Pin Terminals Double Grip (Pre – insulated)	

Ring Terminals non - insulated	
Ring Terminals Insulated	
Ring Terminals Double Grip (Pre - insulated)	
Fork Terminals non - insulated	
Fork Terminals Insulated	
Fork Terminals Double Grip (Pre - insulated)	
Snap on Terminals	
End Sealing Ferrules non - insulated	
End Sealing Ferrules Insulated	
Copper Twin Type Lugs	20

CABLE GLANDS

21-32

Double Compression Armoured weather and Flame Proof Brass Cable Glands	
Double Compression Type Medium Duty Armoured Brass Cable Glands	
Double Compression Un - Armoured Brass Cable Glands	
Single Compression & SIBG Brass Cable Glands	
Brass PG Gland	
Nylon PG Gland	
Flange Type Cable Glands	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with NPT Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with Metric Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands	
Earth Tag & LSF/ LSZH Shroud	32

CRIMPING TOOLS

34-41

Mechanical Crimping Tools (Hand Operated).....	
Self-Adjustable Crimping Pliers.....	
Hexagonal Crimping Tools (Mechanical & Hydraulic).....	
Hydraulic Pump.....	
Cable Cutter.....	
Cutter & Stripper Tools.....	
Modular Crimping Tools.....	41

TOOLS & ACCESSORIES

42-43

Hydraulic Crimping Tools	
Corrosion Inhibiting Compound	
Jack for SYD/ SYT/ SYE	43

HEAT GUN

43

DOWELL'S CLIENT

44-45





COMPANY PROFILE

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.


At present, Dowells Cable Accessories Pvt Ltd Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol in Gujarat state having a measuring area of 1,00,000 Sq. ft with in house manufacturing facilities. This facility caters to more than 2500 line items with production capacity of 2500 metric tons per annum, with an aim to serve world's best technology for cable connections.

OUR VISION

To solidify our leadership in Wire and Cable Accessories by investing in technology, boosting operational efficiency, and prioritizing customer satisfaction, while enhancing sales, services, and brand recognition.

OUR MISSION

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.



**CABLE
GLANDS**

**Dowell's
Product
Category**



**CONNECTORS
AND LUGS**



**TOOLS &
ACCESSORIES**

CONNECTORS AND LUGS FOR 2C,3C,3.5C & 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shaped conductors for all angular arrangement of 2C,3C,3.5C and 4C cables. Dowell connectors allow a precision fit on the sector conductor, resulting in a perfect and a reliable connection. The connectors and lugs being sector shaped, it eliminates the process of rounding of sector shaped cable conductors. The design gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

CABLE GLANDS

DOWELL's cable glands are available for armoured and unarmored cables and are designed for usage in oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining industries, to name a few. Dowell's cable glands are available in Brass, Nickel coated brass, Tin coated brass, Stainless steel, Nylon and Polyamide. Dowell's glands provides excellent vermin proofing and protection to the cores of the cables.

CONNECTORS AND LUGS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium and copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals. Dowell corrosion Inhibiting compound is available to prevent oxidation on conductors surfaces.

TOOLS & ACCESSORIES

The extensive range of tools and accessories have been developed to offer the best equipment for crimping and preparing the connectors. Manual, Hydraulic and Electrically operated tools are available. These tools are specifically designed to match DOWELL'S connectors shapes and dimensions for ideal crimping and low resistance to obtain best performance and reliability.

FEATURES

- Increase in the contact surface area
- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots
- Improved conductivity
- Better resilience against electrical and mechanical forces

COPPER SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	85.12	100
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	85.12	100
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	85.12	100
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	133.28	100
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	133.28	100
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	190.40	200
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	190.40	100
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	190.40	200
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	305.76	60
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	305.76	60
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	305.76	200
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	412.16	40
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	412.16	40
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	412.16	100
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	528.64	80
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	528.64	40
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	528.64	40
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	756.00	60
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	756.00	60
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	756.00	100
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	861.28	40
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	861.28	40
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	861.28	40
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	1,261.12	80
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	1,261.12	40
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1,578.08	40
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1,578.08	60
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	2,228.80	40
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	2,621.92	20
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	3,935.68	20

COPPER SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	59.36	100
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	59.36	100
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	59.36	100
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	86.24	200
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	86.24	100
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	133.28	200
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	133.28	100
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	133.28	100
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	218.40	200
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	218.40	200
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	218.40	200
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	258.72	100
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	258.72	100
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	258.72	100
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	387.52	100
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	387.52	100
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	387.52	100
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	487.20	100
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	487.20	100
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	487.20	100
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	624.96	100
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	624.96	100
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	624.96	100
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	984.48	80
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	984.48	80
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	1,257.76	60
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	1,257.76	60
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1,865.92	40
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	2,164.96	20
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	3,245.76	20

COPPER SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	41.44	100
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	62.72	100
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	101.92	100
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	174.72	200
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	254.24	100
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	328.16	100
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	440.16	100
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	620.48	100
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	960.96	80
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	1,335.04	60
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	2,048.48	40
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	2,346.40	40
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	3,214.40	30

ALUMINIUM SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	5.42	200
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	9.49	800
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	16.26	800
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	27.10	1600
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	40.32	100
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	43.68	80
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	60.48	100
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	77.28	100
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	122.08	80
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	165.76	60
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	256.48	40
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	306.88	20
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	406.56	20

ALUMINIUM SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	10.84	800
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	10.84	800
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	10.84	800
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	14.91	400
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	14.91	400
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	24.39	400
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	24.39	400
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	24.39	400
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	36.96	200
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	36.96	200
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	36.96	200
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	44.80	200
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	44.80	200
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	44.80	200
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	59.36	160
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	59.36	160
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	59.36	160
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	73.92	100
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	73.92	100
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	73.92	100
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	99.68	100
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	99.68	100
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	99.68	100
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	160.16	60
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	160.16	60
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	217.28	40
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	217.28	40
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	299.04	40
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	474.88	20
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	610.40	20

ALUMINIUM SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	8.13	40
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	8.13	800
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	8.13	800
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	9.49	400
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	9.49	800
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	14.91	400
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	14.91	400
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	14.91	400
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	27.10	200
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	27.10	200
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	27.10	200
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	34.72	200
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	34.72	200
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	34.72	200
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	47.04	200
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	47.04	200
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	47.04	200
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	61.60	160
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	61.60	160
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	61.60	160
185	10.5	2S-ALS-311	3S-ALS-311	3.5S-ALS-311	4S-ALS-311	77.28	100
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	77.28	100
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	77.28	80
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	120.96	80
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	120.96	60
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	180.32	60
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	180.32	40
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	229.60	20
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	341.60	30
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	456.96	30

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CUS-05	9.35	8000
4-6	CUS-06	12.47	4000
6-6	CUS-07	14.03	3200
10-6	CUS-08	17.14	3200
16-6	CUS-09	31.36	3200
25-6	CUS-10	38.08	1600
35-6	CUS-11	54.88	1600
35-8	CUS-12	54.88	1600
50-6	CUS-13	72.80	400
50-8	CUS-14	72.80	800
50-10	CUS-15	72.80	800
70-8	CUS-16	125.44	200
70-10	CUS-17	125.44	400
70-12	CUS-18	125.44	400
95-10	CUS-19	181.44	400
95-12	CUS-20	181.44	400
120-10	CUS-21	228.48	200
120-12	CUS-22	228.48	200
120-16	CUS-23	228.48	200
150-10	CUS-24	336.00	200
150-12	CUS-25	336.00	200
150-16	CUS-26	336.00	200
185-12	CUS-27	499.52	100
185-16	CUS-28	499.52	100
225-16	CUS-231	591.36	100
240-16	CUS-29	668.64	100
240-20	CUS-30	668.64	100
300-16	CUS-31	993.44	60
300-20	CUS-32	993.44	60
400-20	CUS-33	1,351.84	40
500-20	CUS-34	1,806.56	40
630-20	CUS-35	2,533.44	20
800	CUS-062	4,169.76	20
1000	CUS-076	9,198.56	10

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	CUS-282	43.68	800
35-8	CUS-283	92.96	800
50-8	CUS-284	153.44	400
70-10	CUS-285	236.32	200
95-12	CUS-286	369.60	200
120-12	CUS-287	525.28	100
150-12	CUS-288	647.36	100
185-12	CUS-289	937.44	100
240-16	CUS-290	1,314.88	60
300-16	CUS-291	1,733.76	40
400-20	CUS-292	2,642.08	20
500-21	CUS-293	4,690.56	20
630-21	CUS-294	6,248.48	15



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
50	CUS-466	197.12	200
70	CUS-467	324.80	200
95	CUS-468	463.68	100
120	CUS-469	556.64	200
150	CUS-470	730.24	100
185	CUS-471	1081.92	100
240	CUS-472	1,396.64	80
300	CUS-473	2,307.20	60
400	CUS-474	3,995.04	40
500	CUS-475	4,791.36	20
630	CUS-476	7,379.68	20

COPPER TUBE TERMINAL HEAVY DUTY BS-4579/IEC 61238			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-5	CUS-538	10.91	8000
1.5-6	CUS-539	10.91	8000
2.5-4	CUS-388	12.47	4000
2.5-5	CUS-540	12.47	4000
2.5-6	CUS-541	12.47	4000
4-5	CUS-389	15.58	4000
4-6	CUS-543	15.58	4000
6-5	CUS-390	17.14	6400
6-6	CUS-544	17.14	6400
6-8	CUS-545	17.14	6400
10-6	CUS-353	20.26	3200
10-8	CUS-547	20.26	3200
16-8	CUS-549	26.49	3200
16-6	CUS-354	26.49	3200
20-8	CUS-550	29.12	800
25-6	CUS-355	41.44	3200
25-8	CUS-551	41.44	1600
25-10	CUS-552	41.44	3200
35-8	CUS-356	73.92	1600
35-6	CUS-542	73.92	1600
35-10	CUS-554	73.92	1600
50-8	CUS-357	115.36	800
50-10	CUS-556	115.36	800
70-10	CUS-358	187.04	400
70-8	CUS-557	187.04	400
70-13	CUS-559	187.04	400
95-10	CUS-359	265.44	400
95-13	CUS-561	265.44	400
120-17	CUS-546	343.84	200
120-13	CUS-241	343.84	200
150-13	CUS-242	428.96	200
150-17	CUS-564	428.96	200
185-17	CUS-243	666.40	100
240-17	CUS-244	898.24	100
240-21	CUS-567	898.24	50
300-17	CUS-245	1,304.80	60
300-21	CUS-569	1,304.80	60
400-17	CUS-246	2,097.76	40
400-21	CUS-571	2,097.76	20
500-21	CUS-247	2,801.12	40
550-21	CUS-573	3,413.76	20
630-21	CUS-248	4,201.12	20
800	CUS-599	7,300.16	15
1000	CUS-590	10,385.76	10



COPPER REDUCER TERMINAL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	WPC-01	38.08	2400
2.5	WPC-07	34.72	2400
4	WPC-15	38.08	2400
4	WPC-16	34.72	4000
6	WPC-17	38.08	2400
6	WPC-18	34.72	4000
10	WPC-19	45.92	2400
10	WPC-20	41.44	3200
10	WPC-21	49.28	1600
10	WPC-22	43.68	3200
16	WPC-23	89.60	1600
16	WPC-24	89.60	1600
16	WPC-02	61.60	3200
25	WPC-25	94.08	800
25	WPC-03	123.20	400
35	WPC-04	136.64	1600
50	WPC-26	151.20	800
50	WPC-05	353.92	200
70	WPC-27	210.56	400
70	WPC-6	353.92	200
70	WPC-28	349.44	400
95	WPC-29	337.12	400
95	WPC-31	282.24	400
120	WPC-33	408.80	120
120	WPC-34	408.80	120
120	WPC-35	472.64	120
120	WPC-36	635.04	60
150	WPC-10	740.32	60
150	WPC-37	576.80	120
185	WPC-30	941.92	120
185	WPC-38	758.24	240
225	WPC-39	1,236.48	120
240	WPC-44	1,619.52	120
240	WPC-43	1,184.96	120
300	WPC-45	1,499.68	120
300	WPC-47	1,601.60	60
400	WPC-101	3,048.64	10

COPPER TUBULAR TERMINALS LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CEB-05	12.47	2400
4-6	CEB-06	18.70	2400
6-6	CEB-07	20.26	2400
10-6	CEB-08	24.94	1600
16-6	CEB-09	42.56	1600
25-6	CEB-10	54.88	800
35-6	CEB-11	77.28	100
35-8	CEB-12	77.28	400
50-6	CEB-13	98.56	100
50-8	CEB-14	98.56	100
50-10	CEB-15	98.56	400
70-8	CEB-16	161.28	100
70-10	CEB-17	161.28	100
70-12	CEB-18	161.28	100
95-10	CEB-19	209.44	100
95-12	CEB-20	209.44	100
120-10	CEB-21	284.48	200
120-12	CEB-22	284.48	200
120-16	CEB-23	284.48	200
150-10	CEB-24	408.80	100
150-12	CEB-25	408.80	100
150-16	CEB-26	408.80	100
185-12	CEB-27	596.96	100
185-16	CEB-28	596.96	100
225-16	CEB-231	751.52	100
240-16	CEB-29	822.08	80
240-20	CEB-30	822.08	80
300-16	CEB-31	1,136.80	60
300-20	CEB-32	1,136.80	60
400-20	CEB-33	1,646.40	40
500-20	CEB-34	2,218.72	20
630-20	CEB-35	3,088.96	20
800	CEB-62	4,889.92	15
1000	CEB-76	11,180.96	10




COPPER DIN TYPE TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
6-5	DIN-6-5	29.12	800	95-16	DIN-95-16	712.32	100
6-6	DIN-6-6	29.12	800	120-10	DIN-120-10	1044.96	100
6-8	DIN-6-8	29.12	800	120-12	DIN-120-12	1044.96	100
10-5	DIN-10-5	29.12	400	120-14	DIN-120-14	1044.96	100
10-6	DIN-10-6	29.12	400	120-16	DIN-120-16	1044.96	100
10-8	DIN-10-8	29.12	400	120-20	DIN-120-20	1044.96	100
16-6	DIN-16-6	101.92	400	150-10	DIN-150-10	1,275.68	100
16-8	DIN-16-8	101.92	200	150-12	DIN-150-12	1,275.68	100
16-10	DIN-16-10	101.92	200	150-14	DIN-150-14	1,275.68	100
16-12	DIN-16-12	101.92	200	150-16	DIN-150-16	1,275.68	100
25-6	DIN-25-6	128.80	200	150-20	DIN-150-20	1,275.68	100
25-8	DIN-25-8	128.80	200	185-10	DIN-185-10	1,587.04	100
25-10	DIN-25-10	128.80	200	185-12	DIN-185-12	1,587.04	100
25-12	DIN-25-12	128.80	200	185-14	DIN-185-14	1,587.04	100
35-6	DIN-35-6	248.64	100	185-16	DIN-185-16	1,587.04	100
35-8	DIN-35-8	248.64	100	185-20	DIN-185-20	1,587.04	100
35-10	DIN-35-10	248.64	100	240-12	DIN-240-12	2,618.56	60
35-12	DIN-35-12	248.64	100	240-14	DIN-240-14	2,618.56	60
35-14	DIN-35-14	248.64	100	240-16	DIN-240-16	2,618.56	60
50-8	DIN-50-8	369.60	100	240-20	DIN-240-20	2,618.56	60
50-10	DIN-50-10	369.60	100	300-14	DIN-300-14	3,270.40	40
50-12	DIN-50-12	369.60	100	300-16	DIN-300-16	3,270.40	40
50-14	DIN-50-14	369.60	100	300-20	DIN-300-20	3,270.40	40
50-16	DIN-50-16	369.60	100	400-14	DIN-400-14	5,284.16	20
70-8	DIN-70-8	487.20	100	400-16	DIN-400-16	5,284.16	20
70-10	DIN-70-10	487.20	100	400-20	DIN-400-20	5,284.16	20
70-12	DIN-70-12	487.20	100	500-16	DIN-500-16	7,618.24	20
70-14	DIN-70-14	487.20	100	500-20	DIN-500-20	7,618.24	20
70-16	DIN-70-16	487.20	100	625-16	DIN-625-16	7,618.24	15
95-8	DIN-95-8	712.32	100	625-20	DIN-625-20	7,618.24	15
95-10	DIN-95-10	712.32	100	800-16	DIN-800-16	13,609.12	15
95-12	DIN-95-12	712.32	100	800-20	DIN-800-20	13,609.12	15
95-14	DIN-95-14	712.32	100	1000-21	DIN-1000-21	17,143.84	10

COPPER TUBE TERMINAL ICF SERIES			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
17-5	CUS-106	54.88	100
17-10	CUS-109	62.72	800
23-8	CUS-148	85.12	200
23-10	CUS-108	109.76	800
29-8	CUS-150	145.60	200
29-10	CUS-151	150.08	200
29-13	CUS-111	146.72	100
45-8	CUS-153	198.24	200
45-10	CUS-154	198.24	200
45-10	CUS-113	198.24	200
57-10	CUS-156	337.12	100
57-13	CUS-157	337.12	100
75-10	CUS-159	435.68	100
90-10	CUS-162	524.16	100
110-10	CUS-165	624.96	50
110-13	CUS-166	624.96	50
146-13	CUS-168	950.88	100
146-17	CUS-169	950.88	60
225-13	CUS-172	1,444.80	20
299-13	CUS-140	2,001.44	60
366-17	CUS-177	2,776.48	20
437-13	CUS-142	3,771.04	40



COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-453	7.79	4000
1.5	CB-41	7.79	4000
2.5	EH-454	7.79	16000
4	CB-3	9.35	4000
4.6	EH-455	14.03	4000
6	CB-4	10.91	4000
10	EH-460	15.58	3200
16	CB-6	17.14	3200
20	CB-47	26.49	4000
25	CB-24	41.44	1600
35	CB-25	73.92	800
50	CB-26	113.12	400
70	CB-27	213.92	200
70	CB-51	189.28	400
95	CB-28	301.28	200
95	CB-52	245.28	200
120	CB-29	400.96	100
120	CB-53	288.96	200
150	CB-30	495.04	100
150	CB-54	408.80	80
185	CB-55	560.00	100
185	CB-31	646.24	100
240	CB-32	990.08	80
240	CB-56	857.92	40
300	CB-33	1,404.48	20
300	CB-57	1,219.68	30
400	CB-34	2,489.76	10
400	CB-58	1,796.48	20
500	CB-35	3,175.20	20
500	CB-59	2,626.40	20
550	CB-60	3,824.80	10
630	CB-36	5,419.68	15
630	CB-61	3,887.52	15
800	CB-42	8,355.20	10
1000	CB-43	9,732.80	10



COPPER TUBE TERMINALS HEAVY DUTY IN-INSULATED CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-463	7.76	3200
2.5	EH-464	9.35	3200
4-6	EH-465	14.03	4000



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	CB-23	9.35	4000	225	CB-20	502.88	20
25	CB-7	41.44	400	240	CB-15	525.28	20
35	CB-8	54.88	200	300	CB-16	791.84	30
50	CB-9	81.76	100	400	CB-17	1,200.64	20
70	CB-10	117.60	100	500	CB-18	2,075.36	10
95	CB-11	165.76	50	630	CB-19	2,143.68	10
120	CB-12	226.24	160	800	CB-21	4,004.00	15
150	CB-13	288.96	60	1000	CB-22	8,524.32	10
185	CB-14	483.84	100				

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-151	4.07	2400
2.5-3.5	ALS-309	4.07	2400
4-4	ALS-155	4.07	3200
4-5	ALS-317	4.07	3200
6-5	ALS-158	4.07	3200
6-6	ALS-313	4.07	3200
10-4	ALS-159	5.42	2400
10-6	ALS-214	5.42	3200
10-8	ALS-215	5.42	3200
16-6	ALS-252	6.78	1600
16-8	ALS-216	6.78	1600
16-10	ALS-217	6.78	1600
25-6	ALS-253	9.49	400
25-8	ALS-218	9.49	800
25-10	ALS-219	9.49	800
25-12	ALS-220	9.49	800
35-6	ALS-254	10.84	400
35-8	ALS-221	10.84	800
35-10	ALS-222	10.84	800
50-8	ALS-255	16.26	400
50-10	ALS-312	16.26	400
50-12	ALS-224	16.26	400
70-8	ALS-256	25.75	200
70-10	ALS-225	25.75	200
70-12	ALS-226	25.75	200
95-10	ALS-227	34.72	200
95-12	ALS-228	34.72	200
95-16	ALS-229	34.72	200
120-10	ALS-257	47.04	200
120-12	ALS-230	47.04	200
120-16	ALS-231	47.04	200
150-10	ALS-258	61.60	160
150-12	ALS-232	61.60	160
150-16	ALS-233	61.60	160
185-10	ALS-311	81.76	100
185-12	ALS-234	81.76	100
185-16	ALS-235	81.76	100
225-12	ALS-320	117.60	100
240-12	ALS-236	134.40	80
240-16	ALS-237	134.40	80
300-16	ALS-300	221.76	60
300-20	ALS-259	221.76	60
400-20	ALS-260	274.40	40
500-20	ALS-296	430.08	20
630-20	ALS-261	557.76	30
800	ALS-318	882.56	20
1000	ALS-319	1,286.88	10

ALUMINIUM TUBE TERMINALS LONG BARREL

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-551	5.42	2400
2.5-3.5	ALS-509	5.42	4000
4-4	ALS-555	5.42	1600
4-5	ALS-517	5.42	3200
6-5	ALS-558	5.42	3200
6-6	ALS-513	5.42	3200
10-6	ALS-514	6.78	3200
10-8	ALS-515	6.78	1600
16-6	ALS-552	8.13	1600
16-8	ALS-516	8.13	1600
16-10	ALS-617	8.13	800
25-8	ALS-518	10.84	800
25-10	ALS-519	10.84	800
25-12	ALS-520	10.84	800
35-8	ALS-521	13.55	400
35-10	ALS-522	13.55	400
50-8	ALS-655	20.33	400
50-10	ALS-512	20.33	400
50-12	ALS-524	20.33	400
70-8	ALS-556	41.44	200
70-10	ALS-525	41.44	200
70-12	ALS-526	41.44	200
95-10	ALS-527	42.56	200
95-12	ALS-528	42.56	200
95-16	ALS-529	42.56	200
120-10	ALS-557	61.60	160
120-12	ALS-530	61.60	160
120-16	ALS-531	61.60	160
150-10	ALS-658	76.16	100
150-12	ALS-532	76.16	100
150-16	ALS-533	76.16	100
185-10	ALS-511	100.80	100
185-12	ALS-534	100.80	100
185-16	ALS-535	100.80	100
225-12	ALS-620	144.48	80
240-12	ALS-536	163.52	60
240-16	ALS-537	163.52	60
300-16	ALS-500	237.44	40
300-20	ALS-559	237.44	40
400-20	ALS-560	341.60	40
500-20	ALS-596	546.56	20
630-20	ALS-561	708.96	20
800	ALS-618	1,060.64	10
1000	ALS-619	1,589.28	8

ALUMINIUM TERMINALS FOR AL. XLPE INSULATED CONDUCTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	ALS-XL17	15.99	200
35-8	ALS-XL18	24.39	200
50-10	ALS-XL19	38.08	200
70-10	ALS-XL20	51.52	200
95-12	ALS-XL21	76.16	160
120-12	ALS-XL22	96.32	100
150-12	ALS-XL23	138.88	80
185-12	ALS-XL24	183.68	60
225-12	ALS-XL25	244.16	60
240-12	ALS-XL26	266.56	60
300-20	ALS-XL27	352.80	50
400-20	ALS-XL28	406.56	30
500-20	ALS-XL29	545.44	20
630-20	ALS-XL30	1,128.96	10
800-20	ALS-XL31	1,403.36	10
1000-20	ALS-XL32	1,942.08	10



ALUMINIUM TUBE TERMINALS TWO HOLES

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
150	ALS-701	115.36	60
240	ALS-702	206.08	40
300	ALS-703	314.72	30
630	ALS-706	831.04	15
300	ALS-704	314.72	30
300	ALS-705	314.72	30



ALUMINIUM REDUCER TERMINALS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	AWP-01	14.91	2400
2.5	AWP-07	14.91	2400
4	AWP-15	14.91	2400
4	AWP-16	14.91	2400
6	AWP-17	14.91	1600
6	AWP-18	14.91	3200
10	AWP-19	16.26	1600
10	AWP-20	16.26	3200
10	AWP-21	16.26	1600
10	AWP-22	16.26	3200
16	AWP-23	21.68	1600
16	AWP-24	21.68	1600
16	AWP-02	21.68	3200
25	AWP-25	30.24	1600
25	AWP-03	30.24	800
35	AWP-04	33.60	800
50	AWP-26	61.60	800
50	AWP-05	61.60	200
70	AWP-27	82.88	400
70	AWP-06	82.88	200
70	AWP-28	108.64	100
95	AWP-29	112.00	400
95	AWP-08	159.04	100
95	AWP-31	112.00	160
95	AWP-32	159.04	80
120	AWP-33	135.52	60
120	AWP-34	135.52	60
120	AWP-35	159.04	120
120	AWP-36	210.56	60
150	AWP-10	250.88	40
150	AWP-37	197.12	160
185	AWP-30	321.44	40
185	AWP-38	260.96	160
225	AWP-39	369.6	30
225	AWP-46	558.88	30
225	AWP-42	488.32	30
240	AWP-44	508.48	120
240	AWP-43	448.00	80
300	AWP-45	556.64	80
300	AWP-47	508.48	20

ALUMINIUM IN LINE CONNECTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	ALS-145	2.71	2400
2.5	ALS-6	2.71	400
4	ALS-5	2.71	4000
6	ALS-13	2.71	3200
10	ALS-14	4.07	3200
10	ALS-146	4.07	1600
16	ALS-4	5.42	3200
25	ALS-3	8.13	800
35	ALS-2	9.49	800
50	ALS-12	17.62	1600
70	ALS-1	29.12	200
95	ALS-15	33.6	200
120	ALS-9	47.04	3200
150	ALS-10	56.00	100
185	ALS-11	70.56	100
225	ALS-147	108.64	80
240	ALS-16	110.88	60
300	ALS-17	163.52	40
400	ALS-18	246.40	40
500	ALS-19	393.12	20
630	ALS-20	505.12	20
800	ALS-148	700.00	10
1000	ALS-149	1,167.04	8



ALUMINIUM IN LINE CONNECTORS FOR AL XLPE INSULATED CONDUCTORS			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25	ALS-XL01	14.91	200
35	ALS-XL02	23.04	200
50	ALS-XL03	35.84	200
70	ALS-XL04	49.28	200
95	ALS-XL05	68.32	100
120	ALS-XL06	86.24	100
150	ALS-XL07	114.24	40
185	ALS-XL08	171.36	40
225	ALS-XL09	225.12	60
240	ALS-XL10	238.56	60
300	ALS-XL11	311.36	60
400	ALS-XL12	369.6	40
500	ALS-XL13	465.92	30
630	ALS-XL14	854.56	15
800	ALS-XL15	1,170.40	15
1000	ALS-XL16	1,610.56	10

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.




BI-METALLIC CONNECTORS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CACF-16-16	16-16	367.36	200
CACF-25-16	25-16	367.36	200
CACF-25-25	25-25	367.36	200
CACF-35-16	35-16	367.36	200
CACF-35-25	35-25	360.64	200
CACF-35-35	35-35	356.16	200
CACF-50-25	50-25	451.36	160
CACF-50-35	50-35	451.36	200
CACF-50-50	50-50	439.04	160
CACF-70-35	70-35	446.88	200
CACF-70-50	70-50	437.92	200
CACF-70-70	70-70	420.00	100
CACF-95-50	95-50	558.88	160
CACF-95-70	95-75	543.2	160
CACF-95-95	95-95	539.84	160
CACF-120-70	120-70	939.68	50
CACF-120-95	120-95	924.00	80
CACF-120-120	120-120	901.60	80
CACF-150-95	150-95	917.28	40
CACF-150-120	150-120	897.12	80
CACF-150-150	150-150	862.4	80
CACF-185-120	185-120	959.84	40
CACF-185-150	185-150	930.72	40
CACF-185-185	185-185	1,216.32	10
CACF-240-150	240-150	1,042.72	40
CACF-240-185	240-185	1,187.20	40
CACF-240-240	240-240	1,134.56	40

BI-METALLIC TERMINALS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CAF-25-10	25	356.16	400
CAF-35-10	35	360.64	400
CAF-50-13	50	491.68	200
CAF-70-13	70	576.8	200
CAF-95-13	95	585.76	100
CAF-120-13	120	672.00	80
CAF-150-13	150	741.44	80
CAF-185-13	185	1,243.20	40
CAF-240-13	240	1,272.32	40
CAF-300-17	300	1,650.88	40
CAF-400-17	400	2,056.32	40
CAF-500	500	4,258.24	12
CAF-630	630	4,958.24	12




ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
10-8	BL-02	5.96	3200	150-12	BL-17	69.44	160
16-6	BL-03	8.13	1600	150-16	BL-18	69.44	160
16-8	BL-04	8.13	1600	185-12	BL-19	89.60	100
25-8	BL-05	10.84	800	185-16	BL-20	89.60	100
25-10	BL-06	10.84	800	225-12	BL-21	127.68	100
35-8	BL-07	13.55	800	240-12	BL-22	147.84	80
35-10	BL-08	13.55	800	240-16	BL-23	147.84	80
50-8	BL-09	23.04	400	300-16	BL-24	244.16	60
50-10	BL-10	23.04	400	300-20	BL-25	244.16	60
70-10	BL-11	34.72	200	400-20	BL-26	301.28	40
70-12	BL-12	34.72	200	500-20	BL-27	474.88	20
95-10	BL-13	38.08	200	630-20	BL-28	612.64	30
95-12	BL-14	38.08	200	800-20	BL-29	971.04	20
120-10	BL-15	51.52	200	1000-20	BL-30	1,416.80	10
120-12	BL-16	51.52	200				

COPPER RING, PIN AND FORK TERMINALS




PIN TERMINAL NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CP-59	4.18	8000	4	CP-3	7.89	16000
1	CP-44	4.18	8000	6	CP-5	7.89	10000
1.5	CP-9	4.18	16000	10	CP-7	12.35	6400
1.5	CP-35	4.63	8000	16	CP-8	24.4	3200
2.5	CP-1	4.18	16000	50	CP-88	91.84	400
2.5	CP-2	4.18	8000	70	CP-89	124.32	200
25	CP-86	45.92	1600	95	CP-90	162.40	200
35	CP-87	60.48	800				

RING TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RS-7317	3.88	16000	10-5	RS-7026	10.58	3200
1-3.5	RS-7318	3.88	16000	10-6	RS-7120	11.46	6400
1.5-3	RS-7001	4.18	8000	10-8	RS-7121	14.57	3200
1.5-3.5	RS-7002	4.18	8000	10-10	RS-7027	19.63	3200
1.5-3.5	RS-7048	4.18	8000	10-10	RS-7123	21.14	3200
1.5-4	RS-7003	4.18	16000	10-12	RS-7028	20.08	3200
1.5-4	RS-7049	4.18	8000	16-5	RS-7124	18.16	3200
1.5-4	RS-7004	4.32	16000	16-6	RS-7029	19.63	3200
1.5-4	RS-7154	4.47	8000	16-6	RS-7031	26.62	1600
1.5-5	RS-7005	4.32	16000	16-8	RS-7030	24.40	3200
1.5-5	RS-7006	5.22	8000	16-10	RS-7032	30.24	3200
1.5-6	RS-7007	5.22	8000	16-10	RS-7128	31.36	1600
1.5-6	RS-7106	5.36	8000	16-12	RS-7033	29.12	1600
2.5-3	RS-7107	4.77	8000	25-6	RS-7156	43.68	800
2.5-3.5	RS-7008	5.22	8000	25-8	RS-7034	45.92	1600
2.5-3.5	RS-7108	5.22	8000	25-8	RS-7036	50.40	1600
2.5-4	RS-7009	4.47	16000	25-10	RS-7035	43.68	800
2.5-5	RS-7010	4.47	16000	25-10	RS-7132	63.84	800
2.5-5	RS-7109	4.47	8000	25-12	RS-7037	63.84	800
2.5-5	RS-7110	6.26	2400	35-6	RS-7133	52.64	800
2.5-6	RS-7011	4.47	16000	35-8	RS-7038	57.12	1600
2.5-6	RS-7012	6.26	4000	35-10	RS-7135	71.68	800
2.5-8	RS-7013	7.29	4000	35-12	RS-7040	67.20	800
2.5-8	RS-7014	8.78	6400	50-8	RS-7136	80.64	800
2.5-10	RS-7015	10.28	6400	50-10	RS-7137	87.36	800
2.5-10	RS-7151	10.28	6400	50-12	RS-7042	94.08	400
4.6-4	RS-7155	8.03	10000	50-16	RS-7139	117.60	400
4.6-5	RS-7050	8.03	10000	70-10	RS-7140	118.72	400
4.6-5	RS-7016	9.53	10000	70-12	RS-7141	120.96	400
4.6-6	RS-7017	8.19	10000	70-16	RS-7142	141.12	400
4.6-6	RS-7019	10.87	6400	95-10	RS-7144	171.36	400
4.6-6	RS-7115	11.91	6400	95-12	RS-7044	164.64	400
4.6-8	RS-7018	9.53	4000	95-16	RS-7145	187.04	400
4.6-8	RS-7020	12.64	6400	120-12	RS-7146	212.80	160
4.6-8	RS-7116	15.63	3200	120-16	RS-7147	264.32	240
4.6-10	RS-7022	15.63	3200	120-20	RS-7148	303.52	240
4.6-10	RS-7023	13.98	3200	150-12	RS-7149	452.48	160
4.6-12	RS-7024	13.98	3200	150-16	RS-7045	445.76	160
10-5	RS-7025	11.76	3200	150-20	RS-7046	497.28	160



PIN TERMINAL (INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CPI-60	4.62	16000	4	CPI-20	9.38	3200
1	CPI-45	4.62	4000	4	CPI-21	12.35	1600
1.5	CPI-17	4.62	10000	6	CPI-22	13.54	3200
1.5	CPI-40	5.22	4000	6	CPI-23	14.28	800
2.5	CPI-18	4.77	10000	10	CPI-24	16.52	1600
2.5	CPI-19	4.77	4000	16	CPI-25	31.36	1600



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	CPD-26	6.26	10000	2.5	CPD-28	6.55	4000
2.5	CPD-27	6.55	10000	4	CPD-29	11.31	1600



RING TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RSI-7501	4.47	4000	2.5-5	RSI-7073	6.55	6400
1-4	RSI-7502	4.47	4000	2.5-5	RSI-7075	8.94	6400
1.5-3	RSI-7054	6.26	4000	2.5-6	RSI-7074	6.55	6400
1.5-3.5	RSI-7055	6.26	10000	2.5-6	RSI-7076	7.89	6400
1.5-3.5	RSI-7058	6.40	2400	2.5-8	RSI-7077	8.03	6400
1.5-4	RSI-7056	6.26	10000	2.5-8	RSI-7079	9.53	3200
1.5-4	RSI-7059	6.40	2400	2.5-10	RSI-7081	11.31	800
1.5-4	RSI-7061	4.77	10000	4.6-4	RSI-7083	9.53	3200
1.5-4	RSI-7063	6.26	4000	4.6-5	RSI-7084	9.53	3200
1.5-5	RSI-7062	4.77	10000	4.6-5	RSI-7086	11.31	3200
1.5-5	RSI-7065	7.59	4000	4.6-6	RSI-7089	10.87	3200
1.5-5	RSI-7066	7.29	4000	4.6-6	RSI-7092	12.64	3200
1.5-6	RSI-7067	7.59	4000	4.6-6	RSI-7093	13.68	3200
2.5-3	RSI-7068	6.40	4000	4.6-8	RSI-7090	11.31	1600
2.5-3.5	RSI-7069	6.40	4000	4.6-8	RSI-7094	13.68	3200
2.5-3.5	RSI-7070	7.29	2400	4.6-8	RSI-7096	16.52	1600
2.5-4	RSI-7071	6.26	10000	4.6-10	RSI-7099	15.63	1600
2.5-5	RSI-7072	6.26	10000	4.6-12	RSI-7100	15.63	1600



RING TERMINALS DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3	PSD-7437	6.55	2400	2.5-6	PSD-7457	6.85	4000
1.5-3.5	PSD-7438	6.55	2400	2.5-5	PSD-7458	9.53	2400
1.5-4	PSD-7439	6.55	2400	2.5-6	PSD-7459	8.78	3200
1.5-3.5	PSD-7441	6.55	2400	2.5-8	PSD-7460	9.53	1600
1.5-4	PSD-7442	6.55	2400	2.5-8	PSD-7462	11.31	1600
1.5-4	PSD-7444	6.40	4000	2.5-10	PSD-7464	12.64	1600
1.5-5	PSD-7445	6.40	4000	4.6-4	PSD-7466	11.91	800
1.5-4	PSD-7446	7.44	2400	4.6-5	PSD-7467	11.91	1600
1.5-5	PSD-7448	7.89	4000	4.6-5	PSD-7469	13.54	1600
1.5-6	PSD-7449	7.89	4000	4.6-6	PSD-7472	12.35	3200
1.5-6	PSD-7450	8.19	2400	4.6-8	PSD-7473	13.39	800
2.5-3	PSD-7451	7.89	2400	4.6-6	PSD-7475	14.73	400
2.5-3.5	PSD-7452	7.89	2400	4.6-6	PSD-7476	16.52	800
2.5-3.5	PSD-7453	8.03	2400	4.6-8	PSD-7477	16.52	800
2.5-4	PSD-7454	6.85	10000	4.6-8	PSD-7479	18.16	400
2.5-5	PSD-7455	6.85	10000	4.6-8	PSD-7482	19.63	400
2.5-5	PSD-7456	6.85	4000	4.6-12	PSD-7483	18.16	400



FORK TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RS-7249SPL	3.73	16000	2.5-5	RS-7280	10.72	4000
1.5-3.5	RS-7249	3.73	16000	4.6-3	RS-7252	6.55	16000
2.5-3.5	RS-7251	4.02	16000	4.6-3.5	RS-7253	6.55	8000





FORK TERMINALS INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RSI-7926SPL	4.47	4000	2.5-5	RSI-7929	12.21	1600
1.5-3.5	RSI-7926	4.47	4000	4.6-3	RSI-7930	8.78	3200
2.5-3.5	RSI-7928	5.22	10000	4.6-3.5	RSI-7931	8.78	3200

FORK TERMINALS DOUBLE GRIP (PRE INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3.5	PSD-7935	6.10	4000	4.6-3	PSD-7939	10.87	1600
2.5-3.5	PSD-7937	6.55	4000	4.6-3.5	PSD-7940	10.87	1600
2.5-5	PSD-7938	15.63	800				



SNAP ON TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	SNP-8351	6.07	2000	1.5	SND-8359	7.59	2000
1.5	SND-8352	6.07	2000	1.5	SND-8362	9.11	2000
2.5	SNP-8347	6.07	4000	1.5	SNP-8336	6.07	2000
2.5	SND-8348	7.59	5000	1.5	SNP-8356	6.07	2000
4	SND-8476	12.14	5000	1.5	SNP-8358	6.07	2000



END SEALING FERRULES NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-6	EH-508	1.56	20000	6-10	EH-518	3.12	10000
0.75-6	EH-509	1.56	20000	6-12	EH-519	3.12	10000
1-6	EH-510	1.56	20000	6-15	EH-520	4.68	10000
1-10	EH-511	1.56	20000	10-12	EH-521	4.68	2500
1.5-7	EH-512	1.56	20000	10-15	EH-522	5.26	2500
1.5-10	EH-513	1.56	20000	10-18	EH-523	7.79	2500
2.5-7	EH-514	1.56	20000	16-12	EH-524	4.68	2500
2.5-12	EH-515	1.56	20000	16-15	EH-525	6.14	2000
4-9	EH-516	1.56	16000	16-18	EH-526	7.79	2000
4-12	EH-517	3.12	16000				

COPPER TWIN TYPE LUGS					
mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)	STD PKG.
0.5-8	8	TW-0.5-8	WHITE	3.12	8000
0.5-10	10	TW-0.5-10	WHITE	3.12	8000
0.75-8	8	TW-0.75-8	GREY	3.12	4000
0.75-10	10	TW-0.75-10	GREY	4.68	4000
1-8	8	TW-1-8	RED	4.68	8000
1-10	10	TW-1-10	RED	4.68	8000
1.5-8	8	TW-1.5-8	BLACK	4.68	8000
1.5-10	10	TW-1.5-10	BLACK	4.68	8000
2.5-8	8	TW-2.5-8	BLUE	4.68	8000
2.5-10	10	TW-2.5-10	BLUE	6.23	8000
4-12	12	TW-4-12	GREY	7.79	4000
6-12	12	TW-6-12	YELLOW	9.35	4000



END SEALING FERRULES INSULATED			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-8	EH-508	1.56	40000
0.75-8	EH-509	1.56	40000
1-6	EH-510	3.12	20000
1-10	EH-511	3.12	25000
1.5-10	EH-513	3.12	25000
2.5-8	EH-514	3.12	15000
2.5-12	EH-515	3.12	16000
4-12	EH-517	4.68	8000
6-12	EH-519	4.68	8000
10-12	EH-521	6.23	2000
16-15	EH-525	7.79	1000



CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	477.00	224	DBF-01SS	615.00	200
12.0-16.5	3/4"	DBW-01S	574.00	168	DBF-01S	662.00	200
16.5-18.5	3/4"	DBW-01	642.00	144	DBF-01	731.00	96
16.5-18.5	1"	DBW-01A	734.00	120	DBF-01A	867.00	96
18.5-20.0	1"	DBW-02	822.00	80	DBF-02	960.00	80
18.5-20.0	3/4"	DBW-02A	822.00	80	DBF-02A	1010.00	80
20.0-23.0	1"	DBW-03	832.00	80	DBF-03	1085.00	80
23.0-26.0	1"	DBW-04	1137.00	48	DBF-04	1379.00	48
23.0-26.0	1.1/4"	DBW-04A	1221.00	48	DBF-04A	1540.00	48
26.0-30.0	1.1/4"	DBW-05	1424.00	48	DBF-05	1602.00	48
26.0-30.0	1.1/2"	DBW-05A	1704.00	48	DBF-05A	1945.00	48
30.0-33.0	1.1/2"	DBW-06	2046.00	40	DBF-06	2399.00	32
30.0-33.0	1.1/4"	DBW-06A	2117.00	32	DBF-06A	2508.00	32
33.0-37.0	1.1/2"	DBW-07	2391.00	24	DBF-07	2698.00	24
37.0-41.0	2"	DBW-08	3068.00	24	DBF-08	3344.00	24
41.0-46.0	2"	DBW-09	3384.00	20	DBF-09	3690.00	20
46.0-52.0	2"	DBW-10	3714.00	16	DBF-10	4350.00	16
46.0-52.0	2.1/2"	DBW-10A	4535.00	12	DBF-10A	4942.00	12
52.0-54.0	2.1/2"	DBW-011A	5263.00	8	DBF-011A	6631.00	8
54.0-61.0	2.1/2"	DBW-011	5528.00	8	DBF-011	6074.00	8
61.0-66.0	3"	DBW-012	6750.00	8	DBF-012	7332.00	8
66.0-72.0	3"	DBW-013A	8456.00	4	DBF-013A	10293.00	4
72.0-78.0	3.1/4"	DBW-013	9544.00	4	DBF-013	11556.00	4
78.0-84.0	3.1/2"	DBW-014	11453.00	6	DBF-014	12269.00	6
84.0-94.0	4"	DBW-015	15337.00	4	DBF-015	16695.00	6
94.0-104.0	4.1/2"	DBW-016	19765.00	4	DBF-016	21471.00	4



DOUBLE COMPRESSION TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGP10036	5/8"	371.00	200
14.1-15.5	DC-1/2"	DGP10037	5/8"	464.00	200
15.6-17.0	DC-5/8"	DGP10038	3/4"	476.00	184
17.1-18.5	DC-3/4"	DGP10039	3/4"	549.00	112
18.6-19.5	DC-7/8"	DGP10040	3/4"	632.00	96
19.6-22.5	DC-1"	DGP10041	1"	737.00	80
22.6-25.5	DC-1.1/8"	DGP10042	1.1/8"	941.00	60
25.6-31.5	DC-1.1/4"	DGP10043	1.1/4"	1241.00	48
31.6-34.5	DC-1.3/8"	DGP10044	1.1/2"	1481.00	48
34.6-36.5	DC-1.1/2"	DGP10045	1.1/2"	1743.00	32
36.6-44.5	DC-1.3/4"	DGP10046	2"	2397.00	20
44.6-49.5	DC-2"	DGP10047	2"	2623.00	20
49.6-54.5	DC-2.1/4"	DGP10048	2.1/4"	3062.00	16
54.6-63.5	DC-2.1/2"	DGP10049	2.1/2"	4210.00	8
63.6-69.5	DC-2.3/4"	DGP10050	2.3/4"	4753.00	8
69.6-74.5	DC-3"	DGP10051	3"	5851.00	8
74.6-81.0	DC-3.1/4"	DGP10052	3.1/4"	6776.00	4
81.1-86.0	DC-3.1/2"	DGP10053	3.1/2"	9260.00	4
86.1-100.0	DC-4"	DGP10054	4"	12007.00	4



DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.5	DBW-01SS(UN)	506.00	200
12.6-14.0	DBW-01S(UN)	553.00	200
14.1-17.0	DBW-01A(UN)	703.00	120
17.1-19.0	DBW-02(UN)	855.00	80
19.1-22.0	DBW-03SP(UN)	912.00	80
22.1-25.0	DBW-04A(UN)	1294.00	48
25.1-29.0	DBW-05A(UN)	1418.00	48
29.1-32.0	DBW-06SP(UN)	1984.00	40
32.1-35.0	DBW-07SP(UN)	2282.00	24
35.1-40.0	DBW-08(UN)	2864.00	24
40.1-43.0	DBW-09(UN)	3393.00	20
43.1-51.0	DBW-010A(UN)	4180.00	12
51.1-59.0	DBW-011SP(UN)	5524.00	8
59.1-65.0	DBW-012(UN)	6489.00	8
65.1-71.0	DBW-013(UN)	8622.00	4
71.1-79.0	DBW-014(UN)	10035.00	2
79.1-89.0	DBW-015(UN)	15054.00	2



SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
INCH	MM						
3/8"	10	DGP10001	140.00	512	1616	249.00	280
1/2"	12	DGP10002	140.00	512	1619	265.00	200
5/8"	16	DGP10003	140.00	460	2119	411.00	160
3/4"	19	DGP10004	164.00	420	2125	375.00	160
7/8"	22	DGP10005	193.00	336	2925	525.00	96
1"	25	DGP10006	293.00	240	2932	577.00	80
1.1/8"	28	DGP10007	347.00	120	2938	626.00	80
1.1/4"	32	DGP10008	489.00	96	3638	861.00	40
1.3/8"	35	DGP10009	609.00	96	4251	1570.00	20
1.1/2"	38	DGP10010	718.00	64	5451	1789.00	16
1.3/4"	45	DGP10011	871.00	48	5463	1777.00	16
2"	50	DGP10012	1064.00	40	6063	2729.00	16
2.1/4"	57	DGP10013	1368.00	24	6675	3307.00	12
2.1/2"	63	DGP10014	1581.00	20	7882	4553.00	12
2.3/4"	70	DGP10015	2215.00	20			
3"	75	DGP10016	2729.00	16			
3.1/4"	82	DGP10017	2900.00	12			
3.1/2"	88	DGP10018	3650.00	12			
4"	100	DGP10019	4332.00	6			
4.1/2"	112	DGP10020	7224.00	8			



BRASS PG GLAND			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
2-5	MPG-7	139.00	200
3-8	MPG-9	181.00	80
4-10	MPG-11	223.00	200
5-12	MPG-13.5	292.00	200
8-14	MPG-16	307.00	200
12-17	MPG-21	511.00	120
16-25	MPG-29	1030.00	60
20-32	MPG-36	1136.00	48
28-37	MPG-42	2242.00	20
32-40	MPG-48	2354.00	16

NYLON PG GLAND			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
3.5-6	PG-7	17.85	200
4-8	PG-9	22.05	80
5-10	PG-11	29.40	200
6-12	PG-13.5	35.70	200
10-14	PG-16	43.05	200
13-18	PG-21	56.70	120
18-25	PG-29	88.20	60
22-32	PG-36	139.65	24
30-38	PG-42	175.35	20
34-44	PG-48	210.00	16



FLANGE TYPE CABLE GLANDS			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
12.0-16.0	DGPI0021	271.00	40
16.1-18.0	DGPI0022	345.00	60
18.1-21.0	DGPI0023	372.00	60
21.1-25.0	DGPI0024	461.00	60
25.1-29.0	DGPI0025	535.00	60
29.1-33.0	DGPI0026	667.00	24
33.1-35.0	DGPI0027	825.00	24
35.1-38.0	DGPI0028	941.00	24
38.1-41.0	DGPI0029	950.00	40
41.1-45.0	DGPI0030	1135.00	60
45.1-52.0	DGPI0031	1358.00	60
52.1-59.0	DGPI0032	1471.00	60
59.1-67.0	DGPI0033	1780.00	24
67.1-76.0	DGPI0034	2267.00	60
76.1-84	DGPI0035	3734.00	40



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH NPT THREADING

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 – 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS316	1173.00	224	DBF-01SS (3/4 NPT)-SS316	1225.00	200
6.0 – 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS316	1122.00	224	DBF-01SS (1/2 NPT)-SS316	1173.00	200
12.0 – 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS316	1480.00	200	DBF-01S (3/4 NPT)-SS316	1531.00	160
12.0 – 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS316	1429.00	200	DBF-01S (1/2 NPT)-SS316	1480.00	160
16.5 – 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS316	1887.00	144	DBF-01 (3/4 NPT)-SS316	1939.00	96
16.5 – 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS316	1887.00	144	DBF-01 (1/2 NPT)-SS316	1939.00	96
16.5 – 18.5	1" NPT	DBW-01 (1 NPT)-SS316	2093.00	144	DBF-01 (1 NPT)-SS316	2194.00	96
18.5 – 20.0	1" NPT	DBW-02 (1 NPT)-SS316	2525.00	80	DBF-02 (1 NPT)-SS316	2603.00	80
18.5 – 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS316	2118.00	80	DBF-02 (1/2 NPT)-SS316	2169.00	80
18.5 – 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS316	2244.00	80	DBF-02 (3/4 NPT)-SS316	2296.00	80
20.0 – 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS316	2244.00	80	DBF-03 (3/4 NPT)-SS316	2296.00	80
20.0 – 23.0	1" NPT	DBW-03 (1 NPT)-SS316	2755.00	80	DBF-03 (1 NPT)-SS316	2856.00	80
20.0 – 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS316	2244.00	80	DBF-03 (1/2 NPT)-SS316	2296.00	80
20.0 – 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS316	3111.00	80	DBF-03 (1.1/4 NPT)-SS316	3214.00	80
23.0 – 26.0	1" NPT	DBW-04 (1 NPT)-SS316	3163.00	48	DBF-04 (1 NPT)-SS316	3265.00	48
23.0 – 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS316	3163.00	48	DBF-04 (3/4 NPT)-SS316	3265.00	48
23.0 – 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS316	3826.00	48	DBF-04 (1.1/4 NPT)-SS316	3978.00	48
23.0 – 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS316	4131.00	48	DBF-04 (1.1/2 NPT)-SS316	4234.00	48
26.0 – 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS316	3978.00	48	DBF-05 (3/4 NPT)-SS316	4055.00	48
26.0 – 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS316	4131.00	48	DBF-05 (1.1/4 NPT)-SS316	4234.00	48
26.0 – 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	4539.00	48	DBF-05 (1.1/2 NPT)-SS316	4666.00	48
26.0 – 30.0	1" NPT	DBW-05 (1 NPT)-SS316	3826.00	48	DBF-05 (1 NPT)-SS316	4030.00	48
26.0 – 30.0	2" NPT	DBW-05 (2 NPT)-SS316	5355.00	48	DBF-05 (2 NPT)-SS316	5711.00	48
26.0 – 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	4539.00	48	DBF-05 (1.1/2 NPT)-SS316	4666.00	48
30.0 – 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS316	5355.00	40	DBF-06 (1.1/2 NPT)-SS316	5661.00	32
30.0 – 33.0	2" NPT	DBW-06 (2 NPT)-SS316	6375.00	40	DBF-06 (2 NPT)-SS316	6731.00	32
30.0 – 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS316	4997.00	40	DBF-06 (1.1/4 NPT)-SS316	5355.00	32
33.0 – 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS316	6069.00	24	DBF-07 (1.1/4 NPT)-SS316	6221.00	24
33.0 – 37.0	2" NPT	DBW-07 (2 NPT)-SS316	6324.00	24	DBF-07 (2 NPT)-SS316	6885.00	24
33.0 – 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS316	6069.00	24	DBF-07 (1.1/2 NPT)-SS316	6579.00	24
37.0 – 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS316	7241.00	24	DBF-08 (1.1/2 NPT)-SS316	7752.00	24
41.0 – 46.0	2" NPT	DBW-09 (2 NPT)-SS316	11984.00	20	DBF-09 (2 NPT)-SS316	12493.00	20
46.0 – 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS316	16064.00	16	DBF-10 (1.1/2 NPT)-SS316	16574.00	16
46.0 – 52.0	2" NPT	DBW-010 (2 NPT)-SS316	16064.00	144	DBF-010 (2 NPT)-SS316	16574.00	16
54.0 – 61.0	2" NPT	DBW-011 (2 NPT)-SS316	21162.00	8	DBF-011 (2 NPT)-SS316	21672.00	8
54.0 – 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS316	22181.00	8	DBF-011A (2.1/2 NPT)-SS316	22692.00	8
61.0 – 66.0	2" NPT	DBW-012 (2 NPT)-SS316	23865.00	8	DBF-012 (2 NPT)-SS316	24222.00	8
66.0 – 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS316	35133.00	4	DBF-013A (2.1/2 NPT)-SS316	35592.00	4
72.0 – 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS316	36203.00	4	DBF-013 (3.1/4 NPT)-SS316	36969.00	4
78.0 – 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS316	39213.00	4	DBF-014 (3.1/2 NPT)-SS316	40028.00	6
84.0 – 94.0	4" NPT	DBW-015 (4 NPT)-SS316	48697.00	4	DBF-015 (4 NPT)-SS316	49461.00	6
94.0 – 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS316	52521.00	4	DBF-016 (4.1/2 NPT)-SS316	54051.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH NPT THREADING

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS304	919.00	224	DBF-01SS (3/4 NPT)-SS304	970.00	200
6.0 - 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS304	869.00	224	DBF-01SS (1/2 NPT)-SS304	919.00	200
12.0 - 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS304	1047.00	200	DBF-01S (3/4 NPT)-SS304	1098.00	160
12.0 - 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS304	945.00	200	DBF-01S (1/2 NPT)-SS304	996.00	160
16.5 - 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS304	1455.00	144	DBF-01 (3/4 NPT)-SS304	1505.00	96
16.5 - 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS304	1455.00	144	DBF-01 (1/2 NPT)-SS304	1505.00	96
16.5 - 18.5	1" NPT	DBW-01 (1 NPT)-SS304	1583.00	144	DBF-01 (1 NPT)-SS304	1683.00	96
18.5 - 20.0	1" NPT	DBW-02 (1 NPT)-SS304	1939.00	80	DBF-02 (1 NPT)-SS304	1990.00	80
18.5 - 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS304	1583.00	80	DBF-02 (1/2 NPT)-SS304	1633.00	80
18.5 - 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS304	1583.00	80	DBF-02 (3/4 NPT)-SS304	1633.00	80
20.0 - 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS304	1583.00	80	DBF-03 (3/4 NPT)-SS304	1633.00	80
20.0 - 23.0	1" NPT	DBW-03 (1 NPT)-SS304	1939.00	80	DBF-03 (1 NPT)-SS304	1505.00	80
20.0 - 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS304	1608.00	80	DBF-03 (1/2 NPT)-SS304	1683.00	80
20.0 - 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS304	2603.00	80	DBF-03 (1.1/4 NPT)-SS304	2704.00	80
23.0 - 26.0	1" NPT	DBW-04 (1 NPT)-SS304	2882.00	48	DBF-04 (1 NPT)-SS304	3010.00	48
23.0 - 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS304	2882.00	48	DBF-04 (3/4 NPT)-SS304	3010.00	48
23.0 - 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS304	3417.00	48	DBF-04 (1.1/4 NPT)-SS304	3545.00	48
23.0 - 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS304	3673.00	48	DBF-04 (1.1/2 NPT)-SS304	3800.00	48
26.0 - 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS304	3366.00	48	DBF-05 (3/4 NPT)-SS304	3494.00	48
26.0 - 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS304	3775.00	48	DBF-05 (1.1/4 NPT)-SS304	3978.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	4183.00	48	DBF-05 (1.1/2 NPT)-SS304	4387.00	48
26.0 - 30.0	1" NPT	DBW-05 (1 NPT)-SS304	3417.00	48	DBF-05 (1 NPT)-SS304	3545.00	48
26.0 - 30.0	2" NPT	DBW-05 (2 NPT)-SS304	6375.00	48	DBF-05 (2 NPT)-SS304	6680.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	4183.00	48	DBF-05 (1.1/2 NPT)-SS304	4387.00	48
30.0 - 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS304	3978.00	40	DBF-06 (1.1/2 NPT)-SS304	4131.00	32
30.0 - 33.0	2" NPT	DBW-06 (2 NPT)-SS304	5355.00	40	DBF-06 (2 NPT)-SS304	5763.00	32
30.0 - 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS304	3978.00	40	DBF-06 (1.1/4 NPT)-SS304	5355.00	32
33.0 - 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS304	4845.00	24	DBF-07 (1.1/4 NPT)-SS304	5202.00	24
33.0 - 37.0	2" NPT	DBW-07 (2 NPT)-SS304	5865.00	24	DBF-07 (2 NPT)-SS304	6171.00	24
33.0 - 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS304	4845.00	24	DBF-07 (1.1/2 NPT)-SS304	5711.00	24
37.0 - 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS304	6375.00	24	DBF-08 (1.1/2 NPT)-SS304	6731.00	24
41.0 - 46.0	2" NPT	DBW-09 (2 NPT)-SS304	7395.00	20	DBF-09 (2 NPT)-SS304	7752.00	20
46.0 - 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS304	8159.00	16	DBF-10 (1.1/2 NPT)-SS304	8872.00	16
46.0 - 52.0	2" NPT	DBW-010 (2 NPT)-SS304	8159.00	144	DBF-010 (2 NPT)-SS304	8872.00	16
54.0 - 61.0	2" NPT	DBW-011 (2 NPT)-SS304	11984.00	8	DBF-011 (2 NPT)-SS304	12699.00	8
54.0 - 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS304	11984.00	8	DBF-011A (2.1/2 NPT)-SS304	12699.00	8
61.0 - 66.0	2" NPT	DBW-012 (2 NPT)-SS304	17084.00	8	DBF-012 (2 NPT)-SS304	12699.00	8
66.0 - 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS304	18357.00	4	DBF-013A (2.1/2 NPT)-SS304	19122.00	4
72.0 - 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS304	18612.00	4	DBF-013 (3.1/4 NPT)-SS304	19122.00	4
78.0 - 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS304	21162.00	4	DBF-014 (3.1/2 NPT)-SS304	21825.00	6
84.0 - 94.0	4" NPT	DBW-015 (4 NPT)-SS304	26517.00	4	DBF-015 (4 NPT)-SS304	27280.00	6
94.0 - 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS304	37223.00	4	DBF-016 (4.1/2 NPT)-SS304	37989.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH METRIC THREADING

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 – 12.0	M20	DBW-01SS-M20-SS316	1073.00	200	DBF-01SS-M20-SS316	1148.00	200
12.1 – 16.5	M16	DBW-01S-M16-SS316	1327.00	200	DBF-01S-M16-SS316	1404.00	160
12.1 – 16.5	M20	DBW-01S-M20-SS316	1327.00	200	DBF-01S-M20-SS316	1404.00	160
12.1 – 16.5	M25	DBW-01S-M25-SS316	1557.00	200	DBF-01S-M25-SS316	1608.00	160
16.6 – 18.5	M20	DBW-01-M20-SS316	1633.00	120	DBF-01-M20-SS316	1734.00	120
16.6 – 18.5	M25	DBW-01-M25-SS316	1633.00	120	DBF-01-M25-SS316	1837.00	120
16.6 – 18.5	M32	DBW-01-M32-SS316	1965.00	120	DBF-01-M32-SS316	2015.00	120
18.6 – 20.0	M20	DBW-02-M20-SS316	1939.00	80	DBF-02-M20-SS316	2066.00	80
18.6 – 20.0	M25	DBW-02-M25-SS316	1939.00	80	DBF-02-M25-SS316	2066.00	80
20.1 – 23.0	M20	DBW-03-M20-SS316	2143.00	80	DBF-03-M20-SS316	2194.00	80
20.1 – 23.0	M25	DBW-03-M25-SS316	2143.00	80	DBF-03-M25-SS316	2194.00	80
23.1 – 26.0	M25	DBW-04-M25-SS316	2959.00	48	DBF-04-M25-SS316	3111.00	48
23.1 – 26.0	M32	DBW-04-M32-SS316	3417.00	48	DBF-04-M32-SS316	3545.00	48
26.1 – 30.0	M32	DBW-05-M32-SS316	3749.00	48	DBF-05-M32-SS316	3952.00	48
26.1 – 30.0	M40	DBW-05-M40-SS316	4183.00	48	DBF-05-M40-SS316	4794.00	48
30.1 – 33.0	M32	DBW-06-M32-SS316	4666.00	32	DBF-06-M32-SS316	4922.00	32
30.1 – 33.0	M40	DBW-06-M40-SS316	4666.00	32	DBF-06-M40-SS316	4922.00	32
33.1 – 37.0	M40	DBW-07-M40-SS316	5711.00	24	DBF-07-M40-SS316	6018.00	24
37.1 – 41.0	M50	DBW-08-M50-SS316	6757.00	24	DBF-08-M50-SS316	7089.00	24
41.1 – 46.0	M50	DBW-09-M50-SS316	10709.00	20	DBF-09-M50-SS316	11219.00	20
46.1 – 52.0	M50	DBW-010-M50-SS316	13513.00	12	DBF-010-M50-SS316	14100.00	16
46.1 – 52.0	M63	DBW-010-M63-SS316	13513.00	12	DBF-010-M63-SS316	15808.00	16
54.1 – 61.0	M63	DBW-011-M63-SS316	19888.00	8	DBF-011-M63-SS316	20729.00	8
52.1 – 54.0	M63	DBW-011A-M63-SS316	19888.00	8	DBF-011A-M63-SS316	20729.00	8
61.1 – 66.0	M75	DBW-012-M75-SS316	22539.00	4	DBF-012-M75-SS316	23508.00	8
66.1 – 72.0	M75	DBW-013A-M75-SS316	33196.00	4	DBF-013A-M75-SS316	34470.00	4
72.1 – 78.0	M78	DBW-013-M78-SS316	33196.00	4	DBF-013-M78-SS316	34470.00	4
72.1 – 78.0	M82	DBW-013-M82-SS316	33196.00	4	DBF-013-M82-SS316	34470.00	4
78.1 – 84.0	M90	DBW-014-M90-SS316	36969.00	2	DBF-014-M90-SS316	38422.00	6
84.1 – 94.0	M100	DBW-015-M100-SS316	46912.00	2	DBF-015-M100-SS316	48697.00	6
94.1 – 104.0	M100	DBW-016-M100-SS316	50431.00	4	DBF-016-M100-SS316	52521.00	4



DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH METRIC THREADING

SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	M20	DBW-01SS-M20-SS304	869.00	200	DBF-01SS-M20-SS304	919.00	200
12.1 - 16.5	M16	DBW-01S-M16-SS304	1073.00	200	DBF-01S-M16-SS304	1122.00	160
12.1 - 16.5	M20	DBW-01S-M20-SS304	1073.00	200	DBF-01S-M20-SS304	1122.00	160
12.1 - 16.5	M25	DBW-01S-M25-SS304	1327.00	200	DBF-01S-M25-SS304	1377.00	160
16.6 - 18.5	M20	DBW-01-M20-SS304	1352.00	120	DBF-01-M20-SS304	1404.00	120
16.6 - 18.5	M25	DBW-01-M25-SS304	1404.00	120	DBF-01-M25-SS304	1480.00	120
16.6 - 18.5	M32	DBW-01-M32-SS304	1583.00	120	DBF-01-M32-SS304	1683.00	120
18.6 - 20.0	M20	DBW-02-M20-SS304	1557.00	80	DBF-02-M20-SS304	1633.00	80
18.6 - 20.0	M25	DBW-02-M25-SS304	1557.00	80	DBF-02-M25-SS304	1633.00	80
20.1 - 23.0	M20	DBW-03-M20-SS304	1608.00	80	DBF-03-M20-SS304	1683.00	80
20.1 - 23.0	M25	DBW-03-M25-SS304	1608.00	80	DBF-03-M25-SS304	1683.00	80
23.1 - 26.0	M25	DBW-04-M25-SS304	2372.00	48	DBF-04-M25-SS304	2500.00	48
23.1 - 26.0	M32	DBW-04-M32-SS304	2372.00	48	DBF-04-M32-SS304	2500.00	48
26.1 - 30.0	M32	DBW-05-M32-SS304	2932.00	48	DBF-05-M32-SS304	3111.00	48
26.1 - 30.0	M40	DBW-05-M40-SS304	2932.00	48	DBF-05-M40-SS304	3520.00	48
30.1 - 33.0	M32	DBW-06-M32-SS304	3596.00	32	DBF-06-M32-SS304	3775.00	32
30.1 - 33.0	M40	DBW-06-M40-SS304	3596.00	32	DBF-06-M40-SS304	3775.00	32
33.1 - 37.0	M40	DBW-07-M40-SS304	4387.00	24	DBF-07-M40-SS304	4565.00	24
37.1 - 41.0	M50	DBW-08-M50-SS304	5432.00	24	DBF-08-M50-SS304	5865.00	24
41.1 - 46.0	M50	DBW-09-M50-SS304	9078.00	20	DBF-09-M50-SS304	9638.00	20
46.1 - 52.0	M50	DBW-010-M50-SS304	11270.00	12	DBF-010-M50-SS304	11984.00	16
46.1 - 52.0	M63	DBW-010-M63-SS304	11270.00	12	DBF-010-M63-SS304	11984.00	16
54.1 - 61.0	M63	DBW-011-M63-SS304	19327.00	8	DBF-011-M63-SS304	19837.00	8
52.1 - 54.0	M63	DBW-011A-M63-SS304	19327.00	8	DBF-011A-M63-SS304	19837.00	8
61.1 - 66.0	M75	DBW-012-M75-SS304	20142.00	8	DBF-012-M75-SS304	20908.00	8
66.1 - 72.0	M75	DBW-013A-M75-SS304	27944.00	4	DBF-013A-M75-SS304	28811.00	4
72.1 - 78.0	M78	DBW-013-M78-SS304	27944.00	4	DBF-013-M78-SS304	28811.00	4
72.1 - 78.0	M82	DBW-013-M82-SS304	27944.00	4	DBF-013-M82-SS304	28811.00	4
78.1 - 84.0	M90	DBW-014-M90-SS304	28658.00	2	DBF-014-M90-SS304	29524.00	6
84.1 - 94.0	M100	DBW-015-M100-SS304	36026.00	2	DBF-015-M100-SS304	37223.00	6
94.1 - 104.0	M100	DBW-016-M100-SS304	44108.00	4	DBF-016-M100-SS304	45383.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS316	1073.00	200	DBF-01SS-SS316	1148.00	200
12.0-16.5	3/4"	DBW-01S-SS316	1327.00	200	DBF-01S-SS316	1404.00	200
16.5-18.5	3/4"	DBW-01-SS316	1633.00	200	DBF-01-SS316	1734.00	200
16.5-18.5	1"	DBW-01A-SS316	1633.00	120	DBF-01A-SS316	1734.00	120
18.5-20.0	1"	DBW-02-SS316	1939.00	80	DBF-02-SS316	2066.00	80
18.5-20.0	3/4"	DBW-02A-SS316	1939.00	80	DBF-02A-SS316	2066.00	80
20.0-23.0	1"	DBW-03-SS316	2143.00	80	DBF-03-SS316	2194.00	80
23.0-26.0	1"	DBW-04-SS316	2959.00	48	DBF-04-SS316	3111.00	48
23.0-26.0	1.1/4"	DBW-04A-SS316	2959.00	48	DBF-04A-SS316	3111.00	48
26.0-30.0	1.1/4"	DBW-05-SS316	3749.00	48	DBF-05-SS316	3952.00	48
26.0-30.0	1.1/2"	DBW-05A-SS316	3749.00	48	DBF-05A-SS316	3952.00	48
30.0-33.0	1.1/2"	DBW-06-SS316	4666.00	40	DBF-06-SS316	4922.00	32
30.0-33.0	1.1/4"	DBW-06A-SS316	4666.00	32	DBF-06A-SS316	4922.00	32
33.0-37.0	1.1/2"	DBW-07-SS316	5711.00	24	DBF-07-SS316	6018.00	24
37.0-41.0	2"	DBW-08-SS316	6757.00	24	DBF-08-SS316	7089.00	24
41.0-46.0	2"	DBW-09-SS316	10709.00	20	DBF-09-SS316	11219.00	20
46.0-52.0	2"	DBW-010-SS316	13513.00	12	DBF-010-SS316	14100.00	16
46.0-52.0	2.1/2"	DBW-010A-SS316	13513.00	12	DBF-010A-SS316	14100.00	16
52.0-54.0	2.1/2"	DBW-011A-SS316	19888.00	8	DBF-011A-SS316	20729.00	8
54.0-61.0	2.1/2"	DBW-011-SS316	19888.00	8	DBF-011-SS316	20729.00	8
61.0-66.0	3"	DBW-012-SS316	22539.00	8	DBF-012-SS316	23508.00	8
66.0-72.0	3"	DBW-013A-SS316	33196.00	4	DBF-013A-SS316	34470.00	4
72.0-78.0	3.1/4"	DBW-013-SS316	33196.00	4	DBF-013-SS316	34470.00	4
78.0-84.0	3.1/2"	DBW-014-SS316	36969.00	2	DBF-014-SS316	38422.00	6
84.0-94.0	4"	DBW-015-SS316	46912.00	2	DBF-015-SS316	48697.00	6



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS304	869.00	200	DBF-01SS-SS304	919.00	200
12.0-16.5	3/4"	DBW-01S-SS304	1073.00	200	DBF-01S-SS304	1122.00	200
16.5-18.5	3/4"	DBW-01-SS304	1352.00	200	DBF-01-SS304	1429.00	200
16.5-18.5	1"	DBW-01A-SS304	1352.00	120	DBF-01A-SS304	1429.00	120
18.5-20.0	1"	DBW-02-SS304	1557.00	80	DBF-02-SS304	1633.00	80
18.5-20.0	3/4"	DBW-02A-SS304	1557.00	80	DBF-02A-SS304	1633.00	80
20.0-23.0	1"	DBW-03-SS304	1608.00	80	DBF-03-SS304	1683.00	80
23.0-26.0	1"	DBW-04-SS304	2372.00	48	DBF-04-SS304	2500.00	48
23.0-26.0	1.1/4"	DBW-04A-SS304	2372.00	48	DBF-04A-SS304	2500.00	48
26.0-30.0	1.1/4"	DBW-05-SS304	2932.00	48	DBF-05-SS304	3111.00	48
26.0-30.0	1.1/2"	DBW-05A-SS304	2932.00	48	DBF-05A-SS304	3111.00	48
30.0-33.0	1.1/2"	DBW-06-SS304	3596.00	40	DBF-06-SS304	3775.00	32
30.0-33.0	1.1/4"	DBW-06A-SS304	3596.00	32	DBF-06A-SS304	3775.00	32
33.0-37.0	1.1/2"	DBW-07-SS304	4387.00	24	DBF-07-SS304	4565.00	24
37.0-41.0	2"	DBW-08-SS304	5432.00	24	DBF-08-SS304	5865.00	24
41.0-46.0	2"	DBW-09-SS304	9078.00	20	DBF-09-SS304	9638.00	20
46.0-52.0	2"	DBW-010-SS304	11270.00	12	DBF-010-SS304	11830.00	16
46.0-52.0	2.1/2"	DBW-010A-SS304	11270.00	12	DBF-010A-SS304	11830.00	8
52.0-54.0	2.1/2"	DBW-011A-SS304	19122.00	8	DBF-011A-SS304	19837.00	8
54.0-61.0	2.1/2"	DBW-011-SS304	19122.00	8	DBF-011-SS304	19837.00	8
61.0-66.0	3"	DBW-012-SS304	20142.00	8	DBF-012-SS304	20908.00	8
66.0-72.0	3"	DBW-013A-SS304	27944.00	4	DBF-013A-SS304	28811.00	4
72.0-78.0	3.1/4"	DBW-013-SS304	27944.00	4	DBF-013-SS304	28811.00	4
78.0-84.0	3.1/2"	DBW-014-SS304	28658.00	2	DBF-014-SS304	29524.00	6
84.0-94.0	4"	DBW-015-SS304	36026.00	2	DBF-015-SS304	37223.00	6
94.0-104.0	4.1/2"	DBW-016-SS304	44108.00	4	DBF-016-SS304	45383.00	4



FOR GLAND SIZE	EARTH TAG			LSF/LSZH SHROUD		
	DOWELL'S CAT. NO.	PRICE (₹)	BOX PKG	SHROUD SIZE/CODE	PRICE (₹)	BOX PKG
DBW -01SS/DBF-01SS	DET-20	53.00	200	2023	23.10	1600
DBW -01S/DBF-01S	DET-20	53.00	200	2026	29.40	4000
DBW -01/DBF-01	DET-20	53.00	200	2030	37.80	200
DBW -02A/DBF-02A	DET-20	53.00	200	2030A	39.90	200
DBW -01A/DBF-01A	DET-25	67.00	200	2533	39.90	100
DBW -02/DBF-02	DET-25	67.00	200	2533A	39.90	100
DBW -03/DBF-03	DET-25	67.00	200	2535	49.35	100
DBW -04/DBF-04	DET-25	67.00	200	4000	60.90	100
DBW -04A/DBF-04A	DET-32	79.00	200	4000A	60.90	100
DBW -05/DBF-05	DET-32	79.00	200	3246	63.00	100
DBW -06A/DBF-06A	DET-32	79.00	200	3246A	72.45	100
DBW -05A/DBF-05A	DET-40	86.00	600	3251	99.75	100
DBW -06/DBF-06	DET-40	86.00	600	3251A	99.75	100
DBW -07/DBF-07	DET-40	86.00	600	4053	109.20	60
DBW -08/DBF-08	DET-50	99.00	200	5063	143.85	50
DBW -09/DBF-09	DET-50	99.00	200	5068	158.55	60
DBW -010/DBF-010	DET-50	99.00	200	6371	165.90	50
DBW -010A/DBF-010A	DET-63	180.00	200	6371A	165.90	50
DBW -011A/DBF-011A	DET-63	180.00	200	6388	253.05	30
DBW -011/DBF-011	DET-63	180.00	200	6388A	253.05	30
DBW -012/DBF-012	DET-75	228.00	200	7595	279.30	30
DBW -013A/DBF-013A	DET-75	228.00	200	7595A	279.30	30
DBW -014/DBF-014	DET-90	228.00	200	7595B	380.10	30
DBW -015/DBF-015	DET-100	461.00	200			





FIG 1 Terminating the armouring of an swa cable metallic enclosures




Mechanical Crimping Tools (Hand Operated)

- Item Code: SYT-2M
- List Price: 1561/-
- Crimping Range: 1.5 – 16 mm²
- Application: Non-insulated terminals (Point type)
- Key Features: Heavy-duty hand crimper, Suitable for medium-size lugs, Reliable point-type compression



- Item Code: SYT-17M
- List Price: 1502/-
- Crimping Range: 0.5 – 6 mm²
- Application: Non-insulated terminals (Point type)
- Key Features: Compact design, Accurate crimping for small conductors, Consistent crimp quality



- Item Code: SYT-26TW
- List Price: 1385/-
- Crimping Range: 2 × (0.5 to 6 mm²)
- Application: Insulated & non-insulated ferrules
- Key Features: Twin ferrule crimping capability, Parallel jaw mechanism, High repeatability



- Item Code: SYT-52M
- List Price: 1277/-
- Crimping Range: 0.5 – 6 mm²
- Application: Insulated & non-insulated ferrules
- Key Features: Dual-use for insulated and bare ferrules, Ergonomic handles, Uniform pressure distribution



- **Item Code:** SYT-53M
- **List Price:** 1473/-
- **Crimping Range:** 10, 16, 25, 35 mm²
- **Application:** Insulated & non-insulated ferrules
- **Key Features:** Designed for large ferrules, Strong mechanical leverage, Durable steel construction



- **Item Code:** SYT-1546A
- **List Price:** 1385/-
- **Crimping Range:** 0.25-0.5, 0.5-1.5, 1.5-2.5, 4.0-6.0 mm²
- **Application:** Insulated Terminals
- **Key Features:** Specially designed for insulated lugs, Fixed Crimping Cavities for, Accurate size matching, Ideal for panel wiring and Control wiring



- **Item Code:** PYW-2
- **List Price:** 3685/-
- **Crimping Range:** 0.5 – 6 mm²
- **Type:** Ratchet terminal crimping plier
- **Key Features:** Ratchet mechanism ensures full, crimp cycle, Consistent crimp quality



Self-Adjustable Crimping Pliers


- Item Code: SYT-6-6
- List Price: 1277/-
- Crimping Range: 0.25 – 6 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: Compact and lightweight, Suitable for panel wiring, Uniform crimping force



- Item Code: SYT-16-4A
- List Price: 2107/-
- Crimping Range: 4 – 16 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: No die change required, Consistent crimp depth, Reduced operator fatigue



- Item Code: SYT-10-4
- List Price: 985/-
- Crimping Range: 0.25 – 10 mm²
- Type: Mini self-adjustable crimping plier
- Key Features: Automatic size adjustment, Faster operation, Ideal for control wiring



Hexagonal Crimping Tools (Mechanical & Hydraulic)


- Item Code: SYA-427H
- List Price: 1561/-
- Crimping Range: 1.5 – 10 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Hexagonal crimp profile, Good electrical conductivity, Firm terminal grip




- Item Code: SYA-428H
- List Price: 2508/-
- Crimping Range: 6 – 25 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Strong hex compression, Suitable for power circuits, Long service life



- Item Code: SYT-9M
- List Price: 3171/-
- Crimping Range: 6 – 50 mm²
- Application: Non-insulated terminals (Hex type)
- Key Features: Heavy-duty hand tool, Uniform hex crimp, Improved mechanical strength



- Item Code: SYHX-150B
- List Price: 7857/-
- Crimping Range: 25 – 150 mm²
- Application: Non-insulated lugs (Hex type)
- Key Features: High-force hex crimp, Industrial power applications, Robust frame



- **Item Code:** SYT-109A
- **List Price:** 35594/-
- **Crimping Range:** 70 – 400 mm²
- **Type:** Hydraulic crimping tool
- **Key Features:** Extra-heavy-duty application, Hex Die for strong joint, Used in substations & LT/HT panels



- **Item Code:** SYT-106
- **List Price:** 8162/-
- **Crimping Range:** 16 – 300 mm²
- **Type:** Hydraulic crimping tool
- **Key Features:** Hexagonal Die design, Tight press connection, Good electrical conduction, Crimping force up to 70 MPa



- **Item Code:** SYHX-240
- **List Price:** 11538/-
- **Crimping Range:** 70 – 240 mm²
- **Application:** Copper tube terminals
- **Key Features:** Hex die system, Low contact resistance, Suitable for heavy cables



Cable Cutter

- Item Code: SYT-120
- List Price: 2324/-
- Cutting Capacity: Up to 120 mm²
- Key Features: Clean cable cutting, Hardened cutting edges, Compact design




- Item Code: SYT-240
- List Price: 3301/-
- Cutting Capacity: Up to 240 mm²
- Key Features: Heavy-duty cutter, Low cutting force, Suitable for copper & aluminum cables



- Item Code: SYC-D75
- List Price: 12456/-
- Cutting Capacity: 3 × 120 mm²
- Key Features: Multi-core cutting capability, Strong mechanical construction



- Item Code: SYC-D100
- List Price: 30683/-
- Cutting Capacity: 3 × 300 mm²
- Key Features: Extra heavy-duty cutting, Used in power cable installation



Cutter & Stripper Tools

- Item Code: SYC-060
- List Price: 618/-
- Cutting Range: $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm²
- Key Features: HCompact cutter & stripper, Workshop and site use



- Item Code: SYCS-616
- List Price: 705/-
- Cutting Range: $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm²
- Key Features: Precise insulation removal, Durable jaws



- Item Code: PYC-1
- List Price: 3071/-
- Cutting Range: 0.5 – 10 mm²
- Stripping Range: 0.5 – 10 mm²
- Key Features: Automatic wire size adjustment, Fast stripping operation



- Item Code: SYCS-256
- List Price: 1669/-
- Cutting Range: 0.25 – 6 mm²
- Stripping Range: 0.25 – 6 mm²
- Crimping Range: 0.5 – 6 mm²
- Key Features: 3-in-1 tool, Ideal for electricians, Saves time and tool changes




Modular Crimping Tools

- Item Code: PYL-1
- List Price: 1865/-
- Crimping Range: RJ10,RJ11/12,RJ45
- Application: Used for crimping modular plugs in telephone wiring, LAN/Ethernet networking, and basic data communication installations.



- Item Code: PYL-2
- List Price: 885/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used in LAN networking, telephone wiring, and data communication cabling.



- Item Code: PYL-3
- List Price: 1965/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used for crimping modular plugs in telecom, LAN networking, CCTV systems, data communication, and structured cabling work.



- Item Code: PYL-4
- List Price: 1965/-
- Crimping Range: 8P8C/RJ-4, 6P6CPJ-12, 6P4C/RJ-11, 4P4C&4P2C
- Application: Telephone, LAN, CCTV & structured cabling




TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



HYDRAULIC CRIMPING TOOLS			
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
10-300	SYD-20A	24,978.00	1
50-400	SYD-20B	37,680.00	1
10-300	SYD-20C	39,287.00	1
10-1000	SYE-150A	59,927.00	1
10-1000	SYE-150B	57,655.00	1
10-1000	SYE-150C	67,111.00	1
50-630	SYT-102R	55,436.00	1



mm ² RANGE	CAT. NO.	PRICE (₹)	STD PKG
UPTO 300	SYD-20A-JACK	23,286.00	1
UPTO 400	SYD-20B-JACK	20,778.00	1
UPTO 630	SYT-102R-JACK	26,223.00	1
UPTO 1000	SYE-150A-JACK	46,969.00	1
UPTO 1000	SYE-150B-JACK	34,534.00	1

CORROSION INHIBITING COMPOUND



GTZ - 8785 Rs. 69.00/-


SPECS.	DOWELL'S CAT. NO.	PRICE (₹)	STD PKG
"Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)"	R-T1242	10,350.00	1
"Jack Hose Pipe Standard 2 meters"	R-T1349	3,583.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117	2,25,225.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 1HP Tank Capacity: 8 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117M	75,482.00	1

HEAT GUN

- Item Code: DHG2000
- List Price: 3700/-
- Description: DHG2000 Heat Gun
- Technical Details:
 - Input Power: 2000W
 - Rated Voltage: 220-240V~
 - Rated Frequency: 50 Hz
 - Temperature: I:350°C II : 600°C
 - Air Output : I : 300L/min II : 500 L/min



Dowell's Clientele



ABB



**A
AREVA**


TATA
TATA POWER

HITACHI



SIEMENS


Reliance
Industries Limited



WAAREE®
One with the Sun

ESSAR 



NOTES

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal blue or grey lines across its entire width, typical of notebook paper. There are no margins, text, or other markings present.

NOTES

[illegible]



**LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS**



Chandan Electric Corporation
Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 **Website** www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

POLYCAB

Manufactured By:

Dowells Cable Accessories Pvt. Ltd.

(Subsidiary company of POLYCAB INDIA LIMITED)

Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2, 80, Village: Vaseti,

Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

Corporate & Head Office: POLYCAB INDIA LIMITED,

The Ruby, 20th & 21st floor, Senapati Bapat Marg, Tulsi Pipe Road,
Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: customercare@polycab.com | Toll Free No. : 1800 267 0008

Website: www.dowellscableaccessories.com

