



Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101
Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in
Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 2nd FEB 2026

LP NO. KEI/LDC/LP/25-26/14 DT.02.02.2026

INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

KEI PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FR / FRLSH / HFFR (ZHFR) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010 / IS 17048.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	Std. Coil Packing	No. of Coils	HOMECAB (FR)		CONFLAME (FRLSH)		BANFIRE (ZHFR / HFFR)	
					RATE PER COIL	RATE PER MTR.	RATE PER COIL	RATE PER MTR.	RATE PER COIL	RATE PER MTR.
0.50	16/0.20	4	300 Mtr.	12	5230	17.43	5470	18.23		
0.75	24/0.20	7		8	7330	24.43	7650	25.50	7730	25.77
1.00	32/0.20	11		6	9680	32.27	10100	33.67	10200	34.00
1.50	30/0.25	14		4	14750	49.17	15330	51.10	15480	51.60
2.50	50/0.25	19		3	23990	79.97	24880	82.93	25130	83.77
4.00	56/0.30	26	200 Mtr.	3	23910	119.55	24750	123.75	25000	125.00
6.00	84/0.30	31		2	36560	182.80	37770	188.85	38150	190.75

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE CORE CABLES

KEI FLEXIBLE PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FR / HRFR / FRLSH / HFFR (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010/ IS 17048.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	Std. Pack of 100 Mtr. Coil	SINGLE CORE				SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	SINGLE CORE			
				FR	HRFR	FRLSH	HFFR (ZHFR)				FR	HRFR	FRLSH	HFFR (ZHFR)
0.50	16/0.20	4	24	1740	1820	1820	1830	35	276/0.4	110		115700	116040	117200
0.75	24/0.20	7	24	2440	2550	2550	2580	50	396/0.4	145		167390	167860	169540
1.00	32/0.20	12	20	3230	3370	3370	3400	70	354/0.5	200		237050	237600	239980
1.50	30/0.25	16	16	4920	5110	5110	5160	95	484/0.5	235		312710	313430	316560
2.50	50/0.25	22	12	8000	8290	8290	8380	120	608/0.5	270		399580	400390	404390
4	56/0.30	29	8	11960	12380	12380	12500	150	750/0.5	310		499640	500670	505680
6	84/0.30	37	4	18280	18890	18890	19080	185	925/0.5	360		605140	606390	612450
10	80/0.40	51	1	32690	33590	33740	34080	240	1210/0.5	425		801050	802760	810790
16	126/0.40	68	1	51700	53120	53330	53860	300	1527/0.5	490		998890	1000750	1010760
25	196/0.40	86	1		82470	82760	83590	400	2036/0.5	590		1335200	1337500	1350880

Note :

- FR / FRLSH & HFFR (ZHFR) wires up to 6 sq. mm are supplied in standard lengths of 300M & 200M Coils packed in Master Cartons.
- Single Core 10sqmm and above available in coil packing.
- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.

PRICE LIST : 2nd FEB 2026

LP NO. KEI/LDC/LP/25-26/14 DT.02.02.2026

INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

(Rate in Rs. Per 100 Mtrs)

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	4430	6180	8000	10050	12210	13830	20300	24080	27900	31630	37050	47210
0.75	24/0.20	6200	8770	11460	14340	17410	19810	28970	34390	39900	45330	53260	67780
1.00	32/0.20	7500	10730	14080	17930	21700	24810	36170	43000	49930	56790	66810	85000
1.50	30/0.25	10590	15270	20070	25700	30880	35080	50220	60240	70150	79890	94440	118960
2.50	50/0.25	17350	25110	33070	41870	50320	57320	82070	98430	114710	130760	154770	195140
4.00	56/0.3	28070	40780	53880	68480	82310	93970	134400	161220	187850	214290	254130	320530
6.00	84/0.3	41260	60310	79920	101720								
10.00	80/0.4	70880	103880	137760	172770								
16.00	126/0.4	110020	161760	214680									
25.00	196/0.4		247140	328940									
35.00	276/0.4		346200	460850									
50.00	396/0.4		495600	659870									
70.00	354/0.5		701020	933550									
95.00	484/0.5			1233500									

KEI FLEXIBLE PVC INSULATED MULTICORE FRLS PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	4980	6780	8700	10930	13350	14670	21090	25300	29370	33180	38860	49070
0.75	24/0.20	6850	9480	12290	15400	18770	20810	30160	35830	41650	47200	55450	70490
1.00	32/0.20	8140	11510	15010	19120	23230	25920	37520	44590	51870	58880	69290	88230
1.50	30/0.25	11350	16250	21240	27270	32790	36800	52750	63270	73620	83710	98740	124230
2.50	50/0.25	18520	26640	34910	44100	53050	59780	85670	102740	119660	136250	161010	202840
4.00	56/0.3	29980	43000	56560	71850	86420	97690	139820	167670	195270	222560	263770	332460
6.00	84/0.3	43830	63320	83690	106550								
10.00	80/0.4	74940	108710	143830	180550								
16.00	126/0.4	115830	168780	223530									
25.00	196/0.4		256820	341540									
35.00	276/0.4		359370	478030									
50.00	396/0.4		514030	683960									
70.00	354/0.5		726450	966850									
95.00	484/0.5			1278270									

KEI FLEXIBLE PVC INSULATED MULTICORE ZHFR/HFFR THERMOPLASTIC COMPOUND SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	5030	6850	8790	11040	13480	14820	21300	25550	29660	33510	39250	49560
0.75	24/0.20	6920	9570	12410	15550	18960	21020	30460	36190	42070	47670	56000	71190
1.00	32/0.20	8550	11860	15460	19310	23460	26180	37900	45040	52390	59470	69980	89110
1.50	30/0.25	11800	16740	21660	27540	33120	37170	53280	63900	74360	84550	99730	125470
2.50	50/0.25	19260	27170	35610	44540	53580	60380	86530	103770	120860	137610	162620	204870
4.00	56/0.3	30880	43860	57690	72570	87280	98670	141220	169350	197220	224790	266410	335780
6.00	84/0.3	45140	64590	85360	107620	Note : • Multicore Flexible cables available in coil/drum packing. • GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy. • Please refer to our Marketing Department for Wires & Cables, not covered above. • This Price List is subject to change without prior notice.							
10.00	80/0.4	75690	109800	145270	182360								
16.00	126/0.4	116990	170470	225770									
25.00	196/0.4		259390	344960									
35.00	276/0.4		362960	482810									
50.00	396/0.4		519170	690800									
70.00	354/0.5		733710	976520									
95.00	484/0.5			1291050									



LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation
Since 1985

Office Add: 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone: 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax: 022 - 2201 9101
Mobile: 91 - 9820486600 / 9029895008 Website: www.chandanelectric.in
Email: chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



CO-AXIAL & COMMUNICATION CABLES

PRICE LIST : 2nd Feb 2026

LP NO. KEI/COMM/LP/25-26/14 DT. 02.02.2026

KEI INDUSTRIAL JELLY FILLED CO AXIAL CABLES

KEI Polyethylene Foam insulation with laminated aluminum tape and Aluminium wire braid, Jelly filled Black PVC oversheathed Co Axial Cables.

SIZE	90 Mtr. Packing	100 Mtr. Packing	305 Mtr. Packing
RG-59	NA	3289	10030
RG-6 CU*		4659	14210
RG-6 CCS*		2658	8110
RG-11 CU		11040	33670
RG-11 CCS		5522	16840

KEI LAN (COMPUTER) & CCTV (3+1 & 4+1) CABLES

KEI 4 pair Unshielded Twisted Pair (UTP) LAN Cables

SIZE	90 Mtr. Packing	100 Mtr. Box Packing	305 Mtr. Spool Packing
CAT-6, 4 pair UTP LAN	NA	6930	21139

KEI CCTV Cable

SIZE	90 Mtr. Packing	100 Mtr. Packing	305 Mtr. Packing
CCTV (3+1) with RG-59	5920	6573	NA
CCTV (4+1) with RG-59	6540	7271	
CCTV (3+1)*	3900	4328	
CCTV (4+1)*	4340	4820	

KEI TELEPHONE CABLES

KEI Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyster and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specification.

No. of Pairs	Size - mm	90 Mtr. Packing	100 Mtr. Packing	Size - mm	90 Mtr. Packing	100 Mtr. Packing
1 Pair	0.40	1120	1248	0.50	1650	1832
2 Pair*	0.40*	2070	2300	0.50	2980	3309
3 Pair	0.40	3010	3349	0.50	4360	4847
4 Pair	0.40	3920	4353	0.50	5750	6392
5 Pair	0.40	4790	5324	0.50	7180	7980
10 Pair	0.40	9890	10993	0.50	14460	16062

Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per W&F Policy.
- Please refer to our Marketing Department for Communication Cables, not covered above.
- * Items available in 90mtr Box packing : CCTV (3+1), CCTV (4+1) & 2P0.40.
- * Items available in 100mtr Box packing : RG-6 CU & RG-6 CCS.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.



LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation
Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008 Website / www.chandanelectric.in

Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 2nd FEB 2026

LP NO. KEI/3CF/LP/25-26/14 DT.02.02.2026

KEI 3 CORE FLAT SUBMERSIBLE CABLES

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SIZE (IN SQ. MM)	CONDUCTOR CONSTRUCTION (NO./DIA.MM)	RATE PER 100MTR. COIL
1.50	30/0.25	14880
2.50	50/0.25	24000
4.00	56/0.3	37250
6.00	84/0.3	55380
10.00	80/0.4	96280
16.00	126/0.4	151150
25.00	196/0.4	231290
35.00	276/0.4	323150

Notes:

- 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.
- Cables upto 4sqmm are supplied in 300Mtr coils & 500Mtr/1000Mtr drums.
- Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation
Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008 Website / www.chandanelectric.in

Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 2nd Feb 2026

LP NO. KEI/SOLAR/LP/25-26/14 DT. 02.02.2026

PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

RATE (Rs.) PER MTR

SIZE (AREA SQ.MM)	STANDARD PACKING MTRS.	"KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618, IEC 62930 & IS 17293			"KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables.	
		Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air	TUV 2 Pfg 1169/08.2007 PV1-F	EN/BS EN 50618 H1Z2Z2-K, IEC 62930, IS 17293	Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air	XLPE/PVC 2XY
1.50	1000	30	56.90	60.70	25	56.50
2.50	1000	41	89.20	93.00	35	87.20
4	1000	55	125.60	129.80	45	123.10
6	1000	70	188.20	192.40	58	184.60
10	1000	98	317.20	323.50	80	311.30
16	1000	132	502.30	513.10	106	493.30
25	1000	176	----	846.00	135	817.00
35	1000	218	----	1177.00	173	1138.00
50	1000	276	----	1674.00	226	1622.00
70	1000	347	----	2324.00	336	2261.00
95	1000	416	----	3141.00	406	3061.00
120	1000	488	----	3958.00	476	3863.00
150	500	566	----	4944.00	555	4826.00
185	500	644	----	6103.00	649	5953.00
240	500	775	----	7901.00	781	7714.00

Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. **HSN - 85446090**
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 100/300/500 Mtrs in Coils (up to 6 Sq.mm) & 10 sq.mm and above in 1000 Mtrs in wooden spool / drum.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

KEI WIRES & CABLES