

LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS

CEC Chandan Electric Corporation
Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

dowell's® | **POLYCAB**

SYMBOL OF QUALITY

Connecting Power Networks with Trust



House of Designers & Makers of Terminals,
Tools & Cable Glands Since 1961

National Price
List 1st February

2026

INDEX

ABOUT DOWELL'S	2
DOWELL'S PRODUCT CATEGORY	4
CONNECTORS AND LUGS FOR 2C, 3C, 3.5C & 4C SECTOR SHAPED CONDUCTORS	5
Copper Sector Lugs - Long Barrel	6
Copper Sector Lugs - Short Barrel	7
Copper & Aluminium connectors	8
Aluminium Sector Lugs - Long Barrel	9
Aluminium Sector Lugs - Short Barrel	10

COPPER SERIES	11-14
Copper Tube Terminals Medium Duty	
Copper Tube Terminals Heavy Duty Long Barrel	
Copper Tube Terminals Heavy Duty BS 4579/IEC 61238	
Copper Tube Terminals Extended Palm (Blank)	
Copper Reducer Terminals	
Copper Tublar Terminals Long Barrel	
Copper DIN Type Terminals	
Copper Tube Terminals ICF Series	
Copper Tube Terminals Heavy Duty In - line Connectors	
Copper Tube Terminals Heavy Duty In - Insulated Connectors	
Copper Tube Light Duty In - line Connectors	14

ALUMINIUM SERIES	15-16
Aluminium Tube Terminals	
Aluminium Tube Terminals Long Barrel	
Aluminium Terminals for Al. XLPE Insulated Conductors	
Aluminium Tube Terminals Two Holes	
Aluminium Reducer Terminals	
Aluminium In - line Connectors	
Aluminium In - line Connectors for Al. XLPE Insulated Conductors	16

BI-METTALIC SERIES	17
Bi-Mettalic Connectors (Friction Welded)	
Bi-Mettalic Terminals (Friction Welded)	
Aluminium Alloy Tublar Bi-Mettalic Terminals	17

COPPER RING, PIN & FORK TERMINALS**18-20**

Pin Terminals non - insulated	
Pin Terminals Insulated	
Pin Terminals Double Grip (Pre - insulated)	
Ring Terminals non - insulated	
Ring Terminals Insulated	
Ring Terminals Double Grip (Pre - insulated)	
Fork Terminals non - insulated	
Fork Terminals Insulated	
Fork Terminals Double Grip (Pre - insulated)	
Snap on Terminals	
End Sealing Ferrules non - insulated	
End Sealing Ferrules Insulated	
Copper Twin Type Lugs	20

CABLE GLANDS**21-32**

Double Compression Armoured weather and Flame Proof Brass Cable Glands	
Double Compression Type Medium Duty Armoured Brass Cable Glands	
Double Compression Un - Armoured Brass Cable Glands	
Single Compression & SIBG Brass Cable Glands	
Brass PG Gland	
Nylon PG Gland	
Flange Type Cable Glands	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with NPT Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with Metric Threading	
Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands	
Earth Tag & LSF/ LSZH Shroud	32

TOOLS & ACCESSORIES**33-34**

Hand Operated Crimping Tools	
Hydraulic Crimping Tools	
Corrosion Inhibiting Compound	
Jack for SYD/ SYT/ SYE	34

DOWELL'S CLIENT**36-37**





COMPANY PROFILE

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.


At present, Dowells Cable Accessories Pvt Ltd Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol in Gujarat state having an measuring area of 1,00,000 Sq. ft with in house manufacturing facilities. This facility caters to more than 2500 line items with production capacity of 2500 metric tons per annum, with an aim to serve world's best technology for cable connections.

OUR VISION

To solidify our leadership in Wire and Cable Accessories by investing in technology, boosting operational efficiency, and prioritizing customer satisfaction, while enhancing sales, services, and brand recognition.

OUR MISSION

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.



**CABLE
GLANDS**



**CONNECTORS
AND LUGS**



**TOOLS &
ACCESSORIES**

CONNECTORS AND LUGS FOR 2C,3C,3.5C & 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shaped conductors for all angular arrangement of 2C,3C,3.5C and 4C cables. Dowell connectors allow a precision fit on the sector conductor, resulting in a perfect and a reliable connection. The connectors and lugs being sector shaped, it eliminates the process of rounding of sector shaped cable conductors. The design gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

CABLE GLANDS

DOWELL's cable glands are available for armoured and unarmoured cables and are designed for usage in oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining industries, to name a few. Dowell's cable glands are available in Brass, Nickel coated brass, Tin coated brass, Stainless steel, Nylon and Polyamide. Dowell's glands provides excellent vermin proofing and protection to the cores of the cables.

CONNECTORS AND LUGS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium and copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals. Dowell corrosion Inhibiting compound is available to prevent oxidation on conductors surfaces.

TOOLS & ACCESSORIES

The extensive range of tools and accessories have been developed to offer the best equipment for crimping and preparing the connectors. Manual, Hydraulic and Electrically operated tools are available. These tools are specifically designed to match DOWELL'S connectors shapes and dimensions for ideal crimping and low resistance to obtain best performance and reliability.

FEATURES

- Increase in the contact surface area
- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots
- Improved conductivity
- Better resilience against electrical and mechanical forces

COPPER SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2001	CUS-3001	CUS-3501	CUS-4001	76.00	100
25	10.5	CUS-2002	CUS-3002	CUS-3502	CUS-4002	76.00	100
25	13	CUS-2003	CUS-3003	CUS-3503	CUS-4003	76.00	100
35	8.4	CUS-2004	CUS-3004	CUS-3504	CUS-4004	119.00	100
35	10.5	CUS-2005	CUS-3005	CUS-3505	CUS-4005	119.00	100
50	8.4	CUS-2006	CUS-3006	CUS-3506	CUS-4006	170.00	200
50	10.5	CUS-2007	CUS-3007	CUS-3507	CUS-4007	170.00	100
50	13	CUS-2008	CUS-3008	CUS-3508	CUS-4008	170.00	200
70	8.4	CUS-2009	CUS-3009	CUS-3509	CUS-4009	273.00	60
70	10.5	CUS-2010	CUS-3010	CUS-3510	CUS-4010	273.00	60
70	13	CUS-2011	CUS-3011	CUS-3511	CUS-4011	273.00	200
95	10.5	CUS-2012	CUS-3012	CUS-3512	CUS-4012	368.00	40
95	13	CUS-2013	CUS-3013	CUS-3513	CUS-4013	368.00	40
95	17	CUS-2014	CUS-3014	CUS-3514	CUS-4014	368.00	100
120	10.5	CUS-2015	CUS-3015	CUS-3515	CUS-4015	472.00	80
120	13	CUS-2016	CUS-3016	CUS-3516	CUS-4016	472.00	40
120	17	CUS-2017	CUS-3017	CUS-3517	CUS-4017	472.00	40
150	10.5	CUS-2018	CUS-3018	CUS-3518	CUS-4018	675.00	60
150	13	CUS-2019	CUS-3019	CUS-3519	CUS-4019	675.00	60
150	17	CUS-2020	CUS-3020	CUS-3520	CUS-4020	675.00	100
185	10.5	CUS-2021	CUS-3021	CUS-3521	CUS-4021	769.00	40
185	13	CUS-2022	CUS-3022	CUS-3522	CUS-4022	769.00	40
185	17	CUS-2023	CUS-3023	CUS-3523	CUS-4023	769.00	40
240	13	CUS-2024	CUS-3024	CUS-3524	CUS-4024	1,126.00	80
240	17	CUS-2025	CUS-3025	CUS-3525	CUS-4025	1,126.00	40
300	17	CUS-2026	CUS-3026	CUS-3526	CUS-4026	1,409.00	40
300	20.3	CUS-2027	CUS-3027	CUS-3527	CUS-4027	1,409.00	60
400	20.3	CUS-2028	CUS-3028	CUS-3528	CUS-4028	1,990.00	40
500	21	CUS-2029	CUS-3029	CUS-3529	CUS-4029	2,341.00	20
630	21	CUS-2030	CUS-3030	CUS-3530	CUS-4030	3,514.00	20

COPPER SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	CUS-2101	CUS-3101	CUS-3601	CUS-4101	53.00	100
25	10.5	CUS-2102	CUS-3102	CUS-3602	CUS-4102	53.00	100
25	13	CUS-2103	CUS-3103	CUS-3603	CUS-4103	53.00	100
35	8.4	CUS-2104	CUS-3104	CUS-3604	CUS-4104	77.00	200
35	10.5	CUS-2105	CUS-3105	CUS-3605	CUS-4105	77.00	100
50	8.4	CUS-2106	CUS-3106	CUS-3606	CUS-4106	119.00	200
50	10.5	CUS-2107	CUS-3107	CUS-3607	CUS-4107	119.00	100
50	13	CUS-2108	CUS-3108	CUS-3608	CUS-4108	119.00	100
70	8.4	CUS-2109	CUS-3109	CUS-3609	CUS-4109	195.00	200
70	10.5	CUS-2110	CUS-3110	CUS-3610	CUS-4110	195.00	200
70	13	CUS-2111	CUS-3111	CUS-3611	CUS-4111	195.00	200
95	10.5	CUS-2112	CUS-3112	CUS-3612	CUS-4112	231.00	100
95	13	CUS-2113	CUS-3113	CUS-3613	CUS-4113	231.00	100
95	17	CUS-2114	CUS-3114	CUS-3614	CUS-4114	231.00	100
120	10.5	CUS-2115	CUS-3115	CUS-3615	CUS-4115	346.00	100
120	13	CUS-2116	CUS-3116	CUS-3616	CUS-4116	346.00	100
120	17	CUS-2117	CUS-3117	CUS-3617	CUS-4117	346.00	100
150	10.5	CUS-2118	CUS-3118	CUS-3618	CUS-4118	435.00	100
150	13	CUS-2119	CUS-3119	CUS-3619	CUS-4119	435.00	100
150	17	CUS-2120	CUS-3120	CUS-3620	CUS-4120	435.00	100
185	10.5	CUS-2121	CUS-3121	CUS-3621	CUS-4121	558.00	100
185	13	CUS-2122	CUS-3122	CUS-3622	CUS-4122	558.00	100
185	17	CUS-2123	CUS-3123	CUS-3623	CUS-4123	558.00	100
240	13	CUS-2124	CUS-3124	CUS-3624	CUS-4124	879.00	80
240	17	CUS-2125	CUS-3125	CUS-3625	CUS-4125	879.00	80
300	17	CUS-2126	CUS-3126	CUS-3626	CUS-4126	1,123.00	60
300	20.3	CUS-2127	CUS-3127	CUS-3627	CUS-4127	1,123.00	60
400	20.3	CUS-2128	CUS-3128	CUS-3628	CUS-4128	1,666.00	40
500	21	CUS-2129	CUS-3129	CUS-3629	CUS-4129	1,933.00	20
630	21	CUS-2130	CUS-3130	CUS-3630	CUS-4130	2,898.00	20

COPPER SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-CB-25	3S-CB-25	3.5S-CB-25	4S-CB-25	37.00	100
35	2S-CB-35	3S-CB-35	3.5S-CB-35	4S-CB-35	56.00	100
50	2S-CB-50	3S-CB-50	3.5S-CB-50	4S-CB-50	91.00	100
70	2S-CB-70	3S-CB-70	3.5S-CB-70	4S-CB-70	156.00	200
95	2S-CB-95	3S-CB-95	3.5S-CB-95	4S-CB-95	227.00	100
120	2S-CB-120	3S-CB-120	3.5S-CB-120	4S-CB-120	293.00	100
150	2S-CB-150	3S-CB-150	3.5S-CB-150	4S-CB-150	393.00	100
185	2S-CB-185	3S-CB-185	3.5S-CB-185	4S-CB-185	554.00	100
240	2S-CB-240	3S-CB-240	3.5S-CB-240	4S-CB-240	858.00	80
300	2S-CB-300	3S-CB-300	3.5S-CB-300	4S-CB-300	1,192.00	60
400	2S-CB-400	3S-CB-400	3.5S-CB-400	4S-CB-400	1,829.00	40
500	2S-CB-500	3S-CB-500	3.5S-CB-500	4S-CB-500	2,095.00	40
630	2S-CB-630	3S-CB-630	3.5S-CB-630	4S-CB-630	2,870.00	30

ALUMINIUM SECTOR CONNECTORS



SIZE (SQ - MM)	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
	2 CORE	3 CORE	3.5 CORE	4 CORE		
25	2S-ALS-1	3S-ALS-1	3.5S-ALS-1	4S-ALS-1	4.84	200
35	2S-ALS-2	3S-ALS-2	3.5S-ALS-2	4S-ALS-2	8.47	800
50	2S-ALS-3	3S-ALS-3	3.5S-ALS-3	4S-ALS-3	14.52	800
70	2S-ALS-4	3S-ALS-4	3.5S-ALS-4	4S-ALS-4	24.20	1600
95	2S-ALS-5	3S-ALS-5	3.5S-ALS-5	4S-ALS-5	36.00	100
120	2S-ALS-6	3S-ALS-6	3.5S-ALS-6	4S-ALS-6	39.00	80
150	2S-ALS-7	3S-ALS-7	3.5S-ALS-7	4S-ALS-7	54.00	100
185	2S-ALS-8	3S-ALS-8	3.5S-ALS-8	4S-ALS-8	69.00	100
240	2S-ALS-9	3S-ALS-9	3.5S-ALS-9	4S-ALS-9	109.00	80
300	2S-ALS-10	3S-ALS-10	3.5S-ALS-10	4S-ALS-10	148.00	60
400	2S-ALS-11	3S-ALS-11	3.5S-ALS-11	4S-ALS-11	229.00	40
500	2S-ALS-19	3S-ALS-19	3.5S-ALS-19	4S-ALS-19	274.00	20
630	2S-ALS-20	3S-ALS-20	3.5S-ALS-20	4S-ALS-20	363.00	20

ALUMINIUM SECTOR LUGS – LONG BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-518	3S-ALS-518	3.5S-ALS-518	4S-ALS-518	9.68	800
25	10.5	2S-ALS-519	3S-ALS-519	3.5S-ALS-519	4S-ALS-519	9.68	800
25	13	2S-ALS-520	3S-ALS-520	3.5S-ALS-520	4S-ALS-520	9.68	800
35	8.4	2S-ALS-521	3S-ALS-521	3.5S-ALS-521	4S-ALS-521	13.31	400
35	10.5	2S-ALS-522	3S-ALS-522	3.5S-ALS-522	4S-ALS-522	13.31	400
50	8.4	2S-ALS-655	3S-ALS-655	3.5S-ALS-655	4S-ALS-655	21.78	400
50	10.5	2S-ALS-512	3S-ALS-512	3.5S-ALS-512	4S-ALS-512	21.78	400
50	13	2S-ALS-524	3S-ALS-524	3.5S-ALS-524	4S-ALS-524	21.78	400
70	8.4	2S-ALS-556	3S-ALS-556	3.5S-ALS-556	4S-ALS-556	33.00	200
70	10.5	2S-ALS-525	3S-ALS-525	3.5S-ALS-525	4S-ALS-525	33.00	200
70	13	2S-ALS-526	3S-ALS-526	3.5S-ALS-526	4S-ALS-526	33.00	200
95	10.5	2S-ALS-527	3S-ALS-527	3.5S-ALS-527	4S-ALS-527	40.00	200
95	13	2S-ALS-528	3S-ALS-528	3.5S-ALS-528	4S-ALS-528	40.00	200
95	17	2S-ALS-529	3S-ALS-529	3.5S-ALS-529	4S-ALS-529	40.00	200
120	10.5	2S-ALS-557	3S-ALS-557	3.5S-ALS-557	4S-ALS-557	53.00	160
120	13	2S-ALS-530	3S-ALS-530	3.5S-ALS-530	4S-ALS-530	53.00	160
120	17	2S-ALS-531	3S-ALS-531	3.5S-ALS-531	4S-ALS-531	53.00	160
150	10.5	2S-ALS-658	3S-ALS-658	3.5S-ALS-658	4S-ALS-658	66.00	100
150	13	2S-ALS-532	3S-ALS-532	3.5S-ALS-532	4S-ALS-532	66.00	100
150	17	2S-ALS-533	3S-ALS-533	3.5S-ALS-533	4S-ALS-533	66.00	100
185	10.5	2S-ALS-511	3S-ALS-511	3.5S-ALS-511	4S-ALS-511	89.00	100
185	13	2S-ALS-534	3S-ALS-534	3.5S-ALS-534	4S-ALS-534	89.00	100
185	17	2S-ALS-535	3S-ALS-535	3.5S-ALS-535	4S-ALS-535	89.00	100
240	13	2S-ALS-536	3S-ALS-536	3.5S-ALS-536	4S-ALS-536	143.00	60
240	17	2S-ALS-537	3S-ALS-537	3.5S-ALS-537	4S-ALS-537	143.00	60
300	17	2S-ALS-500	3S-ALS-500	3.5S-ALS-500	4S-ALS-500	194.00	40
300	20.3	2S-ALS-559	3S-ALS-559	3.5S-ALS-559	4S-ALS-559	194.00	40
400	20.3	2S-ALS-560	3S-ALS-560	3.5S-ALS-560	4S-ALS-560	267.00	40
500	20.3	2S-ALS-596	3S-ALS-596	3.5S-ALS-596	4S-ALS-596	424.00	20
630	20.3	2S-ALS-561	3S-ALS-561	3.5S-ALS-561	4S-ALS-561	545.00	20

ALUMINIUM SECTOR LUGS – SHORT BARREL



SIZE (SQ - MM)	E-BOLT HOLE	DOWELL 'S CATALOGUE NO.				PRICE (₹)	STD PKG.
		2 CORE	3 CORE	3.5 CORE	4 CORE		
25	8.4	2S-ALS-218	3S-ALS-218	3.5S-ALS-218	4S-ALS-218	7.26	40
25	10.5	2S-ALS-219	3S-ALS-219	3.5S-ALS-219	4S-ALS-219	7.26	800
25	13	2S-ALS-220	3S-ALS-220	3.5S-ALS-220	4S-ALS-220	7.26	800
35	8.4	2S-ALS-221	3S-ALS-221	3.5S-ALS-221	4S-ALS-221	8.47	400
35	10.5	2S-ALS-222	3S-ALS-222	3.5S-ALS-222	4S-ALS-222	8.47	800
50	8.4	2S-ALS-255	3S-ALS-255	3.5S-ALS-255	4S-ALS-255	13.31	400
50	10.5	2S-ALS-312	3S-ALS-312	3.5S-ALS-312	4S-ALS-312	13.31	400
50	13	2S-ALS-224	3S-ALS-224	3.5S-ALS-224	4S-ALS-224	13.31	400
70	8.4	2S-ALS-256	3S-ALS-256	3.5S-ALS-256	4S-ALS-256	24.20	200
70	10.5	2S-ALS-225	3S-ALS-225	3.5S-ALS-225	4S-ALS-225	24.20	200
70	13	2S-ALS-226	3S-ALS-226	3.5S-ALS-226	4S-ALS-226	24.20	200
95	10.5	2S-ALS-227	3S-ALS-227	3.5S-ALS-227	4S-ALS-227	31.00	200
95	13	2S-ALS-228	3S-ALS-228	3.5S-ALS-228	4S-ALS-228	31.00	200
95	17	2S-ALS-229	3S-ALS-229	3.5S-ALS-229	4S-ALS-229	31.00	200
120	10.5	2S-ALS-257	3S-ALS-257	3.5S-ALS-257	4S-ALS-257	42.00	200
120	13	2S-ALS-230	3S-ALS-230	3.5S-ALS-230	4S-ALS-230	42.00	200
120	17	2S-ALS-231	3S-ALS-231	3.5S-ALS-231	4S-ALS-231	42.00	200
150	10.5	2S-ALS-258	3S-ALS-258	3.5S-ALS-258	4S-ALS-258	55.00	160
150	13	2S-ALS-232	3S-ALS-232	3.5S-ALS-232	4S-ALS-232	55.00	160
150	17	2S-ALS-233	3S-ALS-233	3.5S-ALS-233	4S-ALS-233	55.00	160
185	10.5	2S-ALS-311	3S-ALS-311	3.5S-ALS-311	4S-ALS-311	69.00	100
185	13	2S-ALS-234	3S-ALS-234	3.5S-ALS-234	4S-ALS-234	69.00	100
185	17	2S-ALS-235	3S-ALS-235	3.5S-ALS-235	4S-ALS-235	69.00	80
240	13	2S-ALS-236	3S-ALS-236	3.5S-ALS-236	4S-ALS-236	108.00	80
240	17	2S-ALS-237	3S-ALS-237	3.5S-ALS-237	4S-ALS-237	108.00	60
300	17	2S-ALS-300	3S-ALS-300	3.5S-ALS-300	4S-ALS-300	161.00	60
300	20.3	2S-ALS-259	3S-ALS-259	3.5S-ALS-259	4S-ALS-259	161.00	40
400	20.3	2S-ALS-260	3S-ALS-260	3.5S-ALS-260	4S-ALS-260	205.00	20
500	20.3	2S-ALS-296	3S-ALS-296	3.5S-ALS-296	4S-ALS-296	305.00	30
630	20.3	2S-ALS-261	3S-ALS-261	3.5S-ALS-261	4S-ALS-261	408.00	30

COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



COPPER TUBE TERMINAL MEDIUM DUTY			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CUS-05	8.35	8000
4-6	CUS-06	11.13	4000
6-6	CUS-07	12.52	3200
10-6	CUS-08	15.31	3200
16-6	CUS-09	28.00	3200
25-6	CUS-10	34.00	1600
35-6	CUS-11	49.00	1600
35-8	CUS-12	49.00	1600
50-6	CUS-13	65.00	400
50-8	CUS-14	65.00	800
50-10	CUS-15	65.00	800
70-8	CUS-16	112.00	200
70-10	CUS-17	112.00	400
70-12	CUS-18	112.00	400
95-10	CUS-19	162.00	400
95-12	CUS-20	162.00	400
120-10	CUS-21	204.00	200
120-12	CUS-22	204.00	200
120-16	CUS-23	204.00	200
150-10	CUS-24	300.00	200
150-12	CUS-25	300.00	200
150-16	CUS-26	300.00	200
185-12	CUS-27	446.00	100
185-16	CUS-28	446.00	100
225-16	CUS-231	528.00	100
240-16	CUS-29	597.00	100
240-20	CUS-30	597.00	100
300-16	CUS-31	887.00	60
300-20	CUS-32	887.00	60
400-20	CUS-33	1,207.00	40
500-20	CUS-34	1,613.00	40
630-20	CUS-35	2,262.00	20
800	CUS-062	3,723.00	20
1000	CUS-076	8,213.00	10

COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	CUS-282	39.00	800
35-8	CUS-283	83.00	800
50-8	CUS-284	137.00	400
70-10	CUS-285	211.00	200
95-12	CUS-286	330.00	200
120-12	CUS-287	469.00	100
150-12	CUS-288	578.00	100
185-12	CUS-289	837.00	100
240-16	CUS-290	1,174.00	60
300-16	CUS-291	1,548.00	40
400-20	CUS-292	2,359.00	20
500-21	CUS-293	4,188.00	20
630-21	CUS-294	5,579.00	15



COPPER TUBE TERMINAL EXTENDED PALM (BLANK)			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
50	CUS-466	176.00	200
70	CUS-467	290.00	200
95	CUS-468	414.00	100
120	CUS-469	497.00	200
150	CUS-470	652.00	100
185	CUS-471	966.00	100
240	CUS-472	1,247.00	80
300	CUS-473	2,060.00	60
400	CUS-474	3,567.00	40
500	CUS-475	4,278.00	20
630	CUS-476	6,589.00	20

COPPER TUBE TERMINAL HEAVY DUTY BS-4579/IEC 61238			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-5	CUS-538	9.74	8000
1.5-6	CUS-539	9.74	8000
2.5-4	CUS-388	11.13	4000
2.5-5	CUS-540	11.13	4000
2.5-6	CUS-541	11.13	4000
4-5	CUS-389	13.92	4000
4-6	CUS-543	13.92	4000
6-5	CUS-390	15.31	6400
6-6	CUS-544	15.31	6400
6-8	CUS-545	15.31	6400
10-6	CUS-353	18.09	3200
10-8	CUS-547	18.09	3200
16-8	CUS-549	23.66	3200
16-6	CUS-354	23.66	3200
20-8	CUS-550	26.00	800
25-6	CUS-355	37.00	3200
25-8	CUS-551	37.00	1600
25-10	CUS-552	37.00	3200
35-8	CUS-356	66.00	1600
35-6	CUS-542	66.00	1600
35-10	CUS-554	66.00	1600
50-8	CUS-357	103.00	800
50-10	CUS-556	103.00	800
70-10	CUS-358	167.00	400
70-8	CUS-557	167.00	400
70-13	CUS-559	167.00	400
95-10	CUS-359	237.00	400
95-13	CUS-561	237.00	400
120-17	CUS-546	307.00	200
120-13	CUS-241	307.00	200
150-13	CUS-242	383.00	200
150-17	CUS-564	383.00	200
185-17	CUS-243	595.00	100
240-17	CUS-244	802.00	100
240-21	CUS-567	802.00	50
300-17	CUS-245	1,165.00	60
300-21	CUS-569	1,165.00	60
400-17	CUS-246	1,873.00	40
400-21	CUS-571	1,873.00	20
500-21	CUS-247	2,501.00	40
550-21	CUS-573	3,048.00	20
630-21	CUS-248	3,751.00	20
800	CUS-599	6,518.00	15
1000	CUS-590	9,273.00	10



COPPER REDUCER TERMINAL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	WPC-01	34.00	2400
2.5	WPC-07	31.00	2400
4	WPC-15	34.00	2400
4	WPC-16	31.00	4000
6	WPC-17	34.00	2400
6	WPC-18	31.00	4000
10	WPC-19	41.00	2400
10	WPC-20	37.00	3200
10	WPC-21	44.00	1600
10	WPC-22	39.00	3200
16	WPC-23	80.00	1600
16	WPC-24	80.00	1600
16	WPC-02	55.00	3200
25	WPC-25	84.00	800
25	WPC-03	110.00	400
35	WPC-04	122.00	1600
50	WPC-26	135.00	800
50	WPC-05	316.00	200
70	WPC-27	188.00	400
70	WPC-6	316.00	200
70	WPC-28	312.00	400
95	WPC-29	301.00	400
95	WPC-31	252.00	400
120	WPC-33	365.00	120
120	WPC-34	365.00	120
120	WPC-35	422.00	120
120	WPC-36	567.00	60
150	WPC-10	661.00	60
150	WPC-37	515.00	120
185	WPC-30	841.00	120
185	WPC-38	677.00	240
225	WPC-39	1,104.00	120
240	WPC-44	1,446.00	120
240	WPC-43	1,058.00	120
300	WPC-45	1,339.00	120
300	WPC-47	1,430.00	60
400	WPC-101	2,722.00	10

COPPER TUBULAR TERMINALS LONG BARREL			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-5	CEB-05	11.13	2400
4-6	CEB-06	16.70	2400
6-6	CEB-07	18.09	2400
10-6	CEB-08	22.26	1600
16-6	CEB-09	38.00	1600
25-6	CEB-10	49.00	800
35-6	CEB-11	69.00	100
35-8	CEB-12	69.00	400
50-6	CEB-13	88.00	100
50-8	CEB-14	88.00	100
50-10	CEB-15	88.00	400
70-8	CEB-16	144.00	100
70-10	CEB-17	144.00	100
70-12	CEB-18	144.00	100
95-10	CEB-19	187.00	100
95-12	CEB-20	187.00	100
120-10	CEB-21	254.00	200
120-12	CEB-22	254.00	200
120-16	CEB-23	254.00	200
150-10	CEB-24	365.00	100
150-12	CEB-25	365.00	100
150-16	CEB-26	365.00	100
185-12	CEB-27	533.00	100
185-16	CEB-28	533.00	100
225-16	CEB-231	671.00	100
240-16	CEB-29	734.00	80
240-20	CEB-30	734.00	80
300-16	CEB-31	1,015.00	60
300-20	CEB-32	1,015.00	60
400-20	CEB-33	1,470.00	40
500-20	CEB-34	1,981.00	20
630-20	CEB-35	2,758.00	20
800	CEB-62	4,366.00	15
1000	CEB-76	9,983.00	10



COPPER DIN TYPE TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
6-5	DIN-6-5	26.00	800	95-16	DIN-95-16	636.00	100
6-6	DIN-6-6	26.00	800	120-10	DIN-120-10	933.00	100
6-8	DIN-6-8	26.00	800	120-12	DIN-120-12	933.00	100
10-5	DIN-10-5	26.00	400	120-14	DIN-120-14	933.00	100
10-6	DIN-10-6	26.00	400	120-16	DIN-120-16	933.00	100
10-8	DIN-10-8	26.00	400	120-20	DIN-120-20	933.00	100
16-6	DIN-16-6	91.00	400	150-10	DIN-150-10	1,139.00	100
16-8	DIN-16-8	91.00	200	150-12	DIN-150-12	1,139.00	100
16-10	DIN-16-10	91.00	200	150-14	DIN-150-14	1,139.00	100
16-12	DIN-16-12	91.00	200	150-16	DIN-150-16	1,139.00	100
25-6	DIN-25-6	115.00	200	150-20	DIN-150-20	1,139.00	100
25-8	DIN-25-8	115.00	200	185-10	DIN-185-10	1,417.00	100
25-10	DIN-25-10	115.00	200	185-12	DIN-185-12	1,417.00	100
25-12	DIN-25-12	115.00	200	185-14	DIN-185-14	1,417.00	100
35-6	DIN-35-6	222.00	100	185-16	DIN-185-16	1,417.00	100
35-8	DIN-35-8	222.00	100	185-20	DIN-185-20	1,417.00	100
35-10	DIN-35-10	222.00	100	240-12	DIN-240-12	2,338.00	60
35-12	DIN-35-12	222.00	100	240-14	DIN-240-14	2,338.00	60
35-14	DIN-35-14	222.00	100	240-16	DIN-240-16	2,338.00	60
50-8	DIN-50-8	330.00	100	240-20	DIN-240-20	2,338.00	60
50-10	DIN-50-10	330.00	100	300-14	DIN-300-14	2,920.00	40
50-12	DIN-50-12	330.00	100	300-16	DIN-300-16	2,920.00	40
50-14	DIN-50-14	330.00	100	300-20	DIN-300-20	2,920.00	40
50-16	DIN-50-16	330.00	100	400-14	DIN-400-14	4,718.00	20
70-8	DIN-70-8	435.00	100	400-16	DIN-400-16	4,718.00	20
70-10	DIN-70-10	435.00	100	400-20	DIN-400-20	4,718.00	20
70-12	DIN-70-12	435.00	100	500-16	DIN-500-16	6,802.00	20
70-14	DIN-70-14	435.00	100	500-20	DIN-500-20	6,802.00	20
70-16	DIN-70-16	435.00	100	625-16	DIN-625-16	6,802.00	15
95-8	DIN-95-8	636.00	100	625-20	DIN-625-20	6,802.00	15
95-10	DIN-95-10	636.00	100	800-16	DIN-800-16	12,151.00	15
95-12	DIN-95-12	636.00	100	800-20	DIN-800-20	12,151.00	15
95-14	DIN-95-14	636.00	100	1000-21	DIN-1000-21	15,307.00	10

COPPER TUBE TERMINAL ICF SERIES			
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
17-5	CUS-106	49.00	100
17-10	CUS-109	56.00	800
23-8	CUS-148	76.00	200
23-10	CUS-108	98.00	800
29-8	CUS-150	130.00	200
29-10	CUS-151	134.00	200
29-13	CUS-111	131.00	100
45-8	CUS-153	177.00	200
45-10	CUS-154	177.00	200
45-10	CUS-113	177.00	200
57-10	CUS-156	301.00	100
57-13	CUS-157	301.00	100
75-10	CUS-159	389.00	100
90-10	CUS-162	468.00	100
110-10	CUS-165	558.00	50
110-13	CUS-166	558.00	50
146-13	CUS-168	849.00	100
146-17	CUS-169	849.00	60
225-13	CUS-172	1,290.00	20
299-13	CUS-140	1,787.00	60
366-17	CUS-177	2,479.00	20
437-13	CUS-142	3,367.00	40



**COPPER TUBE HEAVY DUTY
IN-LINE CONNECTORS**

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-453	6.96	4000
1.5	CB-41	6.96	4000
2.5	EH-454	6.96	16000
4	CB-3	8.35	4000
4.6	EH-455	12.52	4000
6	CB-4	9.74	4000
10	EH-460	13.92	3200
16	CB-6	15.31	3200
20	CB-47	23.66	4000
25	CB-24	37.00	1600
35	CB-25	66.00	800
50	CB-26	101.00	400
70	CB-27	191.00	200
70	CB-51	169.00	400
95	CB-28	269.00	200
95	CB-52	219.00	200
120	CB-29	358.00	100
120	CB-53	258.00	200
150	CB-30	442.00	100
150	CB-54	365.00	80
185	CB-55	500.00	100
185	CB-31	577.00	100
240	CB-32	884.00	80
240	CB-56	766.00	40
300	CB-33	1,254.00	20
300	CB-57	1,089.00	30
400	CB-34	2,223.00	10
400	CB-58	1,604.00	20
500	CB-35	2,835.00	20
500	CB-59	2,345.00	20
550	CB-60	3,415.00	10
630	CB-36	4,839.00	15
630	CB-61	3,471.00	15
800	CB-42	7,460.00	10
1000	CB-43	8,690.00	10



**COPPER TUBE TERMINALS HEAVY
DUTY IN-INSULATED CONNECTORS**

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	EH-463	6.96	3200
2.5	EH-464	8.35	4000
4-6	EH-465	12.52	4000



COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	CB-23	8.35	4000	225	CB-20	449.00	20
25	CB-7	37.00	400	240	CB-15	469.00	20
35	CB-8	49.00	200	300	CB-16	707.00	30
50	CB-9	73.00	100	400	CB-17	1,072.00	20
70	CB-10	105.00	100	500	CB-18	1,853.00	10
95	CB-11	148.00	50	630	CB-19	1,914.00	10
120	CB-12	202.00	160	800	CB-21	3,575.00	15
150	CB-13	258.00	60	1000	CB-22	7,611.00	10
185	CB-14	432.00	100				

ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-151	3.63	2400
2.5-3.5	ALS-309	3.63	2400
4-4	ALS-155	3.63	3200
4-5	ALS-317	3.63	3200
6-5	ALS-158	3.63	3200
6-6	ALS-313	3.63	3200
10-4	ALS-159	4.84	2400
10-6	ALS-214	4.84	3200
10-8	ALS-215	4.84	3200
16-6	ALS-252	6.05	1600
16-8	ALS-216	6.05	1600
16-10	ALS-217	6.05	1600
25-6	ALS-253	8.47	400
25-8	ALS-218	8.47	800
25-10	ALS-219	8.47	800
25-12	ALS-220	8.47	800
35-6	ALS-254	9.68	400
35-8	ALS-221	9.68	800
35-10	ALS-222	9.68	800
50-8	ALS-255	14.52	400
50-10	ALS-312	14.52	400
50-12	ALS-224	14.52	400
70-8	ALS-256	22.99	200
70-10	ALS-225	22.99	200
70-12	ALS-226	22.99	200
95-10	ALS-227	31.00	200
95-12	ALS-228	31.00	200
95-16	ALS-229	31.00	200
120-10	ALS-257	42.00	200
120-12	ALS-230	42.00	200
120-16	ALS-231	42.00	200
150-10	ALS-258	55.00	160
150-12	ALS-232	55.00	160
150-16	ALS-233	55.00	160
185-10	ALS-311	73.00	100
185-12	ALS-234	73.00	100
185-16	ALS-235	73.00	100
225-12	ALS-320	105.00	100
240-12	ALS-236	120.00	80
240-16	ALS-237	120.00	80
300-16	ALS-300	198.00	60
300-20	ALS-259	198.00	60
400-20	ALS-260	245.00	40
500-20	ALS-296	384.00	20
630-20	ALS-261	498.00	30
800	ALS-318	788.00	20
1000	ALS-319	1,149.00	10

ALUMINIUM TUBE TERMINALS LONG BARREL

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5-3	ALS-551	4.84	2400
2.5-3.5	ALS-509	4.84	4000
4-4	ALS-555	4.84	1600
4-5	ALS-517	4.84	3200
6-5	ALS-558	4.84	3200
6-6	ALS-513	4.84	3200
10-6	ALS-514	6.05	3200
10-8	ALS-515	6.05	1600
16-6	ALS-552	7.26	1600
16-8	ALS-516	7.26	1600
16-10	ALS-617	7.26	800
25-8	ALS-518	9.68	800
25-10	ALS-519	9.68	800
25-12	ALS-520	9.68	800
35-8	ALS-521	12.10	400
35-10	ALS-522	12.10	400
50-8	ALS-655	18.15	400
50-10	ALS-512	18.15	400
50-12	ALS-524	18.15	400
70-8	ALS-556	37.00	200
70-10	ALS-525	37.00	200
70-12	ALS-526	37.00	200
95-10	ALS-527	38.00	200
95-12	ALS-528	38.00	200
95-16	ALS-529	38.00	200
120-10	ALS-557	55.00	160
120-12	ALS-530	55.00	160
120-16	ALS-531	55.00	160
150-10	ALS-658	68.00	100
150-12	ALS-532	68.00	100
150-16	ALS-533	68.00	100
185-10	ALS-511	90.00	100
185-12	ALS-534	90.00	100
185-16	ALS-535	90.00	100
225-12	ALS-620	129.00	80
240-12	ALS-536	146.00	60
240-16	ALS-537	146.00	60
300-16	ALS-500	212.00	40
300-20	ALS-559	212.00	40
400-20	ALS-560	305.00	40
500-20	ALS-596	488.00	20
630-20	ALS-561	633.00	20
800	ALS-618	947.00	10
1000	ALS-619	1,419.00	8

ALUMINIUM TERMINALS FOR AL XLPE INSULATED CONDUCTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25-8	ALS-XL17	14.28	200
35-8	ALS-XL18	21.78	200
50-10	ALS-XL19	34.00	200
70-10	ALS-XL20	46.00	200
95-12	ALS-XL21	68.00	160
120-12	ALS-XL22	86.00	100
150-12	ALS-XL23	124.00	80
185-12	ALS-XL24	164.00	60
225-12	ALS-XL25	218.00	60
240-12	ALS-XL26	238.00	60
300-20	ALS-XL27	315.00	50
400-20	ALS-XL28	363.00	30
500-20	ALS-XL29	487.00	20
630-20	ALS-XL30	1,008.00	10
800-20	ALS-XL31	1,253.00	10
1000-20	ALS-XL32	1,734.00	10



ALUMINIUM TUBE TERMINALS TWO HOLES

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
150	ALS-701	103.00	60
240	ALS-702	184.00	40
300	ALS-703	281.00	30
630	ALS-706	742.00	15
300	ALS-704	281.00	30
300	ALS-705	281.00	30



ALUMINIUM REDUCER TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	AWP-01	13.31	2400
2.5	AWP-07	13.31	2400
4	AWP-15	13.31	2400
4	AWP-16	13.31	2400
6	AWP-17	13.31	1600
6	AWP-18	13.31	3200
10	AWP-19	14.52	1600
10	AWP-20	14.52	3200
10	AWP-21	14.52	1600
10	AWP-22	14.52	3200
16	AWP-23	19.36	1600
16	AWP-24	19.36	1600
16	AWP-02	19.36	3200
25	AWP-25	27.00	1600
25	AWP-03	27.00	800
35	AWP-04	30.00	800
50	AWP-26	55.00	800
50	AWP-05	55.00	200
70	AWP-27	74.00	400
70	AWP-06	74.00	200
70	AWP-28	97.00	100
95	AWP-29	100.00	400
95	AWP-08	142.00	100
95	AWP-31	100.00	160
95	AWP-32	142.00	80
120	AWP-33	121.00	60
120	AWP-34	121.00	60
120	AWP-35	142.00	120
120	AWP-36	188.00	60
150	AWP-10	224.00	40
150	AWP-37	176.00	160
185	AWP-30	287.00	40
185	AWP-38	233.00	160
225	AWP-39	330.00	30
225	AWP-46	499.00	30
225	AWP-42	436.00	30
240	AWP-44	454.00	120
240	AWP-43	400.00	80
300	AWP-45	497.00	80
300	AWP-47	454.00	20

ALUMINIUM IN LINE CONNECTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
2.5	ALS-145	2.42	2400
2.5	ALS-6	2.42	400
4	ALS-5	2.42	4000
6	ALS-13	2.42	3200
10	ALS-14	3.63	3200
10	ALS-146	3.63	1600
16	ALS-4	4.84	3200
25	ALS-3	7.26	800
35	ALS-2	8.47	1600
50	ALS-12	15.73	1600
70	ALS-1	26.00	200
95	ALS-15	30.00	200
120	ALS-9	42.00	3200
150	ALS-10	50.00	100
185	ALS-11	63.00	100
225	ALS-147	97.00	80
240	ALS-16	99.00	60
300	ALS-17	146.00	40
400	ALS-18	220.00	40
500	ALS-19	351.00	20
630	ALS-20	451.00	20
800	ALS-148	625.00	10
1000	ALS-149	1,042.00	8



ALUMINIUM IN LINE CONNECTORS FOR AL XLPE INSULATED CONDUTORS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
25	ALS-XL01	13.31	200
35	ALS-XL02	20.57	200
50	ALS-XL03	32.00	200
70	ALS-XL04	44.00	200
95	ALS-XL05	61.00	100
120	ALS-XL06	77.00	100
150	ALS-XL07	102.00	40
185	ALS-XL08	153.00	40
225	ALS-XL09	201.00	60
240	ALS-XL10	213.00	50
300	ALS-XL11	278.00	50
400	ALS-XL12	330.00	40
500	ALS-XL13	416.00	20
630	ALS-XL14	763.00	15
800	ALS-XL15	1,045.00	15
1000	ALS-XL16	1,438.00	10

BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



BI-METALLIC CONNECTORS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CACF-16-16	16-16	328.00	200
CACF-25-16	25-16	328.00	200
CACF-25-25	25-25	328.00	200
CACF-35-16	35-16	328.00	200
CACF-35-25	35-25	322.00	200
CACF-35-35	35-35	318.00	200
CACF-50-25	50-25	403.00	160
CACF-50-35	50-35	403.00	200
CACF-50-50	50-50	392.00	160
CACF-70-35	70-35	399.00	200
CACF-70-50	70-50	391.00	200
CACF-70-70	70-70	375.00	100
CACF-95-50	95-50	499.00	160
CACF-95-70	95-75	485.00	160
CACF-95-95	95-95	482.00	160
CACF-120-70	120-70	839.00	50
CACF-120-95	120-95	825.00	80
CACF-120-120	120-120	805.00	80
CACF-150-95	150-95	819.00	40
CACF-150-120	150-120	801.00	80
CACF-150-150	150-150	770.00	80
CACF-185-120	185-120	857.00	40
CACF-185-150	185-150	831.00	40
CACF-185-185	185-185	1,086.00	10
CACF-240-150	240-150	931.00	40
CACF-240-185	240-185	1,060.00	40
CACF-240-240	240-240	1,013.00	40

BI-METALLIC TERMINALS (FRICTION WELDED)			
Dowell's Cat. No.	Size (Sq.mm)	PRICE (₹)	STD PKG.
CAF-25-10	25	318.00	400
CAF-35-10	35	322.00	400
CAF-50-13	50	439.00	200
CAF-70-13	70	515.00	200
CAF-95-13	95	523.00	100
CAF-120-13	120	600.00	80
CAF-150-13	150	662.00	80
CAF-185-13	185	1,110.00	40
CAF-240-13	240	1,136.00	40
CAF-300-17	300	1,474.00	40
CAF-400-17	400	1,836.00	40
CAF-500	500	3,802.00	12
CAF-630	630	4,427.00	12



ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
10-8	BL-02	5.32	3200	150-12	BL-17	62.00	160
16-6	BL-03	7.26	1600	150-16	BL-18	62.00	160
16-8	BL-04	7.26	1600	185-12	BL-19	80.00	100
25-8	BL-05	9.68	800	185-16	BL-20	80.00	100
25-10	BL-06	9.68	800	225-12	BL-21	114.00	100
35-8	BL-07	12.10	800	240-12	BL-22	132.00	80
35-10	BL-08	12.10	800	240-16	BL-23	132.00	80
50-8	BL-09	20.57	400	300-16	BL-24	218.00	60
50-10	BL-10	20.57	400	300-20	BL-25	218.00	60
70-10	BL-11	31.00	200	400-20	BL-26	269.00	40
70-12	BL-12	31.00	200	500-20	BL-27	424.00	20
95-10	BL-13	34.00	200	630-20	BL-28	547.00	30
95-12	BL-14	34.00	200	800-20	BL-29	867.00	20
120-10	BL-15	46.00	200	1000-20	BL-30	1,265.00	10
120-12	BL-16	46.00	200				

COPPER RING, PIN AND FORK TERMINALS



PIN TERMINAL NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CP-59	3.73	8000	4	CP-3	7.04	16000
1	CP-44	3.73	8000	6	CP-5	7.04	10000
1.5	CP-9	3.73	16000	10	CP-7	11.03	6400
1.5	CP-35	4.13	8000	16	CP-8	21.79	3200
2.5	CP-1	3.73	16000	50	CP-88	82.00	400
2.5	CP-2	3.73	8000	70	CP-89	111.00	200
25	CP-86	41.00	1600	95	CP-90	145.00	200
35	CP-87	54.00	800				

RING TERMINALS NON-INSULATED							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RS-7317	3.46	16000	10-5	RS-7026	9.44	3200
1-3.5	RS-7318	3.46	16000	10-6	RS-7120	10.23	6400
1.5-3	RS-7001	3.73	8000	10-8	RS-7121	13.01	3200
1.5-3.5	RS-7002	3.73	8000	10-10	RS-7027	17.53	3200
1.5-3.5	RS-7048	3.73	8000	10-10	RS-7123	18.87	3200
1.5-4	RS-7003	3.73	16000	10-12	RS-7028	17.93	3200
1.5-4	RS-7049	3.73	8000	16-5	RS-7124	16.21	3200
1.5-4	RS-7004	3.85	16000	16-6	RS-7029	17.53	3200
1.5-4	RS-7154	3.99	8000	16-6	RS-7031	23.77	1600
1.5-5	RS-7005	3.85	16000	16-8	RS-7030	21.79	3200
1.5-5	RS-7006	4.66	8000	16-10	RS-7032	27.00	3200
1.5-6	RS-7007	4.66	8000	16-10	RS-7128	28.00	1600
1.5-6	RS-7106	4.78	8000	16-12	RS-7033	26.00	1600
2.5-3	RS-7107	4.26	8000	25-6	RS-7156	39.00	800
2.5-3.5	RS-7008	4.66	8000	25-8	RS-7034	41.00	1600
2.5-3.5	RS-7108	4.66	8000	25-8	RS-7036	45.00	1600
2.5-4	RS-7009	3.99	16000	25-10	RS-7035	39.00	800
2.5-5	RS-7010	3.99	16000	25-10	RS-7132	57.00	800
2.5-5	RS-7109	3.99	8000	25-12	RS-7037	57.00	800
2.5-5	RS-7110	5.59	2400	35-6	RS-7133	47.00	800
2.5-6	RS-7011	3.99	16000	35-8	RS-7038	51.00	1600
2.5-6	RS-7012	5.59	4000	35-10	RS-7135	64.00	800
2.5-8	RS-7013	6.51	4000	35-12	RS-7040	60.00	800
2.5-8	RS-7014	7.84	6400	50-8	RS-7136	72.00	800
2.5-10	RS-7015	9.18	6400	50-10	RS-7137	78.00	800
2.5-10	RS-7151	9.18	6400	50-12	RS-7042	84.00	400
4.6-4	RS-7155	7.17	10000	50-16	RS-7139	105.00	400
4.6-5	RS-7050	7.17	10000	70-10	RS-7140	106.00	400
4.6-5	RS-7016	8.51	10000	70-12	RS-7141	108.00	400
4.6-6	RS-7017	7.31	10000	70-16	RS-7142	126.00	400
4.6-6	RS-7019	9.71	6400	95-10	RS-7144	153.00	400
4.6-6	RS-7115	10.64	6400	95-12	RS-7044	147.00	400
4.6-8	RS-7018	8.51	5000	95-16	RS-7145	167.00	400
4.6-8	RS-7020	11.29	6400	120-12	RS-7146	190.00	160
4.6-8	RS-7116	13.95	3200	120-16	RS-7147	236.00	240
4.6-10	RS-7022	13.95	3200	120-20	RS-7148	271.00	240
4.6-10	RS-7023	12.48	3200	150-12	RS-7149	404.00	160
4.6-12	RS-7024	12.48	3200	150-16	RS-7045	398.00	160
10-5	RS-7025	10.50	3200	150-20	RS-7046	444.00	160



PIN TERMINAL (INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75	CPI-60	4.13	16000	4	CPI-20	8.37	3200
1	CPI-45	4.13	4000	4	CPI-21	11.02	1600
1.5	CPI-17	4.13	10000	6	CPI-22	12.09	3200
1.5	CPI-40	4.66	4000	6	CPI-23	12.75	800
2.5	CPI-18	4.26	10000	10	CPI-24	14.75	1600
2.5	CPI-19	4.26	4000	16	CPI-25	28.00	1600



PIN TERMINAL DOUBLE GRIP (PRE-INSULATED)							
mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	CPD-26	5.59	10000	2.5	CPD-28	5.85	4000
2.5	CPD-27	5.85	10000	4	CPD-29	10.10	1600



RING TERMINALS INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.75-4	RSI-7501	3.99	4000	2.5-5	RSI-7073	5.85	6400
1-4	RSI-7502	3.99	4000	2.5-5	RSI-7075	7.99	6400
1.5-3	RSI-7054	5.59	4000	2.5-6	RSI-7074	5.85	6400
1.5-3.5	RSI-7055	5.59	10000	2.5-6	RSI-7076	7.04	6400
1.5-3.5	RSI-7058	5.71	2400	2.5-8	RSI-7077	7.17	6400
1.5-4	RSI-7056	5.59	10000	2.5-8	RSI-7079	8.51	3200
1.5-4	RSI-7059	5.71	2400	2.5-10	RSI-7081	10.10	800
1.5-4	RSI-7061	4.26	10000	4.6-4	RSI-7083	8.51	3200
1.5-4	RSI-7063	5.59	4000	4.6-5	RSI-7084	8.51	3200
1.5-5	RSI-7062	4.26	10000	4.6-5	RSI-7086	10.10	3200
1.5-5	RSI-7065	6.78	4000	4.6-6	RSI-7089	9.71	3200
1.5-5	RSI-7066	6.51	4000	4.6-6	RSI-7092	11.29	3200
1.5-6	RSI-7067	6.78	4000	4.6-6	RSI-7093	12.22	3200
2.5-3	RSI-7068	5.71	4000	4.6-8	RSI-7090	10.10	1600
2.5-3.5	RSI-7069	5.71	4000	4.6-8	RSI-7094	12.22	3200
2.5-3.5	RSI-7070	6.51	2400	4.6-8	RSI-7096	14.75	1600
2.5-4	RSI-7071	5.59	10000	4.6-10	RSI-7099	13.95	1600
2.5-5	RSI-7072	5.59	10000	4.6-12	RSI-7100	13.95	1600

FORK TERMINALS NON-INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RS-7249SPL	3.33	16000	2.5-5	RS-7280	9.57	4000
1.5-3.5	RS-7249	3.33	16000	4.6-3	RS-7252	5.85	16000
2.5-3.5	RS-7251	3.59	16000	4.6-3.5	RS-7253	5.85	8000



FORK TERMINALS INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1-3	RSI-7926SPL	3.99	4000	2.5-5	RSI-7929	10.90	1600
1.5-3.5	RSI-7926	3.99	4000	4.6-3	RSI-7930	7.84	3200
2.5-3.5	RSI-7928	4.66	10000	4.6-3.5	RSI-7931	7.84	3200

FORK TERMINALS DOUBLE GRIP (PRE INSULATED)

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3.5	PSD-7935	5.45	4000	4.6-3	PSD-7939	9.71	1600
2.5-3.5	PSD-7937	5.85	4000	4.6-3.5	PSD-7940	9.71	1600
2.5-5	PSD-7938	13.95	800				


RING TERMINALS DOUBLE GRIP (PRE-INSULATED)

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5-3	PSD-7437	5.85	2400	2.5-6	PSD-7457	6.12	4000
1.5-3.5	PSD-7438	5.85	2400	2.5-5	PSD-7458	8.51	2400
1.5-4	PSD-7439	5.85	2400	2.5-6	PSD-7459	7.84	3200
1.5-3.5	PSD-7441	5.85	2400	2.5-8	PSD-7460	8.51	1600
1.5-4	PSD-7442	5.85	2400	2.5-8	PSD-7462	10.10	1600
1.5-4	PSD-7444	5.71	4000	2.5-10	PSD-7464	11.29	1600
1.5-5	PSD-7445	5.71	4000	4.6-4	PSD-7466	10.64	800
1.5-4	PSD-7446	6.64	2400	4.6-5	PSD-7467	10.64	1600
1.5-5	PSD-7448	7.04	4000	4.6-5	PSD-7469	12.09	1600
1.5-6	PSD-7449	7.04	4000	4.6-6	PSD-7472	11.03	3200
1.5-6	PSD-7450	7.31	2400	4.6-8	PSD-7473	11.95	800
2.5-3	PSD-7451	7.04	2400	4.6-6	PSD-7475	13.15	400
2.5-3.5	PSD-7452	7.04	2400	4.6-6	PSD-7476	14.75	800
2.5-3.5	PSD-7453	7.17	2400	4.6-8	PSD-7477	14.75	800
2.5-4	PSD-7454	6.12	10000	4.6-8	PSD-7479	16.21	400
2.5-5	PSD-7455	6.12	10000	4.6-8	PSD-7482	17.53	400
2.5-5	PSD-7456	6.12	4000	4.6-12	PSD-7483	16.21	400



SNAP ON TERMINALS

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
1.5	SNP-8351	5.42	2000	1.5	SND-8359	6.78	2000
1.5	SND-8352	5.42	2000	1.5	SND-8362	8.13	2000
2.5	SNP-8347	5.42	4000	1.5	SNP-8336	5.42	2000
2.5	SND-8348	6.78	5000	1.5	SNP-8356	5.42	2000
4	SND-8476	10.84	5000	1.5	SNP-8358	5.42	2000



END SEALING FERRULES NON-INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.	mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-6	EH-508	1.39	20000	6-10	EH-518	2.78	10000
0.75-6	EH-509	1.39	20000	6-12	EH-519	2.78	10000
1-6	EH-510	1.39	20000	6-15	EH-520	4.17	10000
1-10	EH-511	1.39	20000	10-12	EH-521	4.17	2500
1.5-7	EH-512	1.39	20000	10-15	EH-522	4.70	2500
1.5-10	EH-513	1.39	20000	10-18	EH-523	6.96	2500
2.5-7	EH-514	1.39	20000	16-12	EH-524	4.17	2500
2.5-12	EH-515	1.39	20000	16-15	EH-525	5.48	2000
4-9	EH-516	1.39	16000	16-18	EH-526	6.96	2000
4-12	EH-517	2.78	16000				

COPPER TWIN TYPE LUGS

mm ² -E	LENGTH mm	CAT. NO.	COLOUR NATURAL	PRICE (₹)	STD PKG.
0.5-8	8	TW-0.5-8	WHITE	2.78	8000
0.5-10	10	TW-0.5-10	WHITE	2.78	8000
0.75-8	8	TW-0.75-8	GREY	2.78	4000
0.75-10	10	TW-0.75-10	GREY	4.17	4000
1-8	8	TW-1-8	RED	4.17	8000
1-10	10	TW-1-10	RED	4.17	8000
1.5-8	8	TW-1.5-8	BLACK	4.17	8000
1.5-10	10	TW-1.5-10	BLACK	4.17	8000
2.5-8	8	TW-2.5-8	BLUE	4.17	8000
2.5-10	10	TW-2.5-10	BLUE	5.57	8000
4-12	12	TW-4-12	GREY	6.96	4000
6-12	12	TW-6-12	YELLOW	8.35	4000



END SEALING FERRULES INSULATED

mm ² -E	CAT. NO.	PRICE (₹)	STD PKG.
0.5-8	EHI-508	1.39	40000
0.75-8	EHI-509	1.39	40000
1-6	EHI-510	2.78	20000
1-10	EHI-511	2.78	25000
1.5-10	EHI-513	2.78	25000
2.5-8	EHI-514	2.78	15000
2.5-12	EHI-515	2.78	16000
4-12	EHI-517	4.17	8000
6-12	EHI-519	4.17	8000
10-12	EHI-521	5.57	2000
16-15	EHI-525	6.96	1000




CABLE GLANDS



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

		WEATHER PROOF			FLAME PROOF		
SUITABLE OVER ALL DIAMETER	NIPPLE ET THREAD	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS	387.00	224	DBF-01SS	499.00	200
12.0-16.5	3/4"	DBW-01S	466.00	168	DBF-01S	537.00	200
16.5-18.5	3/4"	DBW-01	521.00	144	DBF-01	593.00	96
16.5-18.5	1"	DBW-01A	596.00	120	DBF-01A	704.00	120
18.5-20.0	1"	DBW-02	667.00	80	DBF-02	779.00	80
18.5-20.0	3/4"	DBW-02A	667.00	80	DBF-02A	820.00	80
20.0-23.0	1"	DBW-03	675.00	80	DBF-03	881.00	80
23.0-26.0	1"	DBW-04	923.00	48	DBF-04	1,119.00	48
23.0-26.0	1.1/4"	DBW-04A	991.00	48	DBF-04A	1,250.00	48
26.0-30.0	1.1/4"	DBW-05	1,156.00	48	DBF-05	1,300.00	48
26.0-30.0	1.1/2"	DBW-05A	1,383.00	48	DBF-05A	1,579.00	48
30.0-33.0	1.1/2"	DBW-06	1,661.00	40	DBF-06	1,947.00	32
30.0-33.0	1.1/4"	DBW-06A	1,718.00	32	DBF-06A	2,036.00	32
33.0-37.0	1.1/2"	DBW-07	1,941.00	24	DBF-07	2,190.00	24
37.0-41.0	2"	DBW-08	2,490.00	24	DBF-08	2,714.00	24
41.0-46.0	2"	DBW-09	2,747.00	20	DBF-09	2,995.00	20
46.0-52.0	2"	DBW-10	3,015.00	16	DBF-10	3,531.00	16
46.0-52.0	2.1/2"	DBW-10A	3,681.00	12	DBF-10A	4,011.00	12
52.0-54.0	2.1/2"	DBW-011A	4,272.00	8	DBF-011A	5,382.00	8
54.0-61.0	2.1/2"	DBW-011	4,487.00	8	DBF-011	4,930.00	8
61.0-66.0	3"	DBW-012	5,479.00	8	DBF-012	5,951.00	8
66.0-72.0	3"	DBW-013A	6,864.00	4	DBF-013A	8,355.00	4
72.0-78.0	3.1/4"	DBW-013	7,747.00	4	DBF-013	9,380.00	4
78.0-84.0	3.1/2"	DBW-014	9,296.00	4	DBF-014	9,959.00	6
84.0-94.0	4"	DBW-015	12,449.00	4	DBF-015	13,551.00	6
94.0-104.0	4.1/2"	DBW-016	16,043.00	4	DBF-016	17,428.00	4



DOUBLE COMPRESSION TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRODUCT CODE	NIPPLE (inch)	PRICE (₹)	INNER PACKING (NOS.)
07.0-14.0	DC-3/8"	DGPI0036	5/8"	301.00	256
14.1-15.5	DC-1/2"	DGPI0037	5/8"	377.00	200
15.6-17.0	DC-5/8"	DGPI0038	3/4"	386.00	184
17.1-18.5	DC-3/4"	DGPI0039	3/4"	446.00	112
18.6-19.5	DC-7/8"	DGPI0040	3/4"	513.00	96
19.6-22.5	DC-1"	DGPI0041	1"	598.00	80
22.6-25.5	DC-1.1/8"	DGPI0042	1.1/8"	764.00	60
25.6-31.5	DC-1.1/4"	DGPI0043	1.1/4"	1,007.00	48
31.6-34.5	DC-1.3/8"	DGPI0044	1.1/2"	1,202.00	48
34.6-36.5	DC-1.1/2"	DGPI0045	1.1/2"	1,415.00	32
36.6-44.5	DC-1.3/4"	DGPI0046	2"	1,946.00	20
44.6-49.5	DC-2"	DGPI0047	2"	2,129.00	20
49.6-54.5	DC-2.1/4"	DGPI0048	2.1/4"	2,485.00	16
54.6-63.5	DC-2.1/2"	DGPI0049	2.1/2"	3,417.00	8
63.6-69.5	DC-2.3/4"	DGPI0050	2.3/4"	3,858.00	8
69.6-74.5	DC-3"	DGPI0051	3"	4,749.00	8
74.6-81.0	DC-3.1/4"	DGPI0052	3.1/4"	5,500.00	4
81.1-86.0	DC-3.1/2"	DGPI0053	3.1/2"	7,516.00	4
86.1-100.0	DC-4"	DGPI0054	4"	9,746.00	4



DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.5	DBW-01SS(UN)	411.00	200
12.6-14.0	DBW-01S(UN)	449.00	200
14.1-17.0	DBW-01A(UN)	571.00	120
17.1-19.0	DBW-02(UN)	694.00	80
19.1-22.0	DBW-03SP(UN)	740.00	80
22.1-25.0	DBW-04A(UN)	1,050.00	48
25.1-29.0	DBW-05A(UN)	1,151.00	48
29.1-32.0	DBW-06SP(UN)	1,610.00	40
32.1-35.0	DBW-07SP(UN)	1,852.00	24
35.1-40.0	DBW-08(UN)	2,325.00	24
40.1-43.0	DBW-09(UN)	2,754.00	20
43.1-51.0	DBW-010A(UN)	3,393.00	12
51.1-59.0	DBW-011SP(UN)	4,484.00	8
59.1-65.0	DBW-012(UN)	5,267.00	8
65.1-71.0	DBW-013(UN)	6,998.00	4
71.1-79.0	DBW-014(UN)	8,145.00	2
79.1-89.0	DBW-015(UN)	12,219.00	2



SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS							
SINGLE COMPRESSION GLANDS					SIBG SERIES		
DOWELLS CAT. NO.		PRODUCT CODE	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
INCH	MM						
3/8"	10	DGP10001	114.00	512	1616	202.00	280
1/2"	12	DGP10002	114.00	512	1619	215.00	200
5/8"	16	DGP10003	114.00	540	2119	334.00	160
3/4"	19	DGP10004	133.00	420	2125	304.00	160
7/8"	22	DGP10005	157.00	336	2925	426.00	96
1"	25	DGP10006	238.00	240	2932	468.00	80
1.1/8"	28	DGP10007	282.00	120	2938	508.00	80
1.1/4"	32	DGP10008	397.00	96	3638	699.00	40
1.3/8"	35	DGP10009	494.00	96	4251	1,274.00	20
1.1/2"	38	DGP10010	583.00	64	5451	1,452.00	16
1.3/4"	45	DGP10011	707.00	48	5463	1,442.00	16
2"	50	DGP10012	864.00	40	6063	2,215.00	16
2.1/4"	57	DGP10013	1,110.00	24	6675	2,684.00	12
2.1/2"	63	DGP10014	1,283.00	20	7882	3,696.00	12
2.3/4"	70	DGP10015	1,798.00	20			
3"	75	DGP10016	2,215.00	16			
3.1/4"	82	DGP10017	2,354.00	12			
3.1/2"	88	DGP10018	2,963.00	12			
4"	100	DGP10019	3,516.00	12			
4.1/2"	112	DGP10020	5,864.00	8			



BRASS PG GLAND			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
2-5	MPG-7	113.00	200
3-8	MPG-9	147.00	80
4-10	MPG-11	181.00	200
5-12	MPG-13.5	237.00	200
8-14	MPG-16	249.00	200
12-17	MPG-21	415.00	120
16-25	MPG-29	836.00	60
20-32	MPG-36	922.00	48
28-37	MPG-42	1,820.00	20
32-40	MPG-48	1,911.00	16

NYLON PG GLAND			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
3.5-6	PG-7	17.00	200
4-8	PG-9	21.00	80
5-10	PG-11	28.00	200
6-12	PG-13.5	34.00	200
10-14	PG-16	41.00	200
13-18	PG-21	54.00	120
18-25	PG-29	84.00	60
22-32	PG-36	133.00	24
30-38	PG-42	167.00	20
34-44	PG-48	200.00	16



FLANGE TYPE CABLE GLANDS			
SUITABLE OVER ALL DIAMETER	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
12.0-16.0	DGPI0021	220.00	40
16.1-18.0	DGPI0022	280.00	60
18.1-21.0	DGPI0023	302.00	60
21.1-25.0	DGPI0024	374.00	60
25.1-29.0	DGPI0025	434.00	60
29.1-33.0	DGPI0026	541.00	24
33.1-35.0	DGPI0027	670.00	24
35.1-38.0	DGPI0028	764.00	24
38.1-41.0	DGPI0029	771.00	40
41.1-45.0	DGPI0030	921.00	60
45.1-52.0	DGPI0031	1,102.00	60
52.1-59.0	DGPI0032	1,194.00	60
59.1-67.0	DGPI0033	1,445.00	60
67.1-76.0	DGPI0034	1,840.00	60
76.1-84	DGPI0035	3,031.00	40



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH NPT THREADING

SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS316	1,017.00	224	DBF-01SS (3/4 NPT)-SS316	1,062.00	200
6.0 - 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS316	973.00	224	DBF-01SS (1/2 NPT)-SS316	1,017.00	200
12.0 - 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS316	1,283.00	200	DBF-01S (3/4 NPT)-SS316	1,327.00	160
12.0 - 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS316	1,239.00	200	DBF-01S (1/2 NPT)-SS316	1,283.00	160
16.5 - 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS316	1,636.00	144	DBF-01 (3/4 NPT)-SS316	1,681.00	96
16.5 - 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS316	1,636.00	144	DBF-01 (1/2 NPT)-SS316	1,681.00	96
16.5 - 18.5	1" NPT	DBW-01 (1 NPT)-SS316	1,814.00	144	DBF-01 (1 NPT)-SS316	1,902.00	96
18.5 - 20.0	1" NPT	DBW-02 (1 NPT)-SS316	2,189.00	80	DBF-02 (1 NPT)-SS316	2,256.00	80
18.5 - 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS316	1,836.00	80	DBF-02 (1/2 NPT)-SS316	1,880.00	80
18.5 - 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS316	1,945.00	80	DBF-02 (3/4 NPT)-SS316	1,990.00	80
20.0 - 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS316	1,945.00	80	DBF-03 (3/4 NPT)-SS316	1,990.00	80
20.0 - 23.0	1" NPT	DBW-03 (1 NPT)-SS316	2,388.00	80	DBF-03 (1 NPT)-SS316	2,476.00	80
20.0 - 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS316	1,945.00	80	DBF-03 (1/2 NPT)-SS316	1,990.00	80
20.0 - 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS316	2,697.00	80	DBF-03 (1.1/4 NPT)-SS316	2,786.00	80
23.0 - 26.0	1" NPT	DBW-04 (1 NPT)-SS316	2,742.00	48	DBF-04 (1 NPT)-SS316	2,830.00	48
23.0 - 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS316	2,742.00	48	DBF-04 (3/4 NPT)-SS316	2,830.00	48
23.0 - 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS316	3,317.00	48	DBF-04 (1.1/4 NPT)-SS316	3,448.00	48
23.0 - 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS316	3,581.00	48	DBF-04 (1.1/2 NPT)-SS316	3,670.00	48
26.0 - 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS316	3,448.00	48	DBF-05 (3/4 NPT)-SS316	3,515.00	48
26.0 - 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS316	3,581.00	48	DBF-05 (1.1/4 NPT)-SS316	3,670.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	3,935.00	48	DBF-05 (1.1/2 NPT)-SS316	4,045.00	48
26.0 - 30.0	1" NPT	DBW-05 (1 NPT)-SS316	3,317.00	48	DBF-05 (1 NPT)-SS316	3,493.00	48
26.0 - 30.0	2" NPT	DBW-05 (2 NPT)-SS316	4,642.00	48	DBF-05 (2 NPT)-SS316	4,951.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS316	3,935.00	48	DBF-05 (1.1/2 NPT)-SS316	4,045.00	48
30.0 - 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS316	4,642.00	40	DBF-06 (1.1/2 NPT)-SS316	4,907.00	32
30.0 - 33.0	2" NPT	DBW-06 (2 NPT)-SS316	5,526.00	40	DBF-06 (2 NPT)-SS316	5,835.00	32
30.0 - 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS316	4,332.00	40	DBF-06 (1.1/4 NPT)-SS316	4,642.00	32
33.0 - 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS316	5,261.00	24	DBF-07 (1.1/4 NPT)-SS316	5,393.00	24
33.0 - 37.0	2" NPT	DBW-07 (2 NPT)-SS316	5,482.00	24	DBF-07 (2 NPT)-SS316	5,968.00	24
33.0 - 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS316	5,261.00	24	DBF-07 (1.1/2 NPT)-SS316	5,703.00	24
37.0 - 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS316	6,277.00	24	DBF-08 (1.1/2 NPT)-SS316	6,720.00	24
41.0 - 46.0	2" NPT	DBW-09 (2 NPT)-SS316	10,388.00	20	DBF-09 (2 NPT)-SS316	10,830.00	20
46.0 - 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS316	13,925.00	16	DBF-10 (1.1/2 NPT)-SS316	14,367.00	16
46.0 - 52.0	2" NPT	DBW-010 (2 NPT)-SS316	13,925.00	144	DBF-010 (2 NPT)-SS316	14,367.00	16
54.0 - 61.0	2" NPT	DBW-011 (2 NPT)-SS316	18,344.00	8	DBF-011 (2 NPT)-SS316	18,786.00	8
54.0 - 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS316	19,228.00	8	DBF-011A (2.1/2 NPT)-SS316	19,671.00	8
61.0 - 66.0	2" NPT	DBW-012 (2 NPT)-SS316	20,687.00	8	DBF-012 (2 NPT)-SS316	20,997.00	8
66.0 - 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS316	30,455.00	4	DBF-013A (2.1/2 NPT)-SS316	30,853.00	4
72.0 - 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS316	31,383.00	4	DBF-013 (3.1/4 NPT)-SS316	32,047.00	4
78.0 - 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS316	33,992.00	4	DBF-014 (3.1/2 NPT)-SS316	34,698.00	6
84.0 - 94.0	4" NPT	DBW-015 (4 NPT)-SS316	42,213.00	4	DBF-015 (4 NPT)-SS316	42,875.00	6
94.0 - 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS316	45,528.00	4	DBF-016 (4.1/2 NPT)-SS316	46,854.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH NPT THREADING

SUITABLE OVERALL DIAMETER	NIPPLE NPT THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELS CAT. NO.	PRICE (₹)	BOX PKG	DOWELS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	3/4" NPT	DBW-01SS (3/4 NPT)-SS304	797.00	224	DBF-01SS (3/4 NPT)-SS304	841.00	200
6.0 - 12.0	1/2" NPT	DBW-01SS (1/2 NPT)-SS304	753.00	224	DBF-01SS (1/2 NPT)-SS304	797.00	200
12.0 - 16.5	3/4" NPT	DBW-01S (3/4 NPT)-SS304	908.00	200	DBF-01S (3/4 NPT)-SS304	952.00	160
12.0 - 16.5	1/2" NPT	DBW-01S (1/2 NPT)-SS304	819.00	200	DBF-01S (1/2 NPT)-SS304	863.00	160
16.5 - 18.5	3/4" NPT	DBW-01 (3/4 NPT)-SS304	1,261.00	144	DBF-01 (3/4 NPT)-SS304	1,305.00	96
16.5 - 18.5	1/2" NPT	DBW-01 (1/2 NPT)-SS304	1,261.00	144	DBF-01 (1/2 NPT)-SS304	1,305.00	96
16.5 - 18.5	1" NPT	DBW-01 (1 NPT)-SS304	1,372.00	144	DBF-01 (1 NPT)-SS304	1,459.00	96
18.5 - 20.0	1" NPT	DBW-02 (1 NPT)-SS304	1,681.00	80	DBF-02 (1 NPT)-SS304	1,725.00	80
18.5 - 20.0	1/2" NPT	DBW-02 (1/2 NPT)-SS304	1,372.00	80	DBF-02 (1/2 NPT)-SS304	1,416.00	80
18.5 - 20.0	3/4" NPT	DBW-02 (3/4 NPT)-SS304	1,372.00	80	DBF-02 (3/4 NPT)-SS304	1,416.00	80
20.0 - 23.0	3/4" NPT	DBW-03 (3/4 NPT)-SS304	1,372.00	80	DBF-03 (3/4 NPT)-SS304	1,416.00	80
20.0 - 23.0	1" NPT	DBW-03 (1 NPT)-SS304	1,681.00	80	DBF-03 (1 NPT)-SS304	1,305.00	80
20.0 - 23.0	1/2" NPT	DBW-03 (1/2 NPT)-SS304	1,394.00	80	DBF-03 (1/2 NPT)-SS304	1,459.00	80
20.0 - 23.0	1.1/4" NPT	DBW-03 (1.1/4 NPT)-SS304	2,256.00	80	DBF-03 (1.1/4 NPT)-SS304	2,344.00	80
23.0 - 26.0	1" NPT	DBW-04 (1 NPT)-SS304	2,498.00	48	DBF-04 (1 NPT)-SS304	2,609.00	48
23.0 - 26.0	3/4" NPT	DBW-04 (3/4 NPT)-SS304	2,498.00	48	DBF-04 (3/4 NPT)-SS304	2,609.00	48
23.0 - 26.0	1.1/4" NPT	DBW-04 (1.1/4 NPT)-SS304	2,962.00	48	DBF-04 (1.1/4 NPT)-SS304	3,073.00	48
23.0 - 26.0	1.1/2" NPT	DBW-04 (1.1/2 NPT)-SS304	3,184.00	48	DBF-04 (1.1/2 NPT)-SS304	3,294.00	48
26.0 - 30.0	3/4" NPT	DBW-05 (3/4 NPT)-SS304	2,918.00	48	DBF-05 (3/4 NPT)-SS304	3,029.00	48
26.0 - 30.0	1.1/4" NPT	DBW-05 (1.1/4 NPT)-SS304	3,272.00	48	DBF-05 (1.1/4 NPT)-SS304	3,448.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	3,626.00	48	DBF-05 (1.1/2 NPT)-SS304	3,803.00	48
26.0 - 30.0	1" NPT	DBW-05 (1 NPT)-SS304	2,962.00	48	DBF-05 (1 NPT)-SS304	3,073.00	48
26.0 - 30.0	2" NPT	DBW-05 (2 NPT)-SS304	5,526.00	48	DBF-05 (2 NPT)-SS304	5,791.00	48
26.0 - 30.0	1.1/2" NPT	DBW-05 (1.1/2 NPT)-SS304	3,626.00	48	DBF-05 (1.1/2 NPT)-SS304	3,803.00	48
30.0 - 33.0	1.1/2" NPT	DBW-06 (1.1/2 NPT)-SS304	3,448.00	40	DBF-06 (1.1/2 NPT)-SS304	3,581.00	32
30.0 - 33.0	2" NPT	DBW-06 (2 NPT)-SS304	4,642.00	40	DBF-06 (2 NPT)-SS304	4,996.00	32
30.0 - 33.0	1.1/4" NPT	DBW-06 (1.1/4 NPT)-SS304	3,448.00	40	DBF-06 (1.1/4 NPT)-SS304	4,642.00	32
33.0 - 37.0	1.1/4" NPT	DBW-07 (1.1/4 NPT)-SS304	4,200.00	24	DBF-07 (1.1/4 NPT)-SS304	4,509.00	24
33.0 - 37.0	2" NPT	DBW-07 (2 NPT)-SS304	5,084.00	24	DBF-07 (2 NPT)-SS304	5,349.00	24
33.0 - 37.0	1.1/2" NPT	DBW-07 (1.1/2 NPT)-SS304	4,200.00	24	DBF-07 (1.1/2 NPT)-SS304	4,951.00	24
37.0 - 41.0	1.1/2" NPT	DBW-08 (1.1/2 NPT)-SS304	5,526.00	24	DBF-08 (1.1/2 NPT)-SS304	5,835.00	24
41.0 - 46.0	2" NPT	DBW-09 (2 NPT)-SS304	6,410.00	20	DBF-09 (2 NPT)-SS304	6,720.00	20
46.0 - 52.0	1.1/2" NPT	DBW-10 (1.1/2 NPT)-SS304	7,073.00	16	DBF-10 (1.1/2 NPT)-SS304	7,691.00	16
46.0 - 52.0	2" NPT	DBW-010 (2 NPT)-SS304	7,073.00	144	DBF-010 (2 NPT)-SS304	7,691.00	16
54.0 - 61.0	2" NPT	DBW-011 (2 NPT)-SS304	10,388.00	8	DBF-011 (2 NPT)-SS304	11,008.00	8
54.0 - 61.0	2.1/2" NPT	DBW-011A (2.1/2 NPT)-SS304	10,388.00	8	DBF-011A (2.1/2 NPT)-SS304	11,008.00	8
61.0 - 66.0	2" NPT	DBW-012 (2 NPT)-SS304	14,809.00	8	DBF-012 (2 NPT)-SS304	11,008.00	8
66.0 - 72.0	2.1/2" NPT	DBW-013A (2.1/2 NPT)-SS304	15,913.00	4	DBF-013A (2.1/2 NPT)-SS304	16,576.00	4
72.0 - 78.0	3.1/4" NPT	DBW-013 (3.1/4 NPT)-SS304	16,134.00	4	DBF-013 (3.1/4 NPT)-SS304	16,576.00	4
78.0 - 84.0	3.1/2" NPT	DBW-014 (3.1/2 NPT)-SS304	18,344.00	4	DBF-014 (3.1/2 NPT)-SS304	18,919.00	6
84.0 - 94.0	4" NPT	DBW-015 (4 NPT)-SS304	22,986.00	4	DBF-015 (4 NPT)-SS304	23,648.00	6
94.0 - 104.0	4.1/2" NPT	DBW-016 (4.1/2 NPT)-SS304	32,267.00	4	DBF-016 (4.1/2 NPT)-SS304	32,931.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH METRIC THREADING

SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELS CAT. NO.	PRICE (₹)	BOX PKG	DOWELS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	M20	DBW-01SS-M20-SS316	930.00	200	DBF-01SS-M20-SS316	995.00	200
12.1 - 16.5	M16	DBW-01S-M16-SS316	1,150.00	200	DBF-01S-M16-SS316	1,217.00	160
12.1 - 16.5	M20	DBW-01S-M20-SS316	1,150.00	200	DBF-01S-M20-SS316	1,217.00	160
12.1 - 16.5	M25	DBW-01S-M25-SS316	1,350.00	200	DBF-01S-M25-SS316	1,394.00	160
16.6 - 18.5	M20	DBW-01-M20-SS316	1,416.00	120	DBF-01-M20-SS316	1,503.00	120
16.6 - 18.5	M25	DBW-01-M25-SS316	1,416.00	120	DBF-01-M25-SS316	1,592.00	120
16.6 - 18.5	M32	DBW-01-M32-SS316	1,703.00	120	DBF-01-M32-SS316	1,747.00	120
18.6 - 20.0	M20	DBW-02-M20-SS316	1,681.00	80	DBF-02-M20-SS316	1,791.00	80
18.6 - 20.0	M25	DBW-02-M25-SS316	1,681.00	80	DBF-02-M25-SS316	1,791.00	80
20.1 - 23.0	M20	DBW-03-M20-SS316	1,858.00	80	DBF-03-M20-SS316	1,902.00	80
20.1 - 23.0	M25	DBW-03-M25-SS316	1,858.00	80	DBF-03-M25-SS316	1,902.00	80
23.1 - 26.0	M25	DBW-04-M25-SS316	2,565.00	48	DBF-04-M25-SS316	2,697.00	48
23.1 - 26.0	M32	DBW-04-M32-SS316	2,962.00	48	DBF-04-M32-SS316	3,073.00	48
26.1 - 30.0	M32	DBW-05-M32-SS316	3,250.00	48	DBF-05-M32-SS316	3,426.00	48
26.1 - 30.0	M40	DBW-05-M40-SS316	3,626.00	48	DBF-05-M40-SS316	4,156.00	48
30.1 - 33.0	M32	DBW-06-M32-SS316	4,045.00	32	DBF-06-M32-SS316	4,267.00	32
30.1 - 33.0	M40	DBW-06-M40-SS316	4,045.00	32	DBF-06-M40-SS316	4,267.00	32
33.1 - 37.0	M40	DBW-07-M40-SS316	4,951.00	24	DBF-07-M40-SS316	5,217.00	24
37.1 - 41.0	M50	DBW-08-M50-SS316	5,857.00	24	DBF-08-M50-SS316	6,145.00	24
41.1 - 46.0	M50	DBW-09-M50-SS316	9,283.00	20	DBF-09-M50-SS316	9,725.00	20
46.1 - 52.0	M50	DBW-010-M50-SS316	11,714.00	12	DBF-010-M50-SS316	12,223.00	16
46.1 - 52.0	M63	DBW-010-M63-SS316	11,714.00	12	DBF-010-M63-SS316	13,703.00	16
54.1 - 61.0	M63	DBW-011-M63-SS316	17,240.00	8	DBF-011-M63-SS316	17,969.00	8
52.1 - 54.0	M63	DBW-011A-M63-SS316	17,240.00	8	DBF-011A-M63-SS316	17,969.00	8
61.1 - 66.0	M75	DBW-012-M75-SS316	19,538.00	4	DBF-012-M75-SS316	20,378.00	8
66.1 - 72.0	M75	DBW-013A-M75-SS316	28,776.00	4	DBF-013A-M75-SS316	29,880.00	4
72.1 - 78.0	M78	DBW-013-M78-SS316	28,776.00	4	DBF-013-M78-SS316	29,880.00	4
72.1 - 78.0	M82	DBW-013-M82-SS316	28,776.00	4	DBF-013-M82-SS316	29,880.00	4
78.1 - 84.0	M90	DBW-014-M90-SS316	32,047.00	2	DBF-014-M90-SS316	33,306.00	6
84.1 - 94.0	M100	DBW-015-M100-SS316	40,666.00	2	DBF-015-M100-SS316	42,213.00	6
94.1 - 104.0	M100	DBW-016-M100-SS316	43,716.00	4	DBF-016-M100-SS316	45,528.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH METRIC THREADING

SUITABLE OVERALL DIAMETER	NIPPLE METRIC THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0 - 12.0	M20	DBW-01SS-M20-SS304	753.00	200	DBF-01SS-M20-SS304	797.00	200
12.1 - 16.5	M16	DBW-01S-M16-SS304	930.00	200	DBF-01S-M16-SS304	973.00	160
12.1 - 16.5	M20	DBW-01S-M20-SS304	930.00	200	DBF-01S-M20-SS304	973.00	160
12.1 - 16.5	M25	DBW-01S-M25-SS304	1,150.00	200	DBF-01S-M25-SS304	1,194.00	160
16.6 - 18.5	M20	DBW-01-M20-SS304	1,172.00	120	DBF-01-M20-SS304	1,217.00	120
16.6 - 18.5	M25	DBW-01-M25-SS304	1,217.00	120	DBF-01-M25-SS304	1,283.00	120
16.6 - 18.5	M32	DBW-01-M32-SS304	1,372.00	120	DBF-01-M32-SS304	1,459.00	120
18.6 - 20.0	M20	DBW-02-M20-SS304	1,350.00	80	DBF-02-M20-SS304	1,416.00	80
18.6 - 20.0	M25	DBW-02-M25-SS304	1,350.00	80	DBF-02-M25-SS304	1,416.00	80
20.1 - 23.0	M20	DBW-03-M20-SS304	1,394.00	80	DBF-03-M20-SS304	1,459.00	80
20.1 - 23.0	M25	DBW-03-M25-SS304	1,394.00	80	DBF-03-M25-SS304	1,459.00	80
23.1 - 26.0	M25	DBW-04-M25-SS304	2,056.00	48	DBF-04-M25-SS304	2,167.00	48
23.1 - 26.0	M32	DBW-04-M32-SS304	2,056.00	48	DBF-04-M32-SS304	2,167.00	48
26.1 - 30.0	M32	DBW-05-M32-SS304	2,542.00	48	DBF-05-M32-SS304	2,697.00	48
26.1 - 30.0	M40	DBW-05-M40-SS304	2,542.00	48	DBF-05-M40-SS304	3,051.00	48
30.1 - 33.0	M32	DBW-06-M32-SS304	3,117.00	32	DBF-06-M32-SS304	3,272.00	32
30.1 - 33.0	M40	DBW-06-M40-SS304	3,117.00	32	DBF-06-M40-SS304	3,272.00	32
33.1 - 37.0	M40	DBW-07-M40-SS304	3,803.00	24	DBF-07-M40-SS304	3,957.00	24
37.1 - 41.0	M50	DBW-08-M50-SS304	4,709.00	24	DBF-08-M50-SS304	5,084.00	24
41.1 - 46.0	M50	DBW-09-M50-SS304	7,869.00	20	DBF-09-M50-SS304	8,355.00	20
46.1 - 52.0	M50	DBW-010-M50-SS304	9,769.00	12	DBF-010-M50-SS304	10,388.00	16
46.1 - 52.0	M63	DBW-010-M63-SS304	9,769.00	12	DBF-010-M63-SS304	10,388.00	16
54.1 - 61.0	M63	DBW-011-M63-SS304	16,754.00	8	DBF-011-M63-SS304	17,196.00	8
52.1 - 54.0	M63	DBW-011A-M63-SS304	16,754.00	8	DBF-011A-M63-SS304	17,196.00	8
61.1 - 66.0	M75	DBW-012-M75-SS304	17,460.00	8	DBF-012-M75-SS304	18,124.00	8
66.1 - 72.0	M75	DBW-013A-M75-SS304	24,223.00	4	DBF-013A-M75-SS304	24,975.00	4
72.1 - 78.0	M78	DBW-013-M78-SS304	24,223.00	4	DBF-013-M78-SS304	24,975.00	4
72.1 - 78.0	M82	DBW-013-M82-SS304	24,223.00	4	DBF-013-M82-SS304	24,975.00	4
78.1 - 84.0	M90	DBW-014-M90-SS304	24,842.00	2	DBF-014-M90-SS304	25,593.00	6
84.1 - 94.0	M100	DBW-015-M100-SS304	31,229.00	2	DBF-015-M100-SS304	32,267.00	6
94.1 - 104.0	M100	DBW-016-M100-SS304	38,235.00	4	DBF-016-M100-SS304	39,340.00	4



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS316	930.00	200	DBF-01SS-SS316	995.00	200
12.0-16.5	3/4"	DBW-01S-SS316	1,150.00	200	DBF-01S-SS316	1,217.00	200
16.5-18.5	3/4"	DBW-01-SS316	1,416.00	200	DBF-01-SS316	1,503.00	200
16.5-18.5	1"	DBW-01A-SS316	1,416.00	120	DBF-01A-SS316	1,503.00	120
18.5-20.0	1"	DBW-02-SS316	1,681.00	80	DBF-02-SS316	1,791.00	80
18.5-20.0	3/4"	DBW-02A-SS316	1,681.00	80	DBF-02A-SS316	1,791.00	80
20.0-23.0	1"	DBW-03-SS316	1,858.00	80	DBF-03-SS316	1,902.00	80
23.0-26.0	1"	DBW-04-SS316	2,565.00	48	DBF-04-SS316	2,697.00	48
23.0-26.0	1.1/4"	DBW-04A-SS316	2,565.00	48	DBF-04A-SS316	2,697.00	48
26.0-30.0	1.1/4"	DBW-05-SS316	3,250.00	48	DBF-05-SS316	3,426.00	48
26.0-30.0	1.1/2"	DBW-05A-SS316	3,250.00	48	DBF-05A-SS316	3,426.00	48
30.0-33.0	1.1/2"	DBW-06-SS316	4,045.00	40	DBF-06-SS316	4,267.00	32
30.0-33.0	1.1/4"	DBW-06A-SS316	4,045.00	32	DBF-06A-SS316	4,267.00	32
33.0-37.0	1.1/2"	DBW-07-SS316	4,951.00	24	DBF-07-SS316	5,217.00	24
37.0-41.0	2"	DBW-08-SS316	5,857.00	24	DBF-08-SS316	6,145.00	24
41.0-46.0	2"	DBW-09-SS316	9,283.00	20	DBF-09-SS316	9,725.00	20
46.0-52.0	2"	DBW-010-SS316	11,714.00	12	DBF-010-SS316	12,223.00	16
46.0-52.0	2.1/2"	DBW-010A-SS316	11,714.00	12	DBF-010A-SS316	12,223.00	16
52.0-54.0	2.1/2"	DBW-011A-SS316	17,240.00	8	DBF-011A-SS316	17,969.00	8
54.0-61.0	2.1/2"	DBW-011-SS316	17,240.00	8	DBF-011-SS316	17,969.00	8
61.0-66.0	3"	DBW-012-SS316	19,538.00	8	DBF-012-SS316	20,378.00	8
66.0-72.0	3"	DBW-013A-SS316	28,776.00	4	DBF-013A-SS316	29,880.00	4
72.0-78.0	3.1/4"	DBW-013-SS316	28,776.00	4	DBF-013-SS316	29,880.00	4
78.0-84.0	3.1/2"	DBW-014-SS316	32,047.00	2	DBF-014-SS316	33,306.00	6
84.0-94.0	4"	DBW-015-SS316	40,666.00	2	DBF-015-SS316	42,213.00	6



DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS

SUITABLE OVERALL DIAMETER	NIPPLE ET THREAD	WEATHER PROOF			FLAME PROOF		
		DOWELLS CAT. NO.	PRICE (₹)	BOX PKG	DOWELLS CAT. NO.	PRICE (₹)	BOX PKG
6.0-12.0	3/4"	DBW-01SS-SS304	753.00	200	DBF-01SS-SS304	797.00	200
12.0-16.5	3/4"	DBW-01S-SS304	930.00	200	DBF-01S-SS304	973.00	200
16.5-18.5	3/4"	DBW-01-SS304	1,172.00	200	DBF-01-SS304	1,239.00	200
16.5-18.5	1"	DBW-01A-SS304	1,172.00	120	DBF-01A-SS304	1,239.00	120
18.5-20.0	1"	DBW-02-SS304	1,350.00	80	DBF-02-SS304	1,416.00	80
18.5-20.0	3/4"	DBW-02A-SS304	1,350.00	80	DBF-02A-SS304	1,416.00	80
20.0-23.0	1"	DBW-03-SS304	1,394.00	80	DBF-03-SS304	1,459.00	80
23.0-26.0	1"	DBW-04-SS304	2,256.00	48	DBF-04-SS304	2,167.00	48
23.0-26.0	1.1/4"	DBW-04A-SS304	2,256.00	48	DBF-04A-SS304	2,167.00	48
26.0-30.0	1.1/4"	DBW-05-SS304	2,542.00	48	DBF-05-SS304	2,697.00	48
26.0-30.0	1.1/2"	DBW-05A-SS304	2,542.00	48	DBF-05A-SS304	2,697.00	48
30.0-33.0	1.1/2"	DBW-06-SS304	3,117.00	40	DBF-06-SS304	3,272.00	32
30.0-33.0	1.1/4"	DBW-06A-SS304	3,117.00	32	DBF-06A-SS304	3,272.00	32
33.0-37.0	1.1/2"	DBW-07-SS304	3,803.00	24	DBF-07-SS304	3,957.00	24
37.0-41.0	2"	DBW-08-SS304	4,709.00	24	DBF-08-SS304	5,084.00	24
41.0-46.0	2"	DBW-09-SS304	7,869.00	20	DBF-09-SS304	8,355.00	20
46.0-52.0	2"	DBW-010-SS304	9,769.00	12	DBF-010-SS304	10,255.00	16
46.0-52.0	2.1/2"	DBW-010A-SS304	9,769.00	12	DBF-010A-SS304	10,255.00	8
52.0-54.0	2.1/2"	DBW-011A-SS304	16,576.00	8	DBF-011A-SS304	17,196.00	8
54.0-61.0	2.1/2"	DBW-011-SS304	16,576.00	8	DBF-011-SS304	17,196.00	8
61.0-66.0	3"	DBW-012-SS304	17,460.00	8	DBF-012-SS304	18,124.00	8
66.0-72.0	3"	DBW-013A-SS304	24,223.00	4	DBF-013A-SS304	24,975.00	4
72.0-78.0	3.1/4"	DBW-013-SS304	24,223.00	4	DBF-013-SS304	24,975.00	4
78.0-84.0	3.1/2"	DBW-014-SS304	24,842.00	2	DBF-014-SS304	25,593.00	6
84.0-94.0	4"	DBW-015-SS304	31,229.00	2	DBF-015-SS304	32,267.00	6
94.0-104.0	4.1/2"	DBW-016-SS304	38,235.00	4	DBF-016-SS304	39,340.00	4



FOR GLAND SIZE	EARTH TAG			LSF/LSZH SHROUD		
	DOWELL'S CAT. NO.	PRICE (₹)	BOX PKG	SHROUD SIZE/CODE	PRICE (₹)	BOX PKG
DBW -01SS/DBF-01SS	DET-20	43.00	200	2023	22.00	1600
DBW -01S/DBF-01S	DET-20	43.00	200	2026	28.00	4000
DBW -01/DBF-01	DET-20	43.00	200	2030	36.00	200
DBW -02A/DBF-02A	DET-20	43.00	200	2030A	38.00	200
DBW -01A/DBF-01A	DET-25	54.00	200	2533	38.00	100
DBW -02/DBF-02	DET-25	54.00	200	2533A	38.00	100
DBW -03/DBF-03	DET-25	54.00	200	2535	47.00	100
DBW -04/DBF-04	DET-25	54.00	200	4000	58.00	100
DBW -04A/DBF-04A	DET-32	64.00	200	4000A	58.00	100
DBW -05/DBF-05	DET-32	64.00	200	3246	60.00	100
DBW -06A/DBF-06A	DET-32	64.00	200	3246A	69.00	100
DBW -05A/DBF-05A	DET-40	70.00	600	3251	95.00	100
DBW -06/DBF-06	DET-40	70.00	600	3251A	95.00	100
DBW -07/DBF-07	DET-40	70.00	600	4053	104.00	60
DBW -08/DBF-08	DET-50	80.00	200	5063	137.00	50
DBW -09/DBF-09	DET-50	80.00	200	5068	151.00	60
DBW -010/DBF-010	DET-50	80.00	200	6371	158.00	50
DBW -010A/DBF-010A	DET-63	146.00	200	6371A	158.00	50
DBW -011A/DBF-011A	DET-63	146.00	200	6388	241.00	30
DBW -011/DBF-011	DET-63	146.00	200	6388A	241.00	30
DBW -012/DBF-012	DET-75	185.00	200	7595	266.00	30
DBW -013A/DBF-013A	DET-75	185.00	200	7595A	266.00	30
DBW -014/DBF-014	DET-90	185.00	200	7595B	362.00	30
DBW -015/DBF-015	DET-100	374.00	200			




FIG 1 Terminating the armouring of an swa cable metallic enclosures

TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



HAND OPERATED CRIMPING TOOL							
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG	mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
1.5-6	SYT-17	1,148.00	1	25-400	SYT-7	19,170.00	1
0.5-16	SYT-2	1,191.00	1	10-35	SYT-53M	2,079.00	1
1.5	SYG-2216	2,097.00	1	0.25-6	SYT-6-6	4,505.00	1
2.5	SYH-1614	1,376.00	1	120	SYT-120	2,357.00	1
4-6	SYI-1210	3,212.00	1	240	SYT-240	3,604.00	1
10-95	SYB-95	9,387.00	1	500	SYT-500	6,584.00	1
10-185	SYB-9502	12,368.00	1	0.5-6	SYT-52 M	1,733.00	1
10-185	SYT-185	19,799.00	1	1.5-4.6	SYT-1546	1,733.00	1
25-400	SYT-400	30,782.00	1	10-185	SYB-9502 H	12,368.00	1
6-50	SYT-9	2,926.00	1	16-300	SYT-106	10,049.00	1
16-50	SYT-50	8,248.00	1	50-400	SYT-109	14,929.00	1



HYDRAULIC CRIMPING TOOLS			
mm ² -RANGE	CAT. NO.	PRICE (₹)	STD PKG
10-300	SYD-20A	24,978.00	1
50-400	SYD-20B	37,680.00	1
10-300	SYD-20C	39,287.00	1
10-1000	SYE-150A	67,111.00	1
10-1000	SYE-150B	57,655.00	1
10-1000	SYE-150C	59,927.00	1
50-630	SYT-102R	55,436.00	1

CORROSION INHIBITING COMPOUND




GTZ - 8785 Rs. 69.00/-

SPECS.	DOWELL'S CAT. NO.	PRICE (₹)	STD PKG
"Hand Operated Hydraulic Pump (Max. Pressure 10000 P.S.I.)"	R-T1242	10,350.00	1
"Jack Hose Pipe Standard 2 meters"	R-T1349	3,583.00	1
"Electrically Operated Power Pack Capacity = Max. pressure 700 Bar Special features: Electrically Operated Pump Electric Motor: 2HP Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68"	SYT-117	2,25,225.00	1



mm ² RANGE	CAT. NO.	PRICE (₹)	STD PKG
UPTO 300	SYD-20A-JACK	23,286.00	1
UPTO 400	SYD-20B-JACK	20,778.00	1
UPTO 630	SYT-102R-JACK	26,223.00	1
UPTO 1000	SYE-150A-JACK	46,969.00	1
UPTO 1000	SYE-150B-JACK	34,534.00	1




dowell's®

**LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS**



Chandan Electric Corporation
Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 **Website** www.chandanelectric.in

Email chandanelectric@hotmail.co.in / info.chandanelectric@gmail.com



CE