PRECISION®

Pipes | Desh ki Lifeline

PRICE LIST
OCT 02, 2026

LEADING PROJECT SUPPLIER & STOCKIST OF ALL TYPES OF ELECTRICAL GOODS

Chandan Electric Corporation
Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

SAFETY MEIN SAMJHOTA NAHIN.



PRECISION®
Pipes | Desh ki Lifeline

ROUND CONDUIT (PVC)
PIPES & FITTINGS

Precision Round Conduit PVC Pipes & Fittings are manufactured from a specially formulated polyvinyl chloride (PVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for PVC conduits, IS 3419 : 1988 and BS 4607 for PVC fittings.

Applications

Channelising concealed and surface wiring

Telecommunication and cable ducting

DIMENSIONS OF ROUND CONDUIT PVC PIPES IS 9537- PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1



Features

- Various Diameters & Grades
- Fire Retardant & Corrosion Free
- Easy and Quick Installation
- Thermal Resistant (-5° C to +60° C)
- Durable & Impact Resistant
- Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C

BLACK | GREY | IVORY | WHITE | RED | GREEN | BLUE | YELLOW

ROUND CONDUIT PVC PIPES (SOCKETED)

HSN: 39172310

IS:9537 Part 3 | CE

BLACK | GREY | IVORY | WHITE | RED | GREEN | BLUE | YELLOW

LMS (LIGHT MECHANICAL STRESS)

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
# 1	PRCS 19L	19	100 x 3m	300	-	25.75
# 2	PRCS 19LNI	19	40 x 3m	-	120	25.75
3	PRCS 20L	20	100 x 3m	300	-	28.00
4	PRCS 20LNI	20	40 x 3m	-	120	28.00
5	PRCS 25L	25	100 x 3m	300	-	38.50
6	PRCS 25LNI	25	25 x 3m	-	75	38.50
7	PRCS 32L	32	50 x 3m	150	-	53.50
8	PRCS 32LNI	32	10 x 3m	-	30	53.50
9	PRCS 40L	40	25 x 3m	75	-	85.00
10	PRCS 40LNI	40	5 x 3m	-	15	85.00
11	PRCS 50L	50	20 x 3m	60	-	121.25
12	PRCS 50LNI	50	5 x 3m	-	15	121.25

MMS (MEDIUM MECHANICAL STRESS)

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
# 13	PRCS 19M	19	100 x 3m	300	-	29.75
# 14	PRCS 19MNI	19	40 x 3m	-	120	29.75
15	PRCS 20M	20	100 x 3m	300	-	31.00
16	PRCS 20MNI	20	40 x 3m	-	120	31.00
17	PRCS 25M	25	100 x 3m	300	-	44.00
18	PRCS 25MNI	25	25 x 3m	-	75	44.00
19	PRCS 32M	32	50 x 3m	150	-	65.50
20	PRCS 32MNI	32	10 x 3m	-	30	65.50
21	PRCS 40M	40	25 x 3m	75	-	93.50
22	PRCS 40MNI	40	5 x 3m	-	15	93.50
23	PRCS 50M	50	20 x 3m	60	-	141.00
24	PRCS 50MNI	50	5 x 3m	-	15	141.00

HMS (HEAVY MECHANICAL STRESS)

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
# 25	PRCS 19H	19	100 x 3m	300	-	39.75
# 26	PRCS 19HNI	19	40 x 3m	-	120	39.75
27	PRCS 20H	20	100 x 3m	300	-	42.50
28	PRCS 20HNI	20	40 x 3m	-	120	42.50
29	PRCS 25H	25	50 x 3m	150	-	54.25
30	PRCS 25HNI	25	25 x 3m	-	75	54.25
31	PRCS 32H	32	50 x 3m	150	-	85.00
32	PRCS 32HNI	32	10 x 3m	-	30	85.00
33	PRCS 40H	40	25 x 3m	75	-	111.25
34	PRCS 40HNI	40	5 x 3m	-	15	111.25
35	PRCS 50H	50	20 x 3m	60	-	168.25
36	PRCS 50HNI	50	5 x 3m	-	15	168.25



ROUND CONDUIT PVC PIPES (SOCKETED)

FRLS | CE

BLACK | GREY | IVORY

MMS (MEDIUM MECHANICAL STRESS)

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
37	PFRL 20MS	20	50 X 3m	150	-	32.50
38	PFRL 20MSNI	20	50 X 3m	-	150	32.50
39	PFRL 25MS	25	50 X 3m	150	-	46.25
40	PFRL 25MSNI	25	50 X 3m	-	150	46.25

HMS (HEAVY MECHANICAL STRESS)

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
41	PFRL 20HS	20	50 X 3m	150	-	44.50
42	PFRL 20HSNI	20	50 X 3m	-	150	44.50
43	PFRL 25HS	25	50 X 3m	150	-	57.00
44	PFRL 25HSNI	25	50 X 3m	-	150	57.00

BLACK | GREY | IVORY

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc. x Mtr.	STANDARD PACK Mtr. / Bdl.	NORTH INDIA PACK Mtr. / Bdl.	RATE Mtr.
# 45	PRCS19SPL	19x1mm	100 X 3m	300	-	21.25
# 46	PRCS19SPLNI	19x1mm	40 X 3m	-	120	21.25
# 47	PRCS20SPL	20x1mm	100 X 3m	300	-	23.50
# 48	PRCS20SPLNI	20x1mm	40 X 3m	-	120	23.50
# 49	PRCS25SPL	25x1mm	100 X 3m	300	-	29.00
# 50	PRCS25SPLNI	25x1mm	25 X 3m	-	75	29.00

Special Size

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

CIRCULAR BOX WITHOUT LID

IS:3419 ISI 1988

BLACK | GREY | IVORY | WHITE



TERMINAL - 1 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
51	PRCB 191	19	20	600	22.25
52	PRCB 201	20	20	600	22.75
53	PRCB 251	25	15	450	28.75
54	PRCB 321	32	10	160	53.00
55	PRCB 401	40	10	160	63.75
56	PRCB 501	50	5	80	114.75



ANGLE - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
57	PRCB 192A	19	20	400	22.75
58	PRCB 202A	20	20	400	23.50
59	PRCB 252A	25	15	300	29.00
60	PRCB 322A	32	10	160	55.75
61	PRCB 402A	40	10	160	69.25
62	PRCB 502A	50	5	80	123.75



THROUGH - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
63	PRCB 192S	19	20	400	22.75
64	PRCB 202S	20	20	400	23.50
65	PRCB 252S	25	15	300	29.00
66	PRCB 322S	32	10	160	55.75
67	PRCB 402S	40	10	160	69.25
68	PRCB 502S	50	5	80	123.75



TEE - 3 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
69	PRCB 193	19	20	400	25.50
70	PRCB 203	20	20	400	27.00
71	PRCB 253	25	15	300	34.75
72	PRCB 323	32	10	160	57.25
73	PRCB 403	40	10	160	72.50
74	PRCB 503	50	5	80	133.25



INTERSECTION - 4 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
75	PRCB 194	19	20	400	28.00
76	PRCB 204	20	20	400	28.50
77	PRCB 254	25	15	240	39.25
78	PRCB 324	32	10	160	60.50
79	PRCB 404	40	10	160	82.50
80	PRCB 504	50	5	80	145.00



TERMINAL - 1 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
81	PRCB 191D	19	10	280	37.00
82	PRCB 201D	20	10	280	38.50
83	PRCB 251D	25	10	280	45.50
84	PRCB 321D	32	10	280	53.25



ANGLE - 2 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
85	PRCB 192AD	19	10	280	39.00
86	PRCB 202AD	20	10	280	39.50
87	PRCB 252AD	25	10	280	47.50
88	PRCB 322AD	32	10	220	57.50



THROUGH - 2 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
89	PRCB 192SD	19	10	200	39.00
90	PRCB 202SD	20	10	200	39.50
91	PRCB 252SD	25	10	200	47.50
92	PRCB 322SD	32	10	200	57.50



TEE - 3 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
93	PRCB 193D	19	10	220	44.00
94	PRCB 203D	20	10	220	44.50
95	PRCB 253D	25	10	220	55.75
96	PRCB 323D	32	10	160	61.75

Also available in Red and Green.

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419 ISI 1988

BLACK GREY IVORY WHITE

CIRCULAR BOX WITHOUT LID



INTERSECTION - 4 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
97	PRCB 194D	19	10	220	44.50
98	PRCB 204D	20	10	220	45.50
99	PRCB 254D	25	10	220	58.75
100	PRCB 324D	32	10	160	63.75



BRANCH - 2 WAY (U)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
101	PRCB 19U	19	20	400	39.50
102	PRCB 20U	20	20	400	39.75
103	PRCB 25U	25	20	400	53.75



BRANCH - 3 WAY (Y)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
104	PRCB 19Y	19	20	400	42.50
105	PRCB 20Y	20	20	320	44.50
106	PRCB 25Y	25	15	300	58.50



BRANCH - 4 WAY (H)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
107	PRCB 19H	19	15	300	44.75
108	PRCB 20H	20	15	300	46.25
109	PRCB 25H	25	15	300	62.75



BACK OUTLET - 1 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
110	PRCB 201 BO	20	20	400	39.25
111	PRCB 251 BO	25	15	300	55.75



BACK OUTLET THROUGH - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
112	PRCB 202S BO	20	20	400	39.50
113	PRCB 252S BO	25	15	300	58.50

Also available in Red and Green.



BACK OUTLET ANGLE - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
114	PRCB 202A BO	20	20	400	39.50
115	PRCB 252A BO	25	15	300	58.50



BACK OUTLET TEE - 3 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
116	PRCB 203 BO	20	20	400	44.50
117	PRCB 253 BO	25	15	300	63.25



WITH SCREW
CIRCULAR LID

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
»118	PRCL65	65	100	2000	7.50
¤ 119	PRCL80	80	100	2000	14.25
120	PRCL85	85	100	2000	14.25
121	PRCL90	90	100	1800	15.50
~ 122	PRCL93	93	25	750	15.50
123	PRCL110	110	50	900	24.25



WITHOUT SCREW
CIRCULAR LID

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
»124	PRCL65WS	65	100	2000	6.25
¤ 125	PRCL80WS	80	100	2000	13.25
126	PRCL85WS	85	100	2000	13.25
127	PRCL90WS	90	100	1800	15.00
~ 128	PRCL93WS	93	25	750	15.00
129	PRCL110WS	110	50	900	23.75

»65 - For 19/20/25mm JB, DJB & 32 DJB ¤ 80 - For 32/40mm JB ~ 93 - For 50mm JB

CIRCULAR BOX WITH LID & SCREW



TERMINAL - 1 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
130	PRCB 191L	19	20	600	30.50
131	PRCB 201L	20	20	600	31.00
132	PRCB 251L	25	15	450	37.25
133	PRCB 321L	32	10	160	67.50
134	PRCB 401L	40	10	160	78.50
135	PRCB 501L	50	5	80	131.00

ROUND CONDUIT PVC PIPE FITTINGS
HSN: 39174000

IS:3419 ISI 1988

BLACK | GREY | IVORY | WHITE



ANGLE - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
136	PRCB 192AL	19	20	400	31.00
137	PRCB 202AL	20	20	400	31.75
138	PRCB 252AL	25	15	300	37.25
139	PRCB 322AL	32	10	160	70.25
140	PRCB 402AL	40	10	160	83.75
141	PRCB 502AL	50	5	80	140.00



THROUGH - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
142	PRCB 192SL	19	20	400	31.00
143	PRCB 202SL	20	20	400	31.75
144	PRCB 252SL	25	15	300	37.25
145	PRCB 322SL	32	10	160	70.25
146	PRCB 402SL	40	10	160	83.75
147	PRCB 502SL	50	5	80	140.00



TEE - 3 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
148	PRCB 193L	19	20	400	34.00
149	PRCB 203L	20	20	400	35.00
150	PRCB 253L	25	15	300	42.75
151	PRCB 323L	32	5	110	71.75
152	PRCB 403L	40	5	110	87.25
153	PRCB 503L	50	5	80	149.75



INTERSECTION - 4 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
154	PRCB 194L	19	20	320	36.00
155	PRCB 204L	20	20	320	37.00
156	PRCB 254L	25	15	240	47.50
157	PRCB 324L	32	5	110	75.00
158	PRCB 404L	40	5	110	97.00
159	PRCB 504L	50	5	80	161.50

DEEP CIRCULAR BOX WITH LID & SCREW



TERMINAL - 1 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
160	PRCB 191DL	19	10	280	44.75
161	PRCB 201DL	20	10	280	46.75
162	PRCB 251DL	25	10	280	54.00
163	PRCB 321DL	32	10	280	72.50



ANGLE - 2 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
164	PRCB 192ADL	19	10	280	47.25
165	PRCB 202ADL	20	10	280	47.75
166	PRCB 252ADL	25	10	280	55.75
167	PRCB 322ADL	32	10	220	75.25



THROUGH - 2 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
168	PRCB 192SDL	19	10	200	47.25
169	PRCB 202SDL	20	10	200	47.75
170	PRCB 252SDL	25	10	200	55.75
171	PRCB 322SDL	32	10	200	75.25



TEE - 3 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
172	PRCB 193DL	19	10	220	52.25
173	PRCB 203DL	20	10	220	53.00
174	PRCB 253DL	25	10	220	64.25
175	PRCB 323DL	32	10	160	76.50



INTERSECTION - 4 WAY
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
176	PRCB 194DL	19	10	220	52.75
177	PRCB 204DL	20	10	220	54.00
178	PRCB 254DL	25	10	220	67.00
179	PRCB 324DL	32	10	160	80.00

Also available in Red and Green.

ROUND CONDUIT PVC PIPE FITTINGS
HSN: 39174000

IS:3419 ISI 1988

BLACK | GREY | IVORY | WHITE



BRANCH - 2 WAY (U)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
180	PRCB 19UL	19	20	400	47.75
181	PRCB 20UL	20	20	400	48.25
182	PRCB 25UL	25	20	400	62.00



BRANCH - 3 WAY (Y)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
183	PRCB 19YL	19	15	300	50.75
184	PRCB 20YL	20	20	320	53.00
185	PRCB 25YL	25	15	300	66.50



BRANCH - 4 WAY (H)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
186	PRCB 19HL	19	15	300	53.25
187	PRCB 20HL	20	15	300	54.50
188	PRCB 25HL	25	15	300	71.00



BACK OUTLET - 1 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
189	PRCB 201 BOL	20	20	400	47.50
190	PRCB 251 BOL	25	15	300	64.25



BACK OUTLET THROUGH - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
191	PRCB 202S BOL	20	15	300	48.00
192	PRCB 252S BOL	25	15	240	66.50



BACK OUTLET ANGLE - 2 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
193	PRCB 202A BOL	20	15	300	48.00
194	PRCB 252A BOL	25	15	240	66.50

Also available in Black, Grey and Ivory.



BACK OUTLET TEE - 3 WAY
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
195	PRCB 203 BOL	20	15	300	53.00
196	PRCB 253 BOL	25	15	240	71.50

PP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY
(POLYPROPYLENE)
CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
197	PPCB194L	19	20	320	32.75
198	PPCB254L	25	15	240	39.25

PP DEEP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY
(POLYPROPYLENE)
DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
199	PPCB194DL	19	10	220	47.75
200	PPCB254DL	25	10	220	55.75



CIRCULAR EXTENSION RING

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
201	PRER 20	20	50	800	16.25
202	PRER 25	25	40	640	21.25



LOOP IN BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
203	PRLB 19	19 (4 punch)	20	400	23.25
204	PRLB 20	20 (4 punch)	20	400	23.25
205	PRLB 25	25 (2 punch)	20	400	23.25

ROUND CONDUIT PVC PIPE FITTINGS
HSN: 39174000

IS:3419 ISI 1988

BLACK | GREY | IVORY | WHITE



LOOP IN BOX EXTENSION

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
206	PRLB 20E	20	24	384	34.75



COUPLER

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
207	PCR 19	19	100	2000	6.75
208	PCR 20	20	100	2000	7.50
209	PCR 20 L	20 Long	150	2400	7.75
210	PCR 25	25	100	2000	10.00
211	PCR 32	32	60	960	16.75
212	PCR 40	40	30	480	28.25
213	PCR 50	50	20	320	47.75



(PIPE TO FITTING)
REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
214	PRR1	25>20	250	4000	10.00



(PIPE TO PIPE)
REDUCER COUPLER

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
215	PRR 2520	25 > 20	70	1400	10.00
216	PRR 3220	32 > 20	60	1200	12.50
217	PRR 3225	32 > 25	40	800	16.75
218	PRR 4020	40 > 20	48	960	21.25
219	PRR 4032	40 > 32	32	640	23.25
220	PRR 5032	50 > 32	30	480	28.00
221	PRR 5040	50 > 40	30	480	28.25



SLIP TYPE BEND

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
222	PRBN 19	19	65	1040	10.50
223	PRBN 20	20	65	1040	11.50
224	PRBN 25	25	35	560	17.75
225	PRBN 32	32	20	320	50.50
226	PRBN 40	40	10	160	128.75
227	PRBN 50	50	5	80	177.00



SLIP TYPE LONG BEND

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
228	PRBL 20	20	45	720	16.75
229	PRBL 25	25	20	320	27.25
230	PRBL 32	32	10	160	71.50
231	PRBL 40	40	-	80	164.00
232	PRBL 50	50	-	55	256.75



SPACE BAR SADDLE

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
233	PRBS 19	19	100	2000	9.25
234	PRBS 20	20	100	2000	10.00
235	PRBS 25	25	100	2000	12.00
236	PRBS 32	32	100	1600	20.00
237	PRBS 40	40	80	1280	22.25
238	PRBS 50	50	60	960	26.50
239	PRBS 63	63	-	50	34.00



SADDLE STRAP

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
240	PRSS 19	19	100	2000	6.00
241	PRSS 20	20	100	2000	6.25
242	PRSS 25	25	100	2000	7.50
243	PRSS 32	32	100	1600	9.25
244	PRSS 40	40	80	1280	12.00
245	PRSS 50	50	60	960	15.25



(POLYPROPYLENE)
SELF LOCKING SADDLE CLIP

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
246	PPSC20SL	20	75	450	5.75
247	PPSC25SL	25	50	300	7.00



ROUND 'U' CLIP

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
248	PRUC 20	20	200	4000	10.25
249	PRUC 25	25	100	3000	15.25

Also available in Red, Green, Blue and Yellow.

ROUND CONDUIT PVC PIPE FITTINGS
HSN: 39174000

IS:3419 ISI 1988

BLACK | GREY | IVORY | WHITE



END CAP

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
250	PREC 20	20	150	3000	4.00
251	PREC 25	25	100	2000	6.75
252	PREC 32	32	70	1400	7.50
253	PREC 40	40	32	640	14.75
254	PREC 50	50	24	480	20.50



MALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
255	PMBA 19	19	100	2000	10.00
256	PMBA 20	20	100	2000	10.50
257	PMBA 25	25	100	2000	12.50



FEMALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
258	PFBA 19	19	100	2000	10.00
259	PFBA 20	20	100	2000	10.50
260	PFBA 25	25	100	2000	13.00
261	PFBA 32	32	75	1200	20.00
262	PFBA 40	40	50	800	26.75
263	PFBA 50	50	25	400	44.50



ROUND ELBOW

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
264	PRE 20	20	125	2500	10.00
265	PRE 25	25	75	1200	13.00
266	PRE 32	32	20	400	18.00
267	PRE 40	40	15	300	27.50
268	PRE 50	50	10	200	44.25



ROUND TEE

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
269	PRT 20	20	50	1500	15.50
270	PRT 25	25	50	800	19.75
271	PRT 32	32	15	300	22.25
272	PRT 40	40	10	200	32.50
273	PRT 50	50	10	160	51.25



INSPECTION ELBOW

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
274	PIE 20	20	20	600	39.75
275	PIE 25	25	20	400	49.50



INSPECTION TEE

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
276	PIT 20	20	20	600	39.50
277	PIT 25	25	20	400	58.50



INSPECTION BEND

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
278	PIB 20	20	20	600	39.50
279	PIB 25	25	20	400	58.00



ADAPTABLE BOX WITH LID

	SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
Δ	280	PAB 75L	3" x 3" x 2"	10	200	85.00
			75x75x50			
◊	281	PAB 110L	4" x 4" x 3"	-	100	166.25
			110x110x75			
	282	PAB 160L	6" x 4" x 3"	-	75	335.25
			160x110x75			
	283	PAB 160SL	6" x 6" x 3"	-	50	366.75
			160x160x75			
	284	PAB 225SL	9" x 9" x 3"	-	20	793.75
			225x225x75			

Δ 32/38/40mm Knockout Available ◊ 50mm Knockout Available



(WHITE) SURFACE SWITCH BOX

	SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
⋇	285	PSB1	3" x 3"	10	300	53.50
⋇	286	PSB2	6" x 3"	10	200	91.00

⋇ 20mm Knockout Available

ROUND CONDUIT PVC PIPE FITTINGS
HSN: 39174000

IS:3419 ISI 1988

BLACK GREY IVORY WHITE

(WHITE)
SWITCH BOX LID

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
287	PSBL1 LID	3" x 3"	40	1200	23.50
288	PSBL2 LID	6" x 3"	25	750	31.75



(SWITCH BOX)
FLUSH MOUNTED

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc /Box	STANDARD PACK Pc /Carton	RATE Pc
≠ 289	PFSB1	3"x3"x 2"	10	200	60.50
≠ 290	PFSB2	6"x3"x 2"	10	160	80.75

≠ 20/25mm Knockout Available



(BLACK)
FAN BOX

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
291	PRFB20	20 Standard	10	220	63.75
292	PRFB25	25 Standard	10	220	63.75
293	PRFB20SL	20 Large	10	140	86.25
294	PRFB25SL	25 Large	10	140	86.25
295	PRFBRD2025	20/25 with Rod	1	28	253.50
296	PRFBRD25	25 with Rod	1	28	253.50

ADD ONS



METAL FAN BOX
WITH ROD (BROWN)
HSN : 73072900

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
¥ 297	PMFB 2025	20/25	2	40	171.50

¥ 25mm Four Sockets & 20mm Three Knockouts



METAL FAN BOX
WITH ROD (BROWN)
HSN : 73072900

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
€ 298	PMFB 2525	25/25	2	40	158.00

€ 25mm Seven Knockouts



PVC SOLVENT CEMENT
HSN: 35061000

SR. NO.	PRODUCT CODE	SIZE (ml)	STANDARD PACK Colour	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
299	PSC100 ML	100ml	Transparent	24	144	94.50
300	PSC250 ML	250ml	Transparent	24	96	169.75
301	PSC500 ML	500ml	Transparent	12	48	288.25
302	PSC1L	1L	Transparent	6	24	495.75
303	PSC5L	5L	Transparent	-	6	2057.75



PVC ELECTRICAL INSULATION TAPE
HSN : 85469090

BLACK WHITE RED GREEN BLUE YELLOW

SR. NO.	PRODUCT CODE	SIZE W(mm)xL(Mtr)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
304	PPIT 18	18 x 6	30	540	13.75



BENDING SPRING
HSN : 73201019

BLACK SILVER GOLD


SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK Pc/Bag	STANDARD PACK Pc/Carton	RATE Pc
		LIGHT GAUGE				
305	PBS20L	20	Black	10	50	265.00
306	PBS25L	25	Black	5	30	351.50
		MEDIUM GAUGE				
307	PBS20M	20	Silver	10	50	265.00
308	PBS25M	25	Silver	5	30	351.50
		HEAVY GAUGE				
Ø 309	PBS20H	20	Gold	10	50	265.00
310	PBS25H	25	Gold	5	30	351.50

Ø Suitable for 19mm LMS and 19mm MMS conduits also.

PRECISION®
Pipes | Desh ki Lifeline

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh enviroment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



Applications

Enclosure boxes for electrical installations
Suitable for Outdoor / Indoor environment

Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from –40°C to +90°C
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well



ALL WEATHER BOXES
IP 67 HSN: 85381010

GREY



ALL WEATHER BOXES OPAQUE LID WITH KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
₵ 311	PAB 8888OL	88 x 88 x 53	27	255.25
₵ 312	PAB 9898OL	98 x 98 x 61	24	294.50
313	PAB 139119OL	139 x 119 x 70	10	287.75
314	PAB 167125OL	167 x 125 x 82	12	355.00
315	PAB 200160OL	200 x 160 x 98	8	557.25

₵ With Connector



ALL WEATHER BOXES OPAQUE LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
316	PAB 8383OL	83 x 83 x 65	21	266.75
317	PAB 100100OL	100 x 100 x 65	21	295.75
318	PAB 13080OL	130 x 80 x 65	16	339.25
319	PAB 130130OL	130 x 130 x 80	16	498.75
320	PAB 18080OL	180 x 80 x 90	12	410.75
321	PAB 1801OL	180 x 130 x 75	16	555.00
322	PAB 1802OL	180 x 130 x 100	12	564.25
323	PAB 180180OL	180 x 180 x 100	20	722.25
324	PAB 210190OL	210 x 190 x 100	6	832.00
325	PAB 27080OL	270 x 80 x 90	12	501.75
326	PAB 280190OL	280 x 190 x 130	4	1026.75
327	PAB 280280OL	280 x 280 x 130	2	1441.50
328	PAB 380190OL	380 x 190 x 130	3	1329.00
329	PAB 380280OL	380 x 280 x 130	2	1885.25
330	PAB 560380OL	560 x 380 x 180	2	4378.75



ALL WEATHER BOXES TRANSPARENT LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
331	PAB 18080TL	180 x 80 x 90	12	473.25
332	PAB 27080TL	270 x 80 x 90	12	587.25
333	PAB 180130TL	180 x 130 x 100	12	575.25
334	PAB 180180TL	180 x 180 x 100	20	742.25
335	PAB 210190TL	210 x 190 x 100	6	865.00
336	PAB 280190TL	280 x 190 x 130	4	1116.00
337	PAB 280280TL	280 x 280 x 130	2	1509.25
338	PAB 380190TL	380 x 190 x 130	3	1514.75
339	PAB 380280TL	380 x 280 x 130	2	2192.75
340	PAB 560380TL	560 x 380 x 180	2	4984.25




PG GLANDS (PP)
HSN: 39174000

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
341	PPPG 7GL	7	600	5.75
342	PPPG 9GL	9	320	7.50
343	PPPG 11GL	11	240	8.00
344	PPPG 13.5GL	13.5	300	7.25
345	PPPG 16GL	16	240	8.50
346	PPPG 19GL	19	180	11.50
347	PPPG 21GL	21	120	13.50
348	PPPG 25GL	25	120	17.00

PRECISION®
Pipes | Desh ki Lifeline

G.I & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part– 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.



Applications

Channelising electrical surface wiring and cable ducting

DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Wall Thickness (mm)	Wall Thickness Tolerance (mm)
20	20	0 -0.3	1.4 - 1.6	±0.2
25	25	0 -0.4	1.4 - 1.6	±0.2
32	32	0 -0.4	1.4 - 1.6	±0.2
40	40	0 -0.4	1.6 - 2.0	+0.2 - 0.4
50	50	0 -0.5	1.6 - 2.0	+0.2 - 0.4

Features

- Anti - Rust Coat
- Good Finish
- Easy to Cut
- High Resistance to Corrosion

G.I. - SILVER

M.S. - BLACK

G.I. & M.S. CONDUIT PIPES
HSN: 73069090

IS: 9537 Part-2

G.I. - SILVER | M.S. - BLACK



COLOUR : SILVER
G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Mtr	Mtr./Bdl.	(Mtr)
349	PGIC 20	20	26 x 3m	78	265.00
350	PGIC 25	25	21 x 3m	63	320.00
351	PGIC 32	32	16 x 3m	48	490.00
352	PGIC 40	40	10 x 3m	30	760.00
353	PGIC 50	50	5 x 3m	15	860.00



COLOUR : BLACK
M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Mtr	Mtr./Bdl.	(Mtr)
354	PMSC 20	20	26 x 3m	78	170.00
355	PMSC 25	25	21 x 3m	63	210.00
356	PMSC 32	32	16 x 3m	48	300.00
357	PMSC 40	40	10 x 3m	30	500.00
358	PMSC 50	50	5 x 3m	15	650.00

G.I. & M.S. CONDUIT PIPE FITTINGS
HSN: 73269099
CIRCULAR BOX WITH LID AND SCREW

G.I. - SILVER | M.S. - BLACK



TERMINAL -1 WAY (SCREW TYPE)
G.I. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
359	PGIB 201	20	20	200	80.25
360	PGIB 251	25	20	200	93.50



THROUGH - 2 WAY (SCREW TYPE)
M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
365	PMSB 202S	20	20	200	80.25
366	PMSB 252S	25	20	200	90.25



TERMINAL -1 WAY (SCREW TYPE)
M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
361	PMSB 201	20	20	200	80.25
362	PMSB 251	25	20	200	90.25



TEE - 3 WAY (SCREW TYPE)
G.I. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
367	PGIB 203	20	20	200	80.25
368	PGIB 253	25	20	200	93.50



THROUGH - 2 WAY (SCREW TYPE)
G.I. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
363	PGIB 202S	20	20	200	80.25
364	PGIB 252S	25	20	200	93.50



TEE - 3 WAY (SCREW TYPE)
M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
369	PMSB 203	20	20	200	80.25
370	PMSB 253	25	20	200	90.25

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

CIRCULAR BOX WITH LID AND SCREW

G.I. - SILVER | M.S. - BLACK

INTERSECTION - 4 WAY (SCREW TYPE)
G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
371	PGIB 204	20	20	200	80.25
372	PGIB 254	25	20	200	93.50

INTERSECTION - 4 WAY (SCREW TYPE)
M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
373	PMSB 204	20	20	200	80.25
374	PMSB 254	25	20	200	90.25

SCREW TYPE
G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
375	PGI 20IBS	20	20	200	76.75
376	PGI 25IBS	25	20	200	83.50

SCREW TYPE
M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
377	PMS 20IBS	20	20	200	76.75
378	PMS 25IBS	25	20	200	83.50

SCREW TYPE
M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
379	PMS 20NBS	20	12	144	87.00
380	PMS 25NBS	25	12	144	120.25

SCREW TYPE
G.I.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
381	PGI 20NBS	20	12	144	87.00
382	PGI 25NBS	25	12	144	120.25

PRECISION®
Pipes | Desh ki Lifeline

PVC MINI/MAXI TRUNKING
PROFILE & FITTINGS

Precision PVC Mini/Maxi Trunking Profile & Fittings are manufactured from high impact polyvinyl chloride (PVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance

Precision PVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for seperate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors

Applications

To organize and protect cables on surface

Features

- Easy and Quick Installation
- Secure & Elegant Look
- Fire Retardant
- Various Diameters & Grades
- Durable & Impact Resistant
- Thermal Resistant (-5° C to +60° C)



IVORY WHITE

PVC MINI / MAXI TRUNKING PROFILE
HSN: 39162019

IS: 14927 Part-2 | CE | FR

IVORY | WHITE

IVORY/WHITE
PVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH) (mm)	STANDARD PACK Pc./Mtr	STANDARD PACK Mtr / Bdl	RATE (Mtr)
383	PT2012	20 x 12	100 x 2m	200	27.00
384	PT2512	25 x 12	100 x 2m	200	31.75
385	PT3015	30 x 15	100 x 2m	200	34.00
386	PT3212	32 x 12	100 x 2m	200	39.50
387	PT 3212SPL	32 x 12	100 x 2m	200	33.00
388	PT1616	16 x 16	100 x 2m	200	25.75
389	PT2516	25 x 16	100 x 2m	200	38.50
390	PT 2516SPL	25 x 16	100 x 2m	200	31.75
391	PT3216	32 x 16	100 x 2m	200	35.25
392	PT3816	38 x 16	50 x 2m	100	61.75
393	PT3825	38 x 25	50 x 2m	100	69.75
394	PT3838	38 x 38	25 x 2m	50	92.50
395	PT5016	50 x 16	50 x 2m	100	106.50

WHITE
PVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH) (mm)	STANDARD PACK Pc./Mtr	STANDARD PACK Mtr / Bdl	RATE (Mtr)
396	PT5050	50 x 50	20 x 2m	40	179.25
397	PT7550	75 x 50	12 x 2m	24	433.75
398	PT7575	75 x 75	9 x 2m	18	567.00
399	PT10050	100 x 50	10 x 2m	20	706.75
400	PT100100	100 x 100	6 x 2m	12	906.25
401	PT15050	150 x 50	5 x 2m	10	1074.75
402	PT150100	150 x100	4 x 2m	8	1307.25

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)
HSN: 39174000

IVORY | WHITE

COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
403	PTC 2012	20 x 12	100	4.00
404	PTC 2512	25 x 12	100	3.75
405	PTC 3212	32 x 12	100	3.75
406	PTC 1616	16 x 16	100	4.00

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
411	PTT 2012	20 x 12	100	6.75
412	PTT 2512	25 x 12	50	6.25
413	PTT 3212	32 x 12	50	7.50
414	PTT 1616	16 x 16	100	6.75

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
407	PTB 2012	20 x 12	100	6.25
408	PTB 2512	25 x 12	100	4.00
409	PTB 3212	32 x 12	100	6.75
410	PTB 1616	16 x 16	100	4.00

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
415	PTI 2512	25 x 12	100	2.75
416	PTI 3212	32 x 12	100	4.00
417	PTI 1616	16 x 16	100	4.00

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)
HSN: 39174000

IVORY WHITE



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
418	PTE 2512	25 x 12	100	3.75
419	PTE 3212	32 x 12	100	6.25
420	PTE 1616	16 x 16	100	6.75



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
421	PTW3212	32 x 12	50	12.50



(POLY PROPYLENE)
JUNCTION LINKER

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
422	PTJL7575	Standard	35	560	15.25



TRUNKING KNOCKOUT
SURFACE SWITCH BOX

	SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	STANDARD PACK Pc./Carton	RATE Pc
$	423	PTSB1	3"x3" (W)	10	300	53.00
$	424	PTSB2	6"x3" (W)	10	200	88.00

$ 16 x 16, 25 x 16 Knockout Available
(W) - White

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)
HSN: 39174000

WHITE



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
425	PMTL50	50 x 50	5	103.50
426	PMTL751	75 x 50	5	247.00
427	PMTL752	75 x 75	5	295.00
428	PMTL1001	100 x 50	5	397.50
429	PMTL1002	100 x 100	5	422.50
430	PMTL1501	150 x 50	5	398.75



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
431	PMTT50	50 x 50	5	145.00
432	PMTT751	75 x 50	5	247.00
433	PMTT752	75 x 75	5	295.00
434	PMTT1001	100 x 50	5	305.75
435	PMTT1002	100 x 100	5	422.50
436	PMTT1501	150 x 50	5	398.75



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
437	PMTI50	50 x 50	5	103.50
438	PMTI751	75 x 50	5	247.00
439	PMTI752	75 x 75	5	295.00
440	PMTI1001	100 x 50	5	392.25
441	PMTI1002	100 x 100	5	422.50
442	PMTI1501	150 x 50	5	398.75



EXTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
443	PMTE50	50 x 50	5	103.50
444	PMTE751	75 x 50	5	247.00
445	PMTE752	75 x 75	5	295.00
446	PMTE1001	100 x 50	5	392.25
447	PMTE1002	100 x 100	5	422.50
448	PMTE1501	150 x 50	5	398.75



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
449	PFTC50	50 x 50	50	29.75
450	PFTC751	75 x 50	50	40.25
451	PFTC752	75 x 75	50	47.00
452	PFTC1001	100 x 50	50	60.00
453	PFTC1002	100 x 100	20	98.25
454	PFTC1501	150 x 50	20	108.00

PRECISION®
Pipes | Desh ki Lifeline

PVC PANEL TRUNKING

Precision PVC Panel Trunking is manufactured from high impact polyvinyl chloride (PVC) to ensure panel & machinery safety in extreme conditions.These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers

Features

Fire Retardant

Thermal Resistant (-5° C to +60° C)

High Tensile Strength (390kg/cm²)

- Non - brittle, wrap proof
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



GREY

PVC PANEL TRUNKING
HSN: 85381010

≈ FRLS | CE

GREY



STANDARD SLOT
PVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		H x W(mm)	Pc/Mtr	Mtr/Carton	(Mtr)
455	PPT1515	15 x 15	200 x 1m	200	59.00
456	PPT2525	25 x 25	130 x 1m	130	89.25
457	PPT3025	30 x 25	125 x 1m	125	95.25
458	PPT4525	45 x 25	90 x 1m	90	117.25
459	PPT4545	45 x 45	50 x 1m	50	161.25
460	PPT4560	45 x 60	50 x 1m	50	209.00
461	PPT6025	60 x 25	70 x 1m	70	149.75
462	PPT6040	60 x 40	60 x 1m	60	187.25
463	PPT6045	60 x 45	50 x 1m	50	188.50
464	PPT6060	60 x 60	40 x 1m	40	236.00
465	PPT7525	75 x 25	60 x 1m	60	190.00
466	PPT7575	75 x 75	30 x 1m	30	346.75
467	PPT10075	100 x 75	24 x 1m	24	570.00
468	PPT100100	100 x 100	16 x 1m	16	674.00



THIN SLOT
PVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		H x W(mm)	Pc/Mtr	Mtr/Carton	(Mtr)
469	PPT3025TS	30 x 25	125 x 1m	125	99.50
470	PPT4525TS	45 x 25	90 x 1m	90	122.25
471	PPT4545TS	45 x 45	50 x 1m	50	171.25
472	PPT4560TS	45 x 60	50 x 1m	50	211.75
473	PPT6025TS	60 x 25	70 x 1m	70	160.25
474	PPT6040TS	60 x 40	60 x 1m	60	196.75
475	PPT6045TS	60 x 45	50 x 1m	50	198.25
476	PPT6060TS	60 x 60	40 x 1m	40	249.50



TOP COVER
PVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		(mm)	Pc/Mtr	Mtr/Carton	(Mtr)
477	PPT25T	25	100 x 1m	100	37.25
478	PPT40T	40	50 x 1m	50	60.50
479	PPT45T	45	50 x 1m	50	64.25
480	PPT60T	60	50 x 1m	50	98.50
481	PPT75T	75	25 x 1m	25	99.50
482	PPT100T	100	25 x 1m	25	159.00

≈ FRLS: Fire Retardant - Low Smoke

PRECISION®
Pipes | Desh ki Lifeline

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes & Fittings come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.

Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to +90°C.

Steel Wire Reinforced Flexible PVC Conduits are manufactured with soft polyvinyl chloride (PVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to +90°C.

Galvanised Steel Flexible Conduit
Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type constrution and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions

Fire Retardant

Corrosion Free

Galvanised Steel Flexible Conduit With PVC Coating
Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



BLACK GREY IVORY WHITE RED GREEN BLUE YELLOW

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN: 39173100

BLACK | GREY | IVORY | WHITE | RED | GREEN | BLUE | YELLOW

DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	- 0.1	7.0
16	16	- 0.3	10.7
20	20	- 0.3	14.1
25	25	- 0.4	18.3
32	32	- 0.4	24.3
40	40	- 0.4	31.2
50	50	- 0.5	39.6
63	63	- 0.6	52.6

(PP) POLY PROPYLENE



BLACK | GREY | IVORY

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
483	PCFC 10	10	100	1000	12.00
484	PCFC 16	16	50	500	12.00
485	PCFC 20	20	50	500	16.25
486	PCFC 25	25	25	250	23.25
487	PCFC 32	32	25	250	39.00
488	PCFC 40	40	20	100	54.25
489	PCFC 50	50	15	75	81.00
490	PCFC 63	63	10	50	124.75

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

WHITE | RED | GREEN | BLUE | YELLOW

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
491	PCCL 10	10	100	1000	17.50
492	PCCL 16	16	50	500	19.00
493	PCCL 20	20	50	500	26.50
494	PCCL 25	25	25	250	35.25
495	PCCL 32	32	25	250	58.00
496	PCCL 40	40	20	100	68.50
497	PCCL 50	50	15	75	94.00
498	PCCL 63	63	10	50	146.00

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000 BLACK GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
499	PFAG 16	16	125	2250	6.25
500	PFAG 20	20	75	1350	8.50
501	PFAG 25	25	50	900	11.25
502	PFAG 32	32	30	540	12.25
503	PFAG 40	40	20	360	19.75
504	PFAG 50	50	5	150	26.75

GALVANIZED STEEL FLEXIBLE CONDUIT PIPE

HSN : 83071000 SILVER



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
520	PGIFC 16	16	1/2″	15	210	51.75
521	PGIFC 20	20	3/4″	15	150	69.00
522	PGIFC 25	25	1″	15	105	105.75
523	PGIFC 32	32	$1^{1/4}$″	15	75	126.25
524	PGIFC 40	40	$1^{1/2}$″	15	75	141.50
525	PGIFC 50	50	2″	10	50	210.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT PIPE

HSN : 39172190 GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		ID (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
505	PCWR 10	10	30	300	50.00
506	PCWR 16	16	30	300	65.50
507	PCWR 20	20	30	240	84.75
508	PCWR 25	25	30	210	104.00
509	PCWR 30	30	30	150	134.75
510	PCWR 40	40	30	120	155.75
511	PCWR 50	50	30	90	186.50
512	PCWR 60	60	15	75	261.50

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000 BLACK GREY



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
526	PGIFCP 16	16	1/2″	50	250	79.25
527	PGIFCP20	20	3/4″	25	150	106.00
528	PGIFCP 25	25	1″	25	125	161.00
529	PGIFCP 32	32	$1^{1/4}$″	15	75	191.75
530	PGIFCP 40	40	$1^{1/2}$″	15	75	226.00
531	PGIFCP 50	50	2″	15	60	321.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT GLAND

HSN : 39174000 GREY



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
513	PFRG 10	10	75	1350	11.25
514	PFRG 16	16	60	1080	12.50
515	PFRG 20	20	45	810	16.00
516	PFRG 25	25	30	540	21.00
517	PFRG 30	30	20	360	26.25
518	PFRG 40	40	15	270	34.50
519	PFRG 50	50	5	150	49.75

PRECISION®
Pipes | Desh ki Lifeline

CABLE TIES

Precision Cable Ties are manufactured primarily from high-strength nylon, engineered fastening devices designed to securely bundle and organize cables, wires, and other components. Ties feature ratcheting mechanism that allows the strap to lock in place, providing a reliable and tamper - resistant hold. Precision Cables ties are available in various lengths, tensile strength ranges from 78N to 530N depending on size and width. Precision ties are widely used across electrical, automotive, aerospace, and industrial applications.



Applications

Industrial & Manufacturing Securing components during assembly or transit bundling wires, hoses and tubing Automotive Organizing engine bay wiring , Fastening brake lines or fuel hoses Aerospace managing miles of cabling in aircraft Electronics & IT cable management in server racks and data centers.

STANDARD DIMENSIONS & SPECIFICATIONS OF CABLE TIES

Size	Length	Thickness	Tensile Strength			Bundle Diameter	
(mm)	(mm)	(mm)	Kg.	LBS	Newton	Min.	Max.
100 x 2.5	100	0.95	8	18	78	2	22
150 x 3.0	150	1.1	14	31	137	4	37
150 x 3.6	150	1.1	18	40	177	4	38
200 x 3.6	200	1.15	18	40	177	4	53
200 x 4.8	200	1.15	22	49	216	4	51
250 x 3.6	250	1.15	18	40	177	4	70
250 x 4.8	250	1.4	22	49	216	4	68
300 x 3.6	300	1.15	18	40	177	4	85
350 x 3.6	350	1.3	18	40	177	4	101
350 x 4.8	350	1.3	22	49	216	4	96
400 x 4.8	400	1.3	22	49	216	4	110
400 x 7.6	400	1.5	54	119	530	4	112
450 x 4.8	450	1.3	22	49	216	4	130
500 x 4.8	500	1.4	22	49	216	4	147
100 x 1.8	100	0.9	8	18	78	2	24
300 x 4.8	300	1.23	22	49	216	4	82

Fire Retardant | Good Finish | Durable & Impact Resistant | Easy and Quick Installation

* **Tolerance:** Length: 5.0 mm | Width: 0.5 mm | Thickness: 0.2 mm

Features

Precision Cable ties are high mechnical strength and durable Self - locking mechanism easy to use, secure grip Tensile Strenth ranges from 78N to 530N Flame - retardant : UL94 V2/ROHS compliance.

BLACK WHITE

CABLE TIES

HSN: 39239090

BLACK WHITE

CABLE TIES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK			RATE
		OD (mm)	Pc./Bag	Bag/Carton	Total Pc. Per Carton	PC
532	PCT 100 2.5	100 x 2.5	1000	100	1,00,000	0.50
533	PCT 1002.5 1	100 x 2.5	100	600	60,000	0.50
534	PCT 150 3.0	150 x 3.0	100	420	42,000	0.75
535	PCT 150 3.6	150 x 3.6	100	300	30,000	0.75
536	PCT 200 3.6	200 x 3.6	100	250	25,000	1.00
537	PCT 200 4.8	200 x 4.8	100	200	20,000	1.50
538	PCT 250 3.6	250 x 3.6	100	215	21,500	1.25
539	PCT 250 4.8	250 x 4.8	100	155	15,500	1.75
540	PCT 300 3.6	300 x 3.6	100	190	19,000	1.75
541	PCT 350 3.6	350 x 3.6	100	150	15,000	2.00
542	PCT 350 4.8	350 x 4.8	100	120	12,000	2.50
543	PCT 400 4.8	400 x 4.8	100	110	11,000	3.00
544	PCT 400 7.6	400 x 7.6	100	60	6,000	5.50
545	PCT 450 4.8	450 x 4.8	100	90	9,000	3.50
546	PCT 500 4.8	500 x 4.8	100	80	8,000	3.75
547	PCT 100 1.8	100 x 1.8	1000	120	1,20,000	0.25
548	PCT 1001.8 1	100 x 1.8	100	800	80,000	0.25
549	PCT 300 4.8	300 x 4.8	100	140	14,000	2.25



(Black / White)

PRECISION®

Pipes | Desh ki Lifeline

LEADING PROJECT SUPPLIER & STOCKIST OF ALL TYPES OF ELECTRICAL GOODS

CEC Chandan Electric Corporation

Since 1985

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com